DAILY RAINFALL 1911 1930

PEMBROKESHIRE

BONCATH. BLAENFFOS SCHOOL		1920
CASTLE MALGWYN. LLECHRYD	1911	1913
CILGERRAN. SCHOOL		1919
FISHGUARD LANGTON DWRBACH	1911	1920
" GOODWICK STATION	1911	1920
HAVERFORDWEST. GRAMMAR SCHOOL	1911	1920
" PORTFIELD	1911 - 18,	1920
" POYSTON	1912-14,	16-1918
JOHNSTON COUNCIL HOUSE		1920
MYNACHLOGDDU COUNCIL SCHOOL	1911,	18 - 1920
NEWPORT LLWYN GWAIR	1911-15,	17 - 1918
PEMBROKE DOCK ADMIRALTY RES	1911	1920
" " COUNTY SCHOOL	1911	1920
" BANGESTON	1915	1919
" R.A.F. STATION		1918
PENFFORD COUNTY SCHOOL.	1914 ,	1917
ST ANNE'S HEAD	1919	1920
ST BRIDE'S LITTLE HAVEN.	1912	1914
ST DAVID'S	1911	1920
" " Y FAGWR.		1920
SAUNDERSFOOT HEAN~CASTLE	1911	1920
TEMPLETON. HILL	1914	1919
TENBY LEXDEN HOUSE	1917	1919
" MET. OFFICE	1919	1920
TREFGARNE HALL	1911	1919
WHITLAND TREWERN.	1911	1913

Bowcath

—

BLAENYFFOS
SCHOOL

PEMBROKESHIRE

1920

FORM A. 1. **METEOR** … **IZATION.**

8 JUN

Kept at Blae… …040 W
…m.
in the County of… …oncath G. W.R.
by W. T. … …auge 5" in.
…round 1 ft — in.
…ea Level 500· ft.

IMPORTANT NO… …ed to the previous day.

If an Observer prefers … to add the reading at 9 a.m. o… …space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~·4~~				1·41		·35					1·12	1
2		·44	·34				·73 ~~·79~~					·56	2
3	·4	·23					·59			2·24			3
4													4
5							·42			·54			5
6			1·27		·91				1·27	·53			6
7	1·5				·15		·5 ~~·63~~						7
8		·35			·08							·17	8
9													9
10		·42									·12		10
11	1·47		·71		·22	·41							11
12	·2	·41		3·2		·31							12
13				·63					·14	·23			13
14	·35		1·6	1·00					1·07	·14	1·37		14
15				·74					·02		·26		15
16			·56			·19			·49	·96			16
17					·56								17
18	·64			·76	·23				·29				18
19	·06	1·27											19
20	·09			·83		·22			·38			·81	20
21				·15									21
22													22
23													23
24	1·27												24
25			·81		·46.						·38		25
26	·64			·3									26
27				·11									27
28			(2·69)	·07			2·2~~7~~						28
29						·65					2·11		29
30	1·33	╳							1·3.				30
31	·34	╳		╳		╳			╳	1·92	╳	1·52.	31
TOTAL	8·29 ~~7·08~~	3·12	(7·98) ~~7·98~~	7·79 ~~7·05~~	4·02	1·78	4·79	3·45	4·96	6·56	4·24	4·18	YEAR'S TOTAL ~~59·21~~ (61·16)
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

8 JUN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Blaenffos School

in the County of Pembroke.

by W. T. Williams.

Lat. 52° N Long. 4°40 W

Time of Observation 9·0 a.m.

Nearest Railway Station Boncath G. W. R.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ Sea Level 500· ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~·4~~				1·41		·35					1·12	1
2		·44	·34				·731 ~~·79~~					·56	2
3	·4	·23					·59			2·24			3
4													4
5							·42			·54			5
6			1·27		·91				1·27	·53			6
7	1·5				·15		·5 ~~·63~~						7
8		·35			·08							·17	8
9													9
10		·42									·12		10
11	1·47		·71		·22	·41							11
12	·2	·41		3·2		·31							12
13				·63					·14	·23			13
14	·35		1·6	1·00					1·07	·14	1·37		14
15				·74					·02		·26		15
16			·56			·19			·49	·96			16
17					·56								17
18	·64			·76	·23				·29				18
19	·06	1·27											19
20	·09			·83		·22			·38			·81	20
21				·15									21
22													22
23													23
24	1·27												24
25			·81		·46.						·38		25
26	·64			·3									26
27				·11									27
28			(2·69)	·07			2·27						28
29						·65					2·11		29
30	1·33	╳							1·3.				30
31	·34	╳		╳		╳			╳	1·92	╳	1·52.	31
TOTAL	8·29 ~~7·08~~	3·12	(7·98) ~~7·98~~	7·79 ~~7·05~~	4·02	1·78	4·79	3·45	4·96	6·56	4·24	4·18.	YEAR'S TOTAL ~~59·21.~~ (61·16)
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

721 1150

CASTLE MALGWYN
LLECHRYD
PEMBROKESHIRE
1911 -1913

11

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Castle ... 5 in.

... above Ground 1 ft. — in.

in the County of ... Sea Level ... ft.

by H Ba... 9 am

Name Kilgerran
Distance 2 Direction West

IMPORTANT ... nd the result entered to the previous day. If an Observer prefers not to conform to this ... universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	—	03	16	40			12	—	03	25	22	1
2	—	—	—	3	25			23	—	21	01	65	2
3	—	—	2	—	80			09	5	03	35	22	3
4	—	—	20	—	02			80	—	02	40	65	4
5	56	—	22	—	04			25	—	18	03	05	5
6	22	—	17	—	05			7	—	—	13	110	6
7	07	—	—	—	—			—	—	—	68	2	7
8	42	—	12	—	—			—	—	—	28	100	8
9	07	—	03	—	—			—	—	—	33	66	9
10	10	13	77	—	—			—	—	—	—	50	10
11	30	—	2	—	08			—	11	05	17	08	11
12	—	—	45	—	—			—	94	02	135	09	12
13	11	—	22	—	100			—	—	01	25	36	13
14	02	10	28	—	2			—	06	—	17	55	14
15	—	9	15	—		5		—	—	—	70	02	15
16	—	—	3	—		55		—	—	—	30	40	16
17	2	—	—	05		58		04	—	—	42	108	17
18	—	23	—	95		36			—	15	50	85	18
19	—	2	—	65		5			42	03	38	88	19
20	—	8	—	25		2			10	55	—	18	20
21	—	19	04	2		16	10		34	80	01	2	21
22	05	23		6		04	—		12	18	—	48	22
23	01	6		—		16	03	30	9	20	—	~~two days~~	23
24		15		4		80		10	12	45	—	52	24
25		—		18		9	02		45	4	—	10	25
26		15		30	06	—	03	3	01	35	—	10	26
27		32		—		—	12	97	46	—	11	12	27
28		18		20		—	1	5		—	—	1	28
29				8		32	18		20	55	01	5	29
30				—		2	1		15	62	38	1	30
31							12			3		—	31
Total	199	193	276	297	273	320	62	305	362	450	721	1133	TOTAL for year 45·91
No. of Rain Days	13	13	15	13	10	13	9	12	15	20	22	30	185
	392	668	965	1238	1550	1612	1917	2279	2729	3450	4591		

IX. '10.

721 1150

11

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Castle Malgwyn Gardens

in the County of Pembrokeshire

by H Baldwin

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station Name Kilgerran
Distance 2 Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	—	03	16	40			12	—	03	25	22	1
2	—	—	—	3	25			23	—	21	01	65	2
3	—	—	2	—	80			09	5	03	35	22	3
4	—	—	20	—	02			80	—	02	40	65	4
5	56	—	22	—	04			25	—	18	03	05	5
6	22	—	17	—	05			7	—	—	13	140	6
7	07	—	—	—	—			—		—	62	2	7
8	42	—	12	—	—			—	—	—	28	100	8
9	07	—	03	—	—			—	—	—	33	66	9
10	10	13	77	—	—			—	—	—	—	50	10
11	30	—	3	—	08			—	11	05	17	08	11
12	—	—	45	—	—				94	02	135	09	12
13	11	—	22	—	100				—	01	25	36	13
14	02	10	28	—	3				06	—	17	55	14
15	—	9	15	—	—	5		—	—	—	70	02	15
16	—	—	3	—		55		—	—	—	30	40	16
17	2	—	—	05		58		04	—	—	42	108	17
18	—	23	—	95		36			—	15	50	85	18
19	—	2	—	65		5			42	03	38	88	19
20	—	8	—	25		2			10	55	—	18	20
21	—	19	04	2		16	10		34	80	01	2	21
22	05	23		6		04	—		12	18	—	48	22
23	01	6		—		16	03	30	9	20	—	Some days	23
24		15		4		80	—	10	12	45	—	52	24
25		—		18		9	02		45	4	—	10	25
26		15		30	06	—	03	3	01	35	—	10	26
27		32		—		—	12	97	46	—	11	12	27
28		18		20		—	1	5	—	—	—	1	28
29				8		32	18		20	55	01	5	29
30				—	—	2	1		15	62	38	1	30
31							12			3		—	31
Total	199	193	276	297	273	320	62	305	362	450	721	1133	TOTAL for year 45·91
No. of Rain Days	13	13	15	13	10	13	9	12	15	20	22	30	185
	392	668	965	1238	1550	1612	1917	2279	2729	3450	4591		

0, IX. '10.

cnd lyc. 18·III·13 W. Hb

FORM A2. BRITISH RAINFALL. 4 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Castle Malgwyn

in the County of Pembroke

by Wm Gower

Rain Gauge: Pattern British Assn; Diameter of top 5 in.; Height of top above Ground 1 ft. in.; " " " Sea Level ft.

Time of Observation 11 a.m.

Nearest Railway Station: Name Kilgerran; Distance 1 mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	2	26	—	3	74		29	2				1
2	—	2	52	2	2	52		—					2
3	11	3	87	—		7		77			5	28	3
4	26	—	42	1	27	1		56			45	10	4
5	48	2	36	—	4	—		15				12	5
6	67	11	—	—	18	—		7			2	4	6
7	12	79	44	—	2	17	5	2	2			28	7
8	38	11	11	1	—	28	—	17	4				8
9	4	12	5	9	—	—	7	32	2		2	19	9
10	33	3	5		—	—	15	4			7	5	10
11	3	—	—		—	—	2	—			64	55	11
12	10	—	16	9	5	2	21	2			60	7	12
13	29	—	—		—	5	—	7		45	4	27	13
14	8	6	33		—	—	—	—				7	14
15	90	3	1		—	16	—	20			9	23	15
16	36	16	48		7	7	—	—		14		14	16
17	4	10	10		1	28	—	24			16	80	17
18	10	9	9		—	—	—	31			3	12	18
19	1	9	—		2	9	—	34		21	3	11	19
20	1	5	38		—	—	—	2		42	16	8	20
21	—	42	58		5	—	1	36		27	4	48	21
22	15	7	14		8	17	23	71		39		18	22
23	2	—	15		—	32	—	26		8	29	35	23
24	—	7	6		—	44	8	—			7	10	24
25	—	3	—		—	11	—	33		14	52	88	25
26	—	11	15		—	22	—	22		83	47	27	26
27	—	4	11		—	79	70	—	1	43	12	16	27
28	—	22	—		—	25	54	38	14	28	58		28
29	—	38	—		—	3	10	49	32	69		3	29
30	—		20	3	—	15	16	—		48		1	30
31	1		32		—		27	5		9		12	31
Total	4.49	3.17	6.34	0.25	0.84	4.94	2.59	6.39	- 57	4.90	4.45	6.08	TOTAL for year 45.01
No. of Rain Days.	21	24	24	6	12	21	13	24	7	14	20	27	213

W. 8,000, X. '11.

7 66 14 25 20.3 22. 29 01 29.58 34 48 38.93 45 05 45 05

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Castle Malgwyn
in the County of Pembroke
by E Gower Esq

Lat. Long.
Time of Observation 11 o'clock
Nearest Railway Station Kilgerran
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	12	27	29	2	13					6	31	4	1
2	18	25	19		16	6					30	6	2
3	24	.	11		31					9		32	3
4	38	7	5			2			100	15	15	12	4
5	39	8	9		13	47	8		2		47	16	5
6	32	46	29		16	14				9	20	76	6
7	24	52	4		83	61	7			17	13		7
8	5	81	7		36	49	2	17		32	1	12	8
9	4	26		8	3		6		9		80		9
10	78		4	9	10		3	15	5	1.30	8		10
11	37			13	4		2	2	2	7	50	3	11
12	-				6		2	25	198	2	46		12
13	10		50	2	79			2	125		17		13
14	33	2	29	4					24	40	5	2	14
15	31	2	49	105			2		1		6		15
16	15		44	11							2		16
17	10		22	15			14				7		17
18	10		50	10		3	22						18
19	1.01		9		2	12			19	49	11		19
20	38		11	21	16		12		8	11	64		20
21	1		25		9			8	10	5			21
22	71		97			18		82	59				22
23	11		4	43				2	21		27	7	23
24	12	20		28		2					9	6	24
25	-	3		60					12	2	5	7	25
26	-			112					35	3		34	26
27	15		22	21						39		4	27
28	5		11	10	31					43		12	28
29	-		22	100	6			2		44	2		29
30	46		2	13	14					12	14		30
31	7		11		6					9			31
Total	7.27	2.49	5.75	5.87	3.94	2.14	-80	1.55	6.31	4.84	5.10	2.33	YEAR'S TOTAL 48.39
Rain Days.	27	12	25	19	19	10	11	9	16	20	23	15	206

W. 7,500, XI. '12 9.76 5.51 21.38 25.32 27.46 28.26 29.81 36.12 40.96 46.5 48.39

8L

cnd fr auth 23.IV.15

2/49

FORM A.
BRITISH RAINFALL.

23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Castle Malgwyn

in the County of Pembroke

by E. Gower

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·08	·02		·24	·47	·43					1
2					·03		·26	·40					2
3			·52	·04	·52			·01					3
4	·43		·06	·21	·05		·56						4
5	·06	·02	·20	·12	·03								5
6		·18	·09	·02	·09	·07							6
7	·05	·49	·26	·18	·27	·10	·40						7
8	·09	·02		·18	·49	·18							8
9	·29	·12	·06	·11	·33	·52		·60					9
10	·12	·71	·03	·18	·01			·09					10
11		·35	·36		·01	·22							11
12		·76	·11										12
13		·45	·46				·16						13
14		·64	·19				·02	·37					14
15		·05	·04					·04					15
16			·02				·16						16
17		·38	·60				·10						17
18			·10				·25						18
19		·26	·05				·45						19
20		·65	·12			·19							20
21		·54	·06					·05					21
22		·31	·10	·05	·01			·25					22
23		·02	·20										23
24	·07	·01	·02					·11					24
25	·23		·09					·55					25
26	·02						·10						26
27	·14	·09					·21						27
28	·04	·06	·32		·08		·01						28
29	·21		·22		·07								29
30			·27		·02								30
31	·25		·02		·06								31
Total	2·00	6·11	4·65	1·11 1·13	2·07	1·52	3·15	2·90					YEAR'S TOTAL
Rain Days.	13	20	27	10	15	7	13	11					

W.7,000, XI. 13

FORM A. 1. METEO NIZATION.

/2

17 JAN 20

CILGERRAN

SCHOOL

PEMBROKESHIRE

1919

Kept at Cilge
in the County of
by James Ev

"20 W.

gerran

uge 5 in.

round 1 ft 3 in.

a Level 100 ft.

IMPORTANT NO d to the previous day.

If an Observer prefers to add the reading at 9 a.m. on end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·	·	·13	·2	·	·13	·01	·01	·01	·	·49	1
2	·13	·	·03	·	·18	·	·07	·03	·	·	·	·56	2
3	·35	·	·1	·	·	·	·	·	·	·	·	·06	3
4	·	·04	·02	·02	·	·04		·	·04	·	·	·17	4
5	·13	·2	·	·	·04	·13		·02	·02	·	·	·13	5
6	·31	·2	·	·	·	·		·	·	·21	·	·	6
7	·23	·09	·01	·	·	·		·	·2	·	·	·	7
8	·12	·	·	·39	·	·		·04	·	·	·	·6	8
9	·66	·	·03	·	·	·		·	·	·	·02	·	9
10	·08	·	·01	·16	·	·	·	·	·	·	·03	·01	10
11	·12	·	·56	·02	·	·	·01	·	·	·	·1	·93	11
12	·13	·	·74	·12	·	·4	·35	·	·	·	·	·33	12
13	·14	·01	·87	·08	·	·	·23	·	·	·	·	·05	13
14	·22	·	·03	·19	·01	·	·	·	·01	·	·001	·21	14
15	·16	·02	·15	·	·24	·	·	·	·	·53	·004	·5	15
16	·33	·23	·	·06	·	·	·	·	·	·09	·3	·34	16
17	·13	·27	·01	·	·	·23	·	·13	·	·	·57	·	17
18	·	·7	·43	·	·	·	·005	·	·23	·	·43	·37	18
19	·1	·07	·67	·	·	·	·09	·	·12	·	·12	·	19
20	·14	·21	·52	·	·04	·	·01	·	·03	·	·15	·1	20
21	·38	·03	·	·	·17	·	·	·01	·1	·	·	·02	21
22	·01	·2	·	·	·18	·	·3	·	·27	·	·	·16	22
23	·	·25	·	·03	·	·		·	·15	·	·	·27	23
24	·	·	·	·	·	·15		·03	·	·61	·04	·13	24
25	·21	·03	·	·	·	·		·04	·06	·	·	·09	25
26	·12	·	·	·47	·14	·		·17	·07	·	·42	·22	26
27	·06	·06	·	·44	·	·		·001	·04	·31	·	·12	27
28	·2	·01	·	·03	·	·		·	·1	·	·	·01	28
29	·1	✕	·	·14	·	·01		·	·	·01	·	·43	29
30	·02	✕	·03	·01	·	·1		·	·	·	·4	·26	30
31	·	✕	·08	✕	·	✕	·004	·	✕	·	✕	·15	31
TOTAL	4·60	2·62 ~~2·61~~	4·29	2·29	1·20 ~~1·74~~	1·06	1·19	~~·48~~	1·45	1·77	2·585 ~~2·595~~	(6·71) 6·77	YEAR'S TOTAL ~~30·24~~
Days with ·01 in. or more	26.	17.	17.	15.	9.	7.	8	~~9~~	15	7	13	26	169

Bad

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

2

FORM A. 1. **METEO IZATION.**

17 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Cilgerran School.
in the County of Pembroke
by James Evans: L.C.P.;

Lat. 52·2 Long. 4·20 W.
Time of Observation 9 a.m.
Nearest Railway Station Cilgerran
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·	·	·13	·2	·	·13	·01	·01	·01	·	·49	1
2	·13	·	·03	·	·18	·	·07	·03	·	·	·	·56	2
3	·35	·	·1	·	·	·	·	·	·	·	·	·06	3
4	·	·04	·02	·02	·	·04		·	·04	·	·	·17	4
5	·13	·2	·	·	·04	·13		·02	·02	·	·	·13	5
6	·31	·2	·	·	·	·		·	·	·21	·	·	6
7	·23	·09	·01	·	·	·		·	·2	·	·	·	7
8	·12	·	·	·39	·	·		·04	·	·	·	·6	8
9	·66	·	·03	·	·	·		·	·	·	·02	·	9
10	·08	·	·01	·16	·	·	·	·	·	·	·03	·01	10
11	·12	·	·56	·02	·	·	·01	·	·	·	·1	·93	11
12	·13	·	·74	·12	·	·4	·35	·	·	·	·	·33	12
13	·14	·01	·87	·08	·	·	·23	·	·	·	·	·05	13
14	·22	·	·03	·19	·01	·	·	·	·01	·	·00	·21	14
15	·16	·02	·15	·	·24	·	·	·	·	·53	·00	·5	15
16	·33	·23	·	·06	·	·	·	·	·	·09	·3	·34	16
17	·13	·27	·01	·	·	·23	·	·13	·	·	·57	·	17
18	·	·7	·43	·	·	·	·00~~5~~	·	·23	·	·43	·37	18
19	·1	·07	·67	·	·	·	·09	·	·12	·	·12	·	19
20	·14	·21	·52	·	·04	·	·01	·	·03	·	·15	·1	20
21	·38	·03	·	·	·17	·	·	·01	·1	·	·	·02	21
22	·01	·2	·	·	·18	·	·3	·	·27	·	·	·16	22
23	·	·25	·	·03	·	·		·	·15	·	·	·27	23
24	·	·	·	·	·	·15		·03	·	·61	·04	·13	24
25	·21	·03	·	·	·	·		·04	·06	·	·	·09	25
26	·12	·	·	·47	·14	·		·17	·07	·	·42	·22	26
27	·06	·06	·	·44	·	·		·00	·04	·31	·	·12	27
28	·2	·01	·	·03	·	·		·	·1	·	·	·01	28
29	·1	╳	·	·14	·	·01	·	·		·01	·	·43	29
30	·02	╳	·03	·01	·	·1		·	·	·	·4	·26	30
31	·	╳	·08	╳	·	╳	·00	·	╳	·	╳	·15	31
TOTAL	4·60	~~2·61~~ 2·62	4·29	2·29	~~1·14~~ 1·20	1·06	1·19	~~·48~~	1·45	1·77	~~2·595~~ 2·58~~5~~	6·71 (6·71)	YEAR'S TOTAL ~~30·24~~
Days with ·01 in. or more	26	17	17	15	9	7	~~9~~ 8	9	15	7	~~12~~ 11	26	169

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

REGIS 1911

FISHGUARD
LANGTON DURBACH
PEMBROKE
1911 – 1920.

FORM A1.
BRITISH RAINFALL.
9 JAN 1912

Kept at Langton Du

in the County of Pem

by J C Yorke

r of top 5 in.

f top above Ground 1 ft. 6 in.

„ „ Sea Level 320 ft.

ion 9 a.m. goodwick

Station Name ~~Joyce~~

Distance 3½ Direction SSE

IMPORTANT NOTE.—R m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·0·0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	003	000	003	—	050	001	—	001	—	005	039 7	051	1
2	000	000	000	—	028	—	—	039	—	016	005	028	2
3	000	000	003	—	100	—	—	004	003	—	029	021	3
4	000	000	035	—	—	—	—	227	—	—	045	047	4
5	110	000	008	—	003	—	—	009	—	008	002	009	5
6	002	000	009	—	—	—	—	012	—	—	014	083	6
7	029	000	000	—	—	—	—	—	—	—	073	005	7
8	073	000	019	—	—	—	—	—	—	—	036	069	8
9	004	002	008	—	—	—	—	—	—	—	042	041	9
10	046	004	098	—	004	—	—	—	—	—	001	042	10
11	052	005	005	—	037	—	—	—	015	—	010	008	11
12	000	003	050	—	027	—	—	—	065	—	093	008	12
13	000	000	004	—	013	—	—	—	001	—	049	027	13
14	000	024	009	—	002	—	—	—	003	013	023	085	14
15	002	022	009	—	—	001	—	—	—	—	036	015	15
16	002	003	003	—	—	036	—	—	—	—	059	022	16
17	001	004	000	010	—	013	—	—	—	—	030	048	17
18	000	027	002	039	—	001	—	—	—	005	028	036	18
19	000	001	000	042	—	014	004	002	022	007	025	046	19
20	000	022	000	067	—	—	001	001	026	051	020	025	20
21	002	042	002	018	—	023	013	—	039	093	009	010	21
22	015	021	000	018	—	009	—	—	023	009	—	040	22
23	003	006	000	—	007	070	—	051	021	032	—	028	23
24	004	034	000	010	—	005	—	019	004	003	—	022	24
25	001	000	000	024	—	003	—	002	021	031	—	010	25
26	004	037	000	059	—	~~0~~	007	016	002	032	—	019	26
27	000	065	002	001	—	—	008	106	027	004	020	013	27
28	000	022	001	010	—	—	—	007	—	007	001	003	28
29	000		003	—	—	028	056	001	022	064	—	009	29
30	000		000	—	—	002	001	~~000~~	001	053	039	001	30
31	000		003		—		008	—		001		004	31
Total	353	344	276	298	271	206	·99	497	295	434	706	875	TOTAL for Year 4654
No. of Rain Days	17	18	20	11	10	13	8	15	16	18	24	31	4654 201

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

REGISTER OF RAINFALL IN 1911

FORM A1.
BRITISH RAINFALL.
9 JAN 1912

Kept at Langton Scotback S.O

in the County of Pembroke

by J C Yorke Esqr

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 320 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name ~~[illegible]~~ Goodwick
Distance 3½ Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·0·0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in. 4	in.	
1	003	000	003	—	050	001	—	001	—	005	039	051	1
2	000	000	000	—	028	—	—	039	—	016	005	028	2
3	000	000	003	—	100	—	—	004	003	—	029	021	3
4	000	000	035	—	—	—	—	224	—	—	045	047	4
5	110	000	008	—	003	—	—	009	—	008	002	009	5
6	002	000	009	—	—	—	—	012	—	—	014	083	6
7	029	000	000	—	—	—	—	—	—	—	073	005	7
8	073	000	019	—	—	—	—	—	—	—	036	069	8
9	004	002	008	—	—	—	—	—	—	—	042	041	9
10	046	004	098	—	004	—	—	—	—	—	001	042	10
11	052	005	005	—	037	—	—	—	015	—	010	008	11
12	000	003	050	—	027	—	—	—	065	—	093	008	12
13	000	000	004	—	013	—	—	—	001	—	049	027	13
14	000	024	009	—	002	—	—	—	003	013	023	085	14
15	002	022	009	—	—	001	—	—	—	—	036	015	15
16	002	003	003	—	—	036	—	—	—	—	059	022	16
17	001	004	000	010	—	013	—	—	—	—	030	048	17
18	000	027	002	039	—	001	—	—	—	005	028	036	18
19	000	001	000	042	—	014	004	002	022	007	025	046	19
20	000	022	000	067	—	—	001	001	026	051	020	025	20
21	002	042	002	018	—	023	013	—	039	093	009	010	21
22	015	021	000	018	—	009	—	—	023	009	—	040	22
23	003	006	000	—	007	070	—	051	021	032	—	028	23
24	004	034	000	010	—	005	—	019	004	003	—	022	24
25	001	000	000	024	—	003	—	002	021	031	—	010	25
26	004	037	000	059	—	~~0~~ —	007	016	002	032	—	019	26
27	000	065	002	001	—	—	008	106	027	004	020	013	27
28	000	022	001	010	—	—	—	004	—	007	001	003	28
29	000		003	—	—	028	056	001	022	064	—	009	29
30	000		000	—	—	002	001	~~040~~	001	053	039	001	30
31	000		003		—		008	—		001		004	31
Total	353	344	276	298	271	206	·99	497	295	434	706	875	TOTAL for year 4654
No. of Rain Days	5 17	18	20	11	10	13	8	15	16	18	24	31	4654 201

1,000, X. '09. Waterloo and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

8-JAN 1913

Kept at Langton Dwrbach S.O

in the County of Pembroke 4

by J C Yorke

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Fishguard

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~000~~	001	020	—	002	033	014	002	001	015	001	022	1
2	~~000~~	001	074	002	—	074	—	001	—	—	003	—	2
3	~~004~~	002	036	001	—	010	—	038	007	—	001	019	3
4	030	—	076	—	003	—	—	027	—	—	060	003	4
5	045	—	026	—	006	—	—	053	—	002	002	011	5
6	011	015	—	001	023	—	—	018	002	002	008	002	6
7	008	031	018	—	009	006	005	013	—	003	003	032	7
8	030	011	006	—	—	011	—	012	—	—	002	001	8
9	003	020	016	005	—	003	014	042	001	—	001	048	9
10	038	001	010	002	—	005	031	001	—	—	006	012	10
11	006	—	001	—	031	—	017	—	—	—	001	080	11
12	016	—	043	004	004	004	030	—	—	—	028	—	12
13	037	044	010	—	—	—	001	053	—	070	005	056	13
14	009	005	035	—	—	—	—	006	—	—	002	017	14
15	040	008	002	—	—	022	—	010	—	001	003	016	15
16	035	008	075	—	004	007	—	062	—	028	—	007	16
17	~~000~~	041	019	—	—	033	—	034	—	—	008	070	17
18	003	013	014	—	002	001	—	033	—	006	004	014	18
19	—	005	001	—	—	006	—	039	—	011	—	012	19
20	002	—	037	—	—	—	—	001	—	031	002	009	20
21	—	034	030	—	007	004	002	027	—	018	—	051	21
22	008	040	016	—	001	046	021	065	—	011	009	023	22
23	—	001	021	—	—	011	002	038	—	029	063	008	23
24	—	004	008	—	—	049	—	001	—	008	002	022	24
25	—	001	005	—	—	006	004	034	—	010	073	047	25
26	—	019	015	—	—	004	—	013	—	092	060	012	26
27	—	025	017	—	—	127	107	—	—	033	011	037	27
28	—	016	—	—	—	044	056	053	011	068	091	010	28
29	—	010	—	—	012	005	008	018	032	053	—	002	29
30	—		013	009	009	005	015	—	—	034	009	004	30
31	004		055		—		032	006		013		032	31
4 Total	329	316	699	024	113	516	359	700	054	5·38	458	679	YEAR'S TOTAL 47·85
Rain Days.	~~24~~ 18	24	28	7	13	23	16	27	6	21	26	29	~~47·85~~ 238

W. 7,500, XI. ·12 7 10 9 5 01 days ~~244~~

Eng 31

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6- JAN 1914

Kept at Langton, Dunbeck

in the County of Pembroke 4

by J. C. Kork

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	005	012	035	087	—	—	—	—	—	—	032	009	1
2	033	020	031	005	024	028	—	—	—	006	031	015	2
3	027	001	015	—	020	—	—	—	—	003	—	033	3
4	028 3	002	015	—	003	018	—	—	046	010	024	010	4
5	029 ~~042~~	008	009	—	020	053	010 ~~040~~	002	030	014	035	019	5
6	042 ~~009~~	016	020	—	023	050	002	—	—	014	006	056	6
7	009	050	003	—	047	069	—	—	—	017	009	004	7
8	013	035	003	—	035	—	002	001	—	006	002	009	8
9	003	041	009	003	028	040	002	—	003	—	050	008	9
10	051	001	015	006	008	—	004	030	005	069	002	—	10
11	024	—	001	012	003	—	001	—	001	018	028	018	11
12	003	—	006	—	010	003	012	027	166	001	029	001	12
13	008	—	054	003	010	—	002	016	204	002	023	—	13
14	037	001	034	003	—	—	019	—	024	048	012	006	14
15	032	—	034	136	—	—	—	—	001	—	002	007	15
16	037	—	029	013	—	—	007	—	—	—	001	—	16
17	016	—	018	012	—	—	005	—	—	—	025	—	17
18	006	—	046	031	—	003	008	—	—	—	006	—	18
19	075	—	012	—	001	018	001	—	035	057	018	—	19
20	044	—	037	026	003	001	—	—	015	021	108	—	20
21	001	—	029	013	016	001	007	008	005	016	—	—	21
22	045	—	072	—	003	032	—	105	132	—	—	003	22
23	018	—	004	—	001	001	—	001	028	—	038	—	23
24	025	019	—	019	—	—	—	—	001	—	022	—	24
25	001	002	—	038	—	—	—	—	012	008	008	001	25
26	—	003	—	085	—	—	—	002	013	003	001	036	26
27	013	—	010	023	—	—	—	002	—	024	—	003	27
28	009	—	006	007	010	—	—	—	—	051	001	006	28
29	001		021	039	008	—	—	009	—	092	006	—	29
30	058		006	008	017	—	—	—	—	019	016	—	30
31	011		021		—			—		011		—	31
Total	699	211	595	489	300	317	82	203	721	510	536	244	YEAR'S TOTAL 4907
Rain Days.	30	14	28	20	20	13	14	11	17	22	26	18	233

W.7,000, XI. 13

written 30/4/15

W DL

cnd for auth 23. IV. 15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 JAN 1915

Kept at Langton Dwrbach S.O

in the County of Pembroke 4

by J C Yorke

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Goodwick G W R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	---	---	-10	--2	---	-44	-87	-27			-35	-30	1
2	--3	--1	---	---	--5	---	-66	--3			--3	-44	2
3	---	---	-20	--8	-61	---	---	---			---	-90	3
4	-34	---	--1	-26	--3	---	---	---			--8	--4	4
5	---	--2	-25	--7	---	---	---	-10		--3	-16	---	5
6	--2	--9	-16	---	--9	---	--3	--5		---	--7	-18	6
7	-2-	-55	-33	--6	-19	-17	-32	-60	--8	--2	--4	-48	7
8	-18	---	--1	-16	-17	-11	---	-82	---		---	-14	8
9	-47	-10	---	-15	-50	-40	---	--6	-30		--6	--1	9
10	-14	-41	---	-13	--1	-11	---		-37		--2	--3	10
11	---	-29	-63	--1	-21	-22	--2		--3		--9	-33	11
12	---	-71	-19	--2	---	---	---		-31		-28	--2	12
13	---	-52	-49	---	---		-21		-63	-19	--5	--8	13
14	---	-60	-24	---	---		--5	-20	---	---	-34	---	14
15	---	--1	--3	---	---		---	-30	-24	---	-46	-15	15
16	---	---	--2	---	---		-12		-38	---		--3	16
17	---	-96	-30	---	---		--6		---	--5		111	17
18	---	--3	-10	---	---		-13		--2	-13		-38	18
19	---	-13	--2	---	---	--3	-31		---	---	--2	-12	19
20	---	-59	--7	---	---	-20		-14	---	---	---	-50	20
21	---	-41	---	---	---	-02		--1		-37	---	---	21
22	---	-14	-13	--5	---	--4		-37		-29	---	---	22
23	---	-11	-23	---	---		--1	-15		--8	--4	--3	23
24	--8	--1	-13	---	---		---	--1		--2	-20	---	24
25	-2-	--2	-26	---	---		--5	---		-50	-14	-82	25
26	--2	--2	---	---	---		--9	---		-25	-39	-31	26
27	-23	--9	---	---	---		-12	---		--7	-53	128	27
28	--4	--9	-26	---	--4		--4	--2	--1	-18	--2	-46	28
29	-41	X	-13	---	--3		---	--2	---	--4	-70	--1	29
30	--1	X	-16	---	---		---	--3	---	--6	-46	-72	30
31	-28	X	-14	X	-12	X	-46	---	X	-16	X	-26	31
Total	265 2.65	591	459	101	208	174	455	318	237	244	453	913	YEAR'S TOTAL 44 15 44·15
Rain Days.	15	23	25	·11	12	10	18	17	10	16	22	26	205

W. 8,000. X. 14.

Slip made

4088

FORM A.
BRITISH RAINFALL.

U. JAN.

REGISTER OF RAINFALL IN 1915

Kept at Langton, Dwrbach, S.O.

in the County of Pembroke

by J C Yorke

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Fishguard or Letterston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.37			.59		.07	.61	.20	.13		.28	1
2	.18	.40	.34	.40		.26	.06	.08		.01	.06	.07	2
3	.01	.24	.26		.05		.02	.01	.14		.04	.24	3
4	.08	.01	.03		.03	.03						.63	4
5	.07	.25	.01	.19	.03	.02		.09				1.19	5
6	.32	.03	.01	.33			.40	.13		.27		.10	6
7	.32	.42		.03			.25	.03		.04	.02	.14	7
8	.02	.48						.14			.51	.02	8
9	.18	.73		.28				.07				.49	9
10	.45	.73	.21	.18		.09	.01	.06		.13		.01	10
11	.04	.02			.01	.01		.16		.12	.89	.05	11
12	.23	.36	.01	.11	.09					.02	.61	.08	12
13	.04	.23		.06	.17			.04	.25	.13	.02	.43	13
14	.00	.05						.02	.14		.02	.20	14
15	.00				.22		.25		.12	.01		.31	15
16	.45	.99			.07		.42		.02			.42	16
17	.03	.71	.06	.04	.11					.01		.01	17
18	.00	.33	.01				.08						18
19	.01	.01		.15	.27		.35						19
20	.64	.01			.09				.07	.12		.41	20
21	.13	.09		.02	.01		.35			.08		.35	21
22	.12	.08	.01	.09		1.18	.15		.16	.05	.11	.57	22
23	.01	.18	.06	.02		.97	.02		.05	.67		.37	23
24	.01		.01						.24	.27	—	.23	24
25	.00					.42					.12	.20	25
26	.00	.52				.60	.36		.11			.56	26
27	.00	.03				.20	.21		.03	.90		.29	27
28	.00	.03				.01		.10	.33	.08		.07	28
29	.00	---		.03		.56			.25	.02	.38	.21	29
30	.15	X		.35				.15	.22	.34	.60	.32	30
31	.01	X		X		X	.21		X	.13	X	.50	31
Total	3.75	7.30	1.02	2.28	1.74	4.35	3.21	1.69	2.33	3.53	3.38	8.68	YEAR'S TOTAL 43.26
Rain Days.	23	25	12	15	13	12	16	14	15	20	12	29	206

W. 8,000. X. 15.

4067

FORM A.
BRITISH RAINFALL.
8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Langton, Dwrbach
in the County of Pembrokeshire
by J. C. Yorke

Lat. Long.
Time of Observation 9·30 A.M.
Nearest Railway Station Goodwick
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·29	·10	· · ·	· · ·	· · 8	· · 7	· · ·	· · ·	·55	·15	· · ·	1
2	33	27	32	·	·	5	42	·	77	109	28	·	2
3	4	88	·	6	6	27	·	·	61	36	16	3	3
4	19	19	·	7	30	29	·	·	12	3	20	6	4
5	9	27	4	·	21	10	9	·	4	65	1	·	5
6	17	30	1	·	13	1	46	·	·	22	52	3	6
7	·	3	2	·	47	2	·	·	·	11	48	27	7
8	·	1	1	1	20	·	2	·	·	6	1	14	8
9	5	12	·	·	7	·	·	·	·	·	7	59	9
10	3	35	·	19	6	1	·	·	·	·	4	1	10
11	·	4	·	32	31	·	18	·	4	·	3	21	11
12	·	8	·	1	15	·	8	42	·	11	1	·	12
13	1	26	5	·	3	·	1	28	3	9	3	·	13
14	4	37	5	·	13	·	·	3	·	12	·	1	14
15	2	12	·	38	30	·	3	6	·	8	·	·	15
16	10	12	9	35	3	·	12	1	·	19	·	·	16
17	41	21	6	2	·	·	·	·	63	12	44	8	17
18	9	2	10	5	·	·	·	·	2	15	8	64	18
19	30	7	2	56	·	·	·	·	·	·	28	13	19
20	41	31	14	6	·	·	·	·	·	·	16	22	20
21	11	·	18	·	11	11	·		·	15	·	2	21
22	2	1	·	·	·	40	·	10 ~~12~~	·	4	8	22	22
23	20	·	14	39	·	5	·	33	·	24	43	28	23
24	·	4	2	18	8	·	·	54	·	9	2	11	24
25	2	2	29	·	23	12	·	14	1	30	19	1	25
26	8	·	1	·	·	4	·	12	17	73	25	·	26
27	1	11	23	1	·	·	·	7	22		2	1	27
28	·	7	·	·	·	·	·	·	2	51	16	77	28
29	1	17	·	·	·	30	·	·	4	84	11	10	29
30	·	×	·	·	·	32	·	·	·	45	8	2	30
31	·	×	·	×	28	×	·	23	×	22	×	2	31
Total	301	473	188	266	309	217	148	233	272	750	429	398	YEAR'S TOTAL 39·84
Rain Days.	23	26	19	15	18	15	10	12	13	26	26	23	226

W. 8,000, VIII. 16

3852

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917

*Kept at** Langton, Dwrbach

in the County of Pembrokeshire

by J. C. Yorke Esq

Lat. 52° Long. 4° 54'

Time of Observation 9·30 A.M

Nearest Railway Station Goodwick

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·12	·50 S	·00	·03	·00	·00	·00	·01	·15	·01	1
2	·00	·00	·00	·37 S	·00	·15	·00	·01	·00	·03	·16	·00	2
3	·05	·31 S	·00	·06	·00	·16	·59	·00	·02	·36	·66	·04	3
4	·01	·24 S	·18	·03	·00	·00	·01	·00	·00	·17	·04	·01	4
5	·39	·00	·20	·12	·00	·27	·00	·00	·17	·30	·28	·00	5
6	·30	·00	·14	·03	·00	·24	·00	·00	·01	·26	·21	·22	6
7	·02	·00	·00	·02	·00	·33	·13	·52	·00	·24	·11	·01	7
8	·01	·00	·42 S	·03	·00	·00	·08	·38	·07	·57	·39	·17	8
9	·00	·00	·05	·27	·07	·00	·00	·20	·08	·16	·04	·02	9
10	·39	·00	·78	·00	·02	·00	·00	·07	·00	·19	·01	·00	10
11	·02	·00	·01	·73 S	·29	·00	·00	·16	·00	·37	·37	·00	11
12	·24	·00	·02	·08	·02	·00	·00	·39	·09	·31	·00	·01	12
13	·00	·00	·04	·18	·07	·05	·00	·56	·27	·72	·06	·00	13
14	·00	·00	·00	·05	·00	·00	·04	·01	·00	·09	·00	·08	14
15	·00	·03	·00	·09	·00	·00	·09	·00	·12	·43	·00	·42	15
16	·00	·04	·00	·03	·00	·00	·01	·17	·17	·09	·06	·28	16
17	·00	·02	·14	·51	·02	·00	·75	·95	·18	·02	·04	·01	17
18	·00	·01	·06	·04	·08	·00	·14	·01	·84	·00	·00	·00	18
19	·00	·50	·02	·00	·00	·11	·00	·00	·02	·00	·07	·00	19
20	·00	·06	·01	·01	·33	·41	·00	·17	·07	·04	·18	·00	20
21	·00	·01	·09	·00	·00	·00	·00	·06	·00	·19	·03	·00	21
22	·00	·15	·00	·00	·03	·00	·00	1·25	·01	·17	·00	·00	22
23	·00	·23	·00	·00	·13	·05	·01	·28	·00	·09	·00	·01	23
24	·00	·01	·14	·00	·00	·13	·00	·03	·03	·14	·01	·02	24
25	·00	·11	·07	·00	·00	·00	·02	·23	·48	·06	·00	·00	25
26	·00	·00	·01	·00	1·25	·13	·05	·10	·32	·01	·45	·10	26
27	·00	·00	·06	·00	·02	·28	·48	1·22	·01	·01	·01	·00	27
28	·00	·13	·06	·00	·18	·05	·05	·15	·00	·03	·03	·00	28
29	·00		·03	·00	·00	·00	·00	·02	·00	·55	·02	·09	29
30	·00		·00	·00	·00	·00	·00	·35	·00	·02	·19	·00	30
31	·00		·04		·40		·00	·28		·01		·09	31
Total	1·43	1·85	2·69	3·15	2·91	2·39	2·45	7·57	2·96	5·64	3·57	1·50	YEAR'S TOTAL 38·11
Rain Days.	9	14	22	18	14	14	14	24	18	29	23	16	215

W. 8,000, IX. 17.

S = Snow fell

20

REGISTER OF N RAINFALL IN 1918

and for auth

FORM A. BRITISH RAINFALL.

6. 1. 19

Kept at Langton Durbach

in the County of Pembrokeshire

by J. C. Yorke Esq

Lat. 52° N Long. 4°54'

Time of Observation 9.0 A.M

Nearest Railway Station Goodwick

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 320. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ·93.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·24	·01	·10	·14	·00	·00	1·10	·00	·03	·93	·00	1
2	·04	·21	·00	·01	·00	·00	·00	·30	·00	·03	·25	1·08	2
3	·00	·23	·00	·01	·20	·00	·00	·00	·44	·54	·34	·13	3
4	·00	·09	·00	·00	·04	·00	·00	·15	·09	·69	·71	·30	4
5	·00	·05	·01	·28	·05	·00	·00	·33	·01	·79	·12	·34	5
6	·03	·86	·00	·13	·00	·12	·00	·00	·00	·30	·00	·16	6
7	·68	·17	·00	·00	·00	·00	·00	·07	·59	·06	·38	·49	7
8	·00	·40	·00	·03	·00	·23	·30	·00	·02	·53	·04	·02	8
9	·00	·28	·00	·30	·00	·17	·03	·00	·68	·21	·05	·65	9
10	·00	·04	·01	·05	·00	·00	·12	·00	·14	·16	·48	·72	10
11	·03	·02	·28	·00	·00	·00	·40	·01	·26	·41	·09	·21	11
12	·02	·13	·02	·00	·31	·00	·00	·00	·11	·23	·01	·06	12
13	·32	·01	·03	·00	·00	·03	·05	·00	·62	·43	·00	·12	13
14	·68	·00	·00	·00	·03	·00	·26	·03	·50	·10	·00	·62	14
15	1·04	·05	·00	·00	·00	·00	·63	·00	1·08	·12	·00	·84	15
16	·25	·08	·09	·65	·00	·00	·03	·03	·69	·19	·00	·05	16
17	·76	·00	·00	·02	·00	·03	·50	·02	·45	·23	·00	·43	17
18	·57	·09	·30	·00	·00	·51	·09	·03	·16	·17	·00	·35	18
19	·36	·21	·20	·25	·00	·00	·48	·01	·01	·03	·00	·00	19
20	·48	·08	·01	·15	·20	·05	·02	·04	·50	·01	·03	·01	20
21	·44	·08	·00	·08	·00	·01	1·02	·00	·64	·03	·00	·08	21
22	·23	·01	·00	·01	·32	·00	·40	·00	·32	·13	·04	·38	22
23	·46	·02	·00	·00	·22	·14	·10	·00	·00	·00	·18	·04	23
24	·06	·33	·00	·00	·00	·00	·00	·53	·43	·01	·19	·02	24
25	·00	·01	·00	·05	·19	·00	·21	·63	·04	·08	·15	·00	25
26	·28	·00	·00	·00	·00	·00	·03	·03	·20	·10	·05	·73	26
27	·05	·08	·95	·00	·00	·00	·00	·34	·01	·09	·51	·02	27
28	·00	·27	·27	·00	·00	·00	·00	·00	·00	·03	·27	·06	28
29	·00		·36	·00	·00	·00	·00	·00	1·45	·00	·00	·01	29
30	·00		·26	·00	·00	·00	·00	·00	·12	·11	·12	·19	30
31	·00		·52		·00		·00	·00		·72		·21	31
Total	6·78	4·04 ~~3·94~~	3·42	2·12	1·70	1·29	4·67	3·65	9·59	6·56	4·94	8·32	YEAR'S TOTAL 58·98
Rain Days	19	25	15	15	10	9	17	16	25	29	20	28	229

W. 6,500, VII. 18. W W C

This is a maximum rainfall since we began in 1897 57·08

3658

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Langton, Durbach
in the County of Pembrokeshire
by J. C. Yorke. Esq

Lat. 25° N. Long. 4° 54'
Time of Observation 9. A.M.
Nearest Railway Station Fishguard & Goodwick.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 320. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·93	·00	·12	·03	·04	·00	·01	·00	·50	·15	·00	68	1
2	·30	·00	·21	·00	·07	·00	·00	·00	·06	·00	·03	·08	2
3	·10	·13	·00	·00	·16	·07	·00	·09	·06	·00	·04	·14	3
4	·00	·25	·21	·01	·02	·09	·00	·00	·33	·00	·00	·33	4
5	·64	·31	·00	·00	·01	·01	·00	·00	·10	·00	·00	·17	5
6	·39	·10	·60	·04	·00	·02	·00	·00	·08	·01	·01	·21	6
7	·15	·00	·03	·21	·00	·00	·00	·00	·03	·00	·01	·07	7
8	·52	·00	·17	·00	·00	·05	·00	·00	·03	·00	·17	·04	8
9	·21	·00	·11	·12	·01	·00	·00	·00	·00	·00	·08	·24	9
10	·18	·00	·93	·06	·03	·01	·00	·00	·00	·25	·68	1·35	10
11	·12	·00	1·18	·12	·47	·00	·13	·00	·00	·18	·00	·56	11
12	·31	·00	·03	·04	·03	1·63	·00	·00	·06	·10	·15	·23	12
13	·81	·00	·08	·27	·00	·00	·09	·00	·00	·05	·00	·40	13
14	·22	·05	·00	·08	·18	·00	·07	·06	·00	·03	·00	·28	14
15	·53	·01	·00	·09	·02	·00	·00	·00	·00	·07	·02	·26	15
16	·09	·30	·03	·01	·05	·10	·01	·40	·00	·00	·54	·27	16
17	·01	·56	·09	·00	·00	·18	·05	·43	·02	·00	·00	·06	17
18	·15	·15	·85	·00	·00	·00	·31	·49	·09	·03	·58	·10	18
19	·14	·23	·32	·00	·00	·41	·01	·07	·08	·01	·06	·15	19
20	·39	·09	·20	·00	·15	·00	·10	·07	·04	·00	·03	·24	20
21	·10	·55	·02	·00	·33	·00	·11	·00	·31	·01	·03	·06	21
22	·02	·04	·01	·00	·00	·05	·04	·00	·82	·04	·01	·09	22
23	·00	·00	·00	·06	·00	·00	·00	·03	·01	·85	·07	·02	23
24	·02	·00	·00	·00	·14	·39	·00	·04	·01	·20	·28	·12	24
25	·44	·00	·00	·00	·04	·01	·00	·58	·28	·01	·15	·12	25
26	·13	·20	·13	·39	·00	·03	·00	·08	·00	·10	·10	·92	26
27	·06	·21	·03	·22	·00	·00	·00	·28	·18	·05	·00	·01	27
28	·04	·00	·25	·30	·00	·00	·00	·99	·04	·26	·00	·35	28
29	·00	╳	·03	·06	·00	·00	·00	·10	·00	·02	·09	·13	29
30	·00	╳	·00	·23	·00	·25	·00	·32	·03	·00	·73	·65	30
31	·00	╳	·20	╳	·00	╳	·17	·02	╳	·00	╳	·02	31
TOTAL	7·00	3·18	5·83	2·34	1·75	3·30	1·10	4·05	3·16	2·42	3·86	8·35	YEAR'S TOTAL 46·34
Days with ·01 in. or more	26	15	23	18	16	15	12	16	21	19	21	31	233
Days with ·04 in.	23	14	16	15	10	10	9	14	15	12	14	28	180

(44,283). Wt 22,958—218. 7500. 10/19. Gp 132. A.&E.W.

E+R 3550

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Langton, Dwrbach,
in the County of Pembroke,
by J.C. Yorke Esq.

Lat. 52° N Long. 4° 54' W.
Time of Observation 9h a.m.
Nearest Railway Station Goodwick G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·12	·05	·69	·	·88	·	·	·33	·	·32	1
2	·13	·11	·	·30	·01	·	·11	·	·34	·26	·	} ·45	2
3	·24	·13	·	·05	·	·	·10	·10	·47	1·62	:		3
4	·	·	·03	·	·13	·	·01	2·33	·11	·34	·	:	4
5	·	·	·22	·	1·52	·	·33	·03	·07	·38	·	·	5
6	·02	·	·36	·27	·39	·	·08	·	·	·40	·04	·	6
7	·17	·39	·02	·05	·	·	·28	·25	·	·01	·04	·02	7
8	·01	·02	·	·46	·15	·	·05	·22	·	·	·	·04	8
9	·42	·24	·11	·39	·	·	·26	·	·07	·	·13	·	9
10	1·04	·13	·21	·06	·	·34	·21	·	·		·03	·05	10
11	·10	·01	·28	·36	·20	·04	·16	·	·	·	·07	·02 snow.	11
12	·20	·26	·14	·47	·	·13	·10	·01	·10	·02	·33	·02 snow.	12
13	·08	·	·83	·47	·	·01	·	·	·	·11	·02	·	13
14	·40	·10	·62	·48	·	·	·19	·	1·72	·21	·07	·	14
15	·05	·25	·01	·57	·08	·05	·03	·	·01	·13	·97	·	15
16	·16	·	·14	·29	·18	·07	·63	·04	·51	·54	·01	·	16
17	·15	·	·08	·12	·44	·	·	·58	·49	·26	·	·	17
18	·42	·05	·	·30	·	·05	·	·18	·15	·	·04	·	18
19	·06	·56	·	·61	·	·23	·10	·03	·15	·05	·	·05	19
20	·08	·	·	·11	·	·01	·06	·	·17	·10	·	·53	20
21	·01	·	·	·19	·	·	·37	·	·03	·	·	·11	21
22	·25	·	·01	·09	·	·	·35	·13	·01	·	·	·14	22
23	·25	·	·16	·03	·	·	·11	·35	·	·	·05	·51	23
24	·07	·	·82	·02	·	·03	·02	·01	·01	·	·	·41	24
25	·54	·05	·32	·	·	·01	·97	·	·	·	·05	·01	25
26	·33	·05	·82	·	·	·23	·03	·	·05	·	·23	·10	26
27	·65	·03	·57	·17	·	·77	·40	·	·	·	2·48	·44	27
28	·49	·06	·12	·05	·10	·05	·01	·	·	·	·03	·11	28
29	·49	·04	·25	·06	·08	·20	·38	·	·	·	·43	·57	29
30	·25	✕	·81	·50	·	·46	·04	·	·84	1·05	·45	·63	30
31	·25	✕	·59	✕	·03	✕	·07	·22	✕	·95	✕	·32	31
TOTAL	7·31	2·48	7·64	6·52	400	2·68	6·33	4·48	5·30	6·76	5·47	4·85	YEAR'S TOTAL 63·82
Days with ·01 in. or more	28	17	24	26	13	16	28	14	18	17	18	21	240
Days with ·04 in. or more	25	14	20	24	11	12	23	10	14	15	14	17	199

completed

FISHGUARD GOODWICK

— STATION.

PEMBROKESHIRE

1911 - 1920

472

FORM A2. BRITISH RAINFALL.

7 NOV 1911

F

"ard"

Kept at Goowic

in.

round 7 ft. 4 in.

in the County of Pe

ea Level 57 ft.

AM

by M. G. Lamb

ame Goodwich

istance — Direction South.

IMPORTANT NOTE.—

the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	—	·02	—	·60	—	—	—	—	·05	·31	·46	1
2	~~[illegible]~~	—	—	—	·25	—	—	·33	—	·10	·05	·40	2
3	~~[illegible]~~	—	·02	—	·72	—	—	·11	·04		·19	·25	3
4	—	—	·10	—	—	—	—	2·27	—		·45	·65	4
5	·89	—	·32	—	·04	—	—	·10	—	·06	·06	·09	5
6	·03	—	·04	—	—	—	—	·04	—		·16	·93	6
7	·28	—	—	—	—	—	—	—	—		·43	·03	7
8	·70	—	·14	—	—	—	—	—	—		·36	·72	8
9	·03	—	·05	—	—	—	—	—	—		·28	·47	9
10	·25	·11	·81	—	·10	—	—	—	—			·38	10
11	·27	—	—	—	·58	—	—	—	·13		·07	·09	11
12	~~·22~~	·03	·50	—	·07	—	—	—	·73		·60	·09	12
13	~~·46~~	—	·05	—	·80	—	—	—	—	·01	·46	·30	13
14	·02	·11	·06	—	·03	—	—	—	·06	·05	·28	·92	14
15	—	·16	·06	—	—	·02	—	—	—		·34	·03	15
16	—	—	—	—	—	·28	—	—	—		·45	·30	16
17	·04	·03	—	·04	—	·07	—	—	—		·30	·68	17
18	—	·15	—	·46	—	·03	—	—	—	·03	·32	·42	18
19	—	—	—	·35	—	·14	—	—	·41	·06	·33	·60	19
20	—	·18	—	·45	—	—	—	·21	·28	·57	·06	·11	20
21	—	·25	·03	·13	—	·05	·25	—	·39	·55	·05	·02	21
22	·12	·17	—	·11	—	·20	—	—	·15	·50		·33	22
23	·02	·02	—	—	—	·13	·01	·39	·10	·36*		·35	23
24	·03	·28	—	·06	—	·65	·01	—	·04	·11		·25	24
25	—	—	—	·22	—	—	—	—	·20	·11		·10	25
26	·01	·21	—	·44	—	—	·10	·16	·01	·33		·16	26
27	—	·41	—	·01	—	—	—	1·00	·27	·01	·31	·17	27
28	—	·10	—	·07	—	—	—	—	—	·04	·04	·01	28
29	—		·03	·01	—	·25	·24	—	·15	·60		·08	29
30	—		—	—	—	—	·02	—	—	·46	·41	·01	30
31	—		—		—		·10	—		·01		·02	31
Total	2·81	2·21	2·23.	2·35.	3·19.	1·82	·73	4·61	2·96	4·01✓	6·31	9·42	TOTAL for year 42·65
No. of Rain Days	14	14	14	12	9	10	7	9	14	19	23	31	176

9,000, IX. '10.

completed

F

FORM A2.
BRITISH RAINFALL.
- 7 NOV 1911

Kept at Goowich Station

in the County of Pembrokeshire

by Mr. G. Lambert Gibson

RAIN GAUGE
Pattern "Howard"
Diameter of top 5 in.
Height of top above Ground 7 ft. 4 in.
" " " Mean Sea Level 57 ft.

Time of Observation 9-0 A.M.

At the ~~Nearest~~ Railway Station
Name Goodwich
Distance — Direction South.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	—	·02	—	·60	—	—	—	—	·05	·31	·46	1
2	~~[illegible]~~	—	—	—	·25	—	—	·33	—	·10	·05	·40	2
3	~~[illegible]~~	—	·02	—	·72	—	—	·11	·04		·19	·25	3
4	—	—	·10	—	—	—	—	2·27	—		·45	·65	4
5	·89	—	·32	—	·04	—	—	·10	—	·06	·06	·09	5
6	·03	—	·04	—	—	—	—	·04	—		·16	·93	6
7	·28	—	—	—	—	—	—	—	—		·43	·03	7
8	·70	—	·14	—	—	—	—	—	—		·36	·72	8
9	·03	—	·05	—	—	—	—	—	—		·28	·47	9
10	·28	·11	·81	—	·10	—	—	—	—			·38	10
11	·27	—	—	—	·58	—	—	—	·13		·07	·09	11
12	~~·22~~	·03	·50	—	·07	—	—	—	·73		·60	·09	12
13	~~·46~~	—	·05	—	·80	—	—	—	—	·01	·46	·30	13
14	·02	·11	·06	—	·03	—	—	—	·06	·05	·28	·92	14
15	—	·16	·06	—	—	·02	—	—	—		·34	·03	15
16	—	—	—	—	—	·28	—	—	—		·45	·30	16
17	·04	·03	—	·04	—	·07	—	—	—		·30	·68	17
18	—	·15	—	·46	—	·03	—	—	—	·03	·32	·42	18
19	—	—	—	·35	—	·14	—	—	·41	·06	·33	·60	19
20	—	·18	—	·45	—	—	—	·21	·28	·57	·06	·11	20
21	—	·25	·03	·13	—	·05	·25	—	·39	·55	·05	·02	21
22	·12	·17	—	·11	—	·20	—	—	·15	·50		·33	22
23	·02	·02	—	—	—	·13	·01	·39	·10	·36		·35	23
24	·03	·28	—	·06	—	·65	·01	—	·04	·11		·25	24
25	—	—	—	·22	—	—	—	—	·20	·11		·10	25
26	·01	·21	—	·44	—	—	·10	·16	·01	·33		·16	26
27	—	·41	—	·01	—	—	—	1·00	·27	·01	·31	·17	27
28	—	·10	—	·07	—	—	—	—	—	·04	·04	·01	28
29	—		·03	·01	—	·25	·24	—	·15	·60		·08	29
30	—		—	—	—	—	·02	—	—	·46	·41	·01	30
31	—		—		—		·10	—		·01		·02	31
Total	2·81	2·21	2·23	2·35	3·19	1·82	·73	4·61	2·96	4·01	6·31	9·42	TOTAL for year 42·65
No. of Rain Days	14	14	14	12	9	10	7	9	14	19	23	31	176

9,000, IX. '10.

88
wrote for Feb. May July
29 III 13 J.C.

Ex J.C.

470

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Goodwick Station

in the County of Pembroke 2

by G. L. Gibson Esq.

[illegible]

Rain Gauge	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " " Sea Level	ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.15		.03	.37	.05	.02	.01	.09		.30	1
2			.70			.85					.02		2
3	.08		.50	.02		.09		.23	.03		.03	.23	3
4	.32		.66		.01			.84			.56	.03	4
5	.49		.18		.06			.29		.01	.01		5
6	.14	.15			.24			.25		.03	.04	.02	6
7	.04	.38	.24	.02	.05	.05	05	.04	.01		.02	.27	7
8	.39	.10	.04			.08		.02	.01		.01	.02	8
9	.03	.10	.14	.07		.04	.10	.46			.02	.35	9
10	.34	.10	.11	.03			.20				.09	.06	10
11	.03	—					.15				.01	.71	11
12	.15		.32	.06	.05		.29			.01	.34	.01	12
13	.32	.03	.05			.02	.02	.07		.70	.06	.35	13
14	.10	.04	.34					.10			.02	.05	14
15	.52	.08	.04			.30		.05		.01	.03	.10	15
16	.38	.07	.65			.08		.33		.25		.08	16
17		.48	.21			.34		.36			.11	.64	17
18	.02	.11	.09			.01		.18		.06	.03	.07	18
19		.03			.02	.04		.34		.10		.09	19
20	.03		.29					.04		.27	.01	.07	20
21		.26	.35		.10	.03	.06	.21		.22		.45	21
22	.04	.41	.13			.41	.35	.64		.12	.03	.15	22
23	.01		.17			.14	.02	.30		.13	.43	.05	23
24		.04	.13			.50	.01	.02		.13	.02	.15	24
25		.02	.03			.05	.04	.40		.07	.56	.45	25
26		.15	.15			.06	.04	.18		1.10	.35	.16	26
27		.16	.18			1.34	1.12			.14	.09	.34	27
28		.18				.16	.50	.44	.05	.54	.72	.02	28
29		.19			.16	.05	.07	.44	.24	.46		.01	29
30			.13	.06	.10	.06	.10			.45		.03	30
31	.02		.47				.33	.07		.10		.15	31
Total	3.45	3.08	6.45	.26	.82	5.07	3.50	6.32	.35	4.99	3.61	5.41	TOTAL for year 43.31
No. of Rain Days.	19	20	26	6	10	22	18	25	6	21	24	29	226

W. 8,000, X. '11.

DL

Ex DL

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL. FORM A.

31 JAN 1914

479

Kept at Fishguard Harbour

in the County of Pembroke

Goodwick Station

by G. Lambert Gibson

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·15	·42	·03		·15					·31	·05	1
2	·38	·17	·25	·04	·16	·20				·07	·29	·09	2
3	·16		·07		·14					·02		·29	3
4	·26	·02	·06			·11			·38	·05	·21	·03	4
5	·32	·08	·09		·14	·58	·07	·02	·26	·22	·33	·20	5
6	·45	·17	·21		·19	·30	·02			·11	·11	·56	6
7	·11	·53	·02		·53	·73				·10	·15	·04	7
8	·14	·38	·02		·28	·02	·02	·01		·02	·02	·03	8
9	·01	·35	·04	·04	·24	·37			·06		·40	·10	9
10	·60		·08	·05	·05		·05	·25	·04	·55	·03		10
11	·22			·08	·02				·05	·14	·34	·10	11
12	·02		·02		·01	·05	·08	·23	1·89		·25		12
13	·08		·55	·04	·07		·01	·14	2·02	·03	·18		13
14	·42		·38	·04			·06		·16	·67	·19	·06	14
15	·25		·29	1·07							·03	·03	15
16	·38		·34	·09			·03				·01		16
17	·15		·23	·14			·03				·09		17
18	·08		·36	·20		·01	·10				·10		18
19	·83		·12		·10	·23			·26	·37	·13		19
20	·32		·10	·23	·30				·12	·24	·91		20
21	·50		·35	·11	·13	·02	·04	·05	·06	·05			21
22	·07		·75		·02	·24		·90	1·14			·02	22
23	·16		·05					·02	·24		·37		23
24	·25	·21		·17							·14		24
25		·03		·30					·08	·05	·08	·05	25
26		·01		·77					·17	·02		·25	26
27	·06		·08	·16	·12					·30			27
28	·04		·02	·06				·04		·31	·01	·07	28
29	·01		·17	·33				·05		·88	·06	·02	29
30	·45		·03	·03	·18					·11	·14	·02	30
31	·10		·12							·13			31
Total	6·89	2·10	5·22	3·98	2·68	3·01	·51	1·71	6·93	4·44	4·88	2·01	YEAR'S TOTAL 44·36
Rain Days.	29	11	27	20	17	13	11	10	15	21	25	18	217

W. 7,500, XI. ·12

460

FORM A.
BRITISH RAINFALL.

22 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Goodwich Station

in the County of Pembroke 2

by G. Lambert-Gibson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08	·03		·02	·88	·30			·25	·27	1
2					·02		·50	·01			·10	·29	2
3			·13	·07	·57		·14					·26	3
4	·23		·03	·22	·08		·35				·04	·35	4
5	·02	·02	·27	·04			·01	·03			·15		5
6		·08	·13		·07	·02	·01	·03		·02	·05	·24	6
7	·17	·30	·28	·16	·20	·14	·32		·02		·03	·21	7
8	·12	·01		·11	·11	·09		·14		·01	·01	·25	8
9	·40	·12		·17	·46	·37		·55	·21		·05		9
10		·51		·14	·03	·10		·31	·25		·04	·05	10
11		·27	·47		·19				·13		·14	·25	11
12		·64	·14				·03		·23		·10	·08	12
13		·43	·47	·01			·20		·34	·20	·23	·08	13
14		·49	·20				·02	·15	·17		·15		14
15		·05	·06				·01	·29	·16		·36	·11	15
16			·01				·10		·11			·03	16
17		·59	·47				·04		·03	·03		·40	17
18		·04	·10				·09		·02	·09		·39	18
19		·13					·33					·46	19
20		·62	·06			·20		·06				·45	20
21		·31				·02				·13			21
22		·20	·10	·05		·02		·24		·43			22
23	·01	·08	·24			·01	·02	·10		·09	·07		23
24	·04		·12					·06			·29	·20	24
25	·19	·01	·28				·05	·27		·40	·18	·35	25
26	·02	·01					·05			·19	·31	·63	26
27	·19	·03					·06			·02	·13	·69	27
28	·03	·09	·31		·04			·03		·07	·28	·72	28
29	·30		·18		·04			·05			·24	·45	29
30	·01		·18		·10			·03			·40	·50	30
31	·20		·08		·38					·07		·40	31
Total	1·93	5·03	4·39	1·00	2·29	·99	3·21	2·65	1·67	1·75	3·60	8·11	YEAR'S TOTAL 36·62
Rain Days.	14	22	23	10	13	10	19	17	11	13	22	25	199

W.7,000, XI. 13

81

4070

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Goodwick Station
in the County of Pembroke
by G. Lambert Gibson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·31			·66		·03	·20	·27	·15	·07	·22	1
2	·22	·50	·34	·34	·10	·18	·10	·07	·11		·06	·08	2
3		·23	·20				·04	·03				·11	3
4	·04	·12	·02			·02						·82	4
5	·08	·29		·30		·02		·10				1·21	5
6	·49	·10		·28			·21	·17				·14	6
7	·38	·36					·22	·05		·30		·13	7
8	·05	·38					·02	·05		·02	·44		8
9	·04	·48		·20				·06			·02	·44	9
10	·38	·67	·23	·21		·05		·23		·12		·03	10
11	·05	·53		·01				·05		·11	·80	·03	11
12	·21	·10	·02	·09	·08			·02		·02	·40	·08	12
13	·02	·28		·03	·07			·03	·20	·09	·04	·27	13
14	·07	·07							·11		·04	·21	14
15	·15				·10		·18		·10		·10	·18	15
16		1·30		·04	·10		·40					·48	16
17	·02	·53			·23								17
18		·37					·05						18
19				·10	·23		·30						19
20	·41	·02			·07				·10	·10		·34	20
21	·27	·09		·03			·32			·06		·29	21
22	·12	·06	·04	·05		1·09	·25		·16	·04		·85	22
23		·13	·06			1·12				·60			23
24				·05					·22	·72		·30	24
25						·52					·10	·20	25
26		·55				·25	·50		·23			·48	26
27		·05				·25	·10		·02	·84		·21	27
28		·04						·04	·26	·12		·05	28
29						·70		·05	·21		·48	·21	29
30		X		·27		·02			·18	·25	·56	·38	30
31	·14	X		X		X	·50	·07	X	·07	X	·41	31
Total	3·57	7·56	·91	2·00	1·64	4·22	3·22	1·22	2·17	3·61	3·11	8·13	YEAR'S TOTAL 41·36
Rain Days.	19	24	7	14	9	11	15	15	13	16	12	26	181

W. 8,000. X. 14.

8L

Ex 8L

4001
2/49

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Goodwich Station

in the County of Pembrokeshire

by G. Lambert-Gibson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·42		·06			·04	·05			·75	·30		1
2	·07	·25	·16				·30		·75	·87	·36		2
3	·04	·96		·07	·05	·10			·26	·32	·24	·02	3
4	·14	·19		·12	·20	·42			·09	·02	·12	·03	4
5	·07	·15	·03		·23	·05	·05		·05	·60	·03		5
6	·18	·39	·01		·10	·01	·18			·21	·60	·04	6
7		·03			·33	·07				·06	·38	·24	7
8	·03	·02			·13					·18	·02	·09	8
9		·09									·03	·75	9
10	·03			·20	·05						·02		10
11				·30	·25		·14		·08		·02		11
12	·01	·06	·02	·02	·14		·09	·30		·09		·15	12
13		·29	·03		·02		·05	·34	·03	·05			13
14	·05	·48	·03		·12			·02		·08		·02	14
15		·14	·08	·46	·26			·06		·10			15
16	·13	·02		·29	·03		·29			·20			16
17	·34	·22		·02					·69	·09	·29	·04	17
18	·16			·04						·15	·06	·82	18
19	·17		·15	·50							·25	·15	19
20	·29	·06	·10								·10	·27	20
21	·04		·08		·15	·11							21
22		·02	·08			·37		·10		·11	·05	·32	22
23	·15			·30		·11		·30		·03	·40	·20	23
24		·02		·27	·15			·44	·02	·27	·12		24
25	·01		·13		·22	·10		·13	·14	·06	·25	·14	25
26	·09		·04						·22	·32	·10		26
27		·17	·11			·01				·90			27
28		·05								·42	·10	·67	28
29		·09				·24				·71	·09	·06	29
30		X				·22				·33	·07		30
31	·18	X		X	·21	X		·20	X	·13	X	·02	31
Total	2·60	3·70	1·11	2·59	2·64	1·85	1·15	1·89	2·33	7·05	4·00	4·03	YEAR'S TOTAL 34·94
Rain Days.	20	20	15	12	17	13	8	9	10	25	23	18	190

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Goodwich Station, Fishguard
in the County of Pembroke
by G. Lambert-Gibson

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·16	·23		·02					·11		1
2	·05			·10		·06					·15		2
3				·02		·16				·33	·34	·05	3
4		·33	·20						·04	·42	·04		4
5	·41		·15	·15		·26	·62		·16	·37	·33		5
6			·05			·25					·17	·13	6
7	·27		·05			·27	·14	·15			·13		7
8							·18	·70	·05	·84	·36		8
9				·02	·06			·28	·08	·08	·03	·12	9
10	·33		·66	·25	·02			·08		·16			10
11	·04			·59				·08		·28	·43		11
12			·04	·03	·24			·40	·10	·36			12
13	·02		·05	·10	·08	·04		·46		·60	·07		13
14							·03	·03		·05		·02	14
15	·08			·15			·03		·09	·41			15
16				·03				·31	·22	·06	·12	·43	16
17	·02	·02		·41	·04		·70	·88	·10	·05			17
18			·16	·03	·06		·08		·79		·09		18
19		·56	·04			·06			·05		·11		19
20		·09			·30	·48		·09	·03		·14		20
21		·01	·05					·05		·18			21
22		·15			·02			1·18		·14			22
23		·21			·13			·10					23
24						·16	·14	·02		·20			24
25		·09	·05				·02	·15	·38	·02		·08	25
26					1·21	·14	·03	·08	·33		·51		26
27			·15			·21	·50	1·02					27
28		·12	·04		·24	·03		·09		·02	·02		28
29					—			·02		·73	·01	·03	29
30		X			·02			·28			·10		30
31		X		X	·39	X		·22	X	·07	X		31
Total	1·22 ~~1·12~~	1·58	1·85	2·11	2·81	2·14	2·47	6·67	2·42	5·37	3·26	·86	YEAR'S TOTAL 32·76 32·66
Rain Days.	8	9	14	13	13	13	11	22	13	20	19	7	162

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

corrd by obsr

FORM A.
BRITISH RAINFALL.

22. 1. 19

Kept at Goodwich Station, Fishguard

in the County of Pembroke

by G. Lambert-Gibson

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·26	·02	·11				1·04		·03	·41 ~~1·02~~		1
2	·04	·20			·11			·18		·50	·36 ~~·90~~	·80	2
3		·21			·18			·22	·43		·40 ~~1·00~~	·05	3
4		·06						·30	·04	·38	·48 ~~1·20~~	·27	4
5				·30				·01	·01	·62	·16 ~~·40~~	·28	5
6	·02	·61		·06	·08	·22		·04		·50		·08	6
7	·25	·10			·01				·47	·11	·43 ~~1·08~~	·42	7
8	·04	·30		·01		·26	·25			·49		·17	8
9		·05		·24		·08	·11		·60	·16	·06 ~~·16~~	·58	9
10		·20	·09				·19	·01	·80	·20	·47 ~~1·17~~	·64	10
11	·02		·25				·19		·08	·35	·02 ~~·05~~	·18	11
12		·12			·21					·48		·04	12
13	·06		·03			·03			·42	·08		·07	13
14	·50				·01		·22	·02	·48	·03		·80	14
15	·27	·05			·01		·37		·10	·04		·32	15
16	·25	·07	·07				·30	·06	·82	·09		·02	16
17	·62					·05	·66		·14	·30		·34	17
18	·45	·03	·26			·35	·01	·01	·16	·15		·22	18
19	·35	·15	·07	·04			·35		·05	·01		·01	19
20	·50	·05		·30	·30	·03	·21	·01	·42				20
21	·40	·03		·10			·30		·80	·02 ~~·04~~		·09	21
22	·15				·20		·40		·31	·04 ~~·09~~		·24	22
23	·26				·16	·13	·32		·02	~~·01~~	·04 ~~·10~~	·02	23
24	·07	·26					·03	1·00	·36		·32 ~~·80~~	·04	24
25				·11	·22		·21	·67	·03	·02 ~~·05~~	·10 ~~·26~~		25
26							·04	·05	·04	·02 ~~·05~~	·07 ~~·17~~	·30	26
27	·25	·05	·81					·27	·23	·01 ~~·03~~	·16 ~~·38~~	·30	27
28		·13	·23						·05	·01 ~~·02~~		·06	28
29			·20						1·00		·06 ~~·15~~	·02	29
30		✕	·19					·02	·12	·43 ~~1·08~~		·05	30
31		✕	·42	✕		✕			✕	·52 ~~1·30~~	✕	·06	31
Total	4·50	2·93	2·64	1·27	1·49	1·15	4·16	3·91	7·98	5·59 ~~7·19~~	3·53 ~~8·82~~	6·47	YEAR'S TOTAL 45·62
Rain Days.	18	19	12	9	11	8	17	16	25	26 ~~27~~	15	28	203 ~~204~~

W. 8,000, VIII. 16

81

3639

FORM A.
BRITISH RAINFALL.

[illegible] Antl total agrees

REGISTER OF RAINFALL IN 1919

Kept at Fishguard, Goodwich Station

in the County of Pembroke

by G. Lambert-Gibson

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·76		·09		·03				·45			·60	1
2	·31		·10		·04					·10	·01	·07	2
3	·03	·10	·02	·02	·08	·10			·06	·05		·26	3
4	·18	·24	·13		·07	·05		·06	·26			·09	4
5	·30	·35	·02		·02	·01						·14	5
6	·26		·38	·04					·15				6
7	·12		·03	·23							·04	·08	7
8	·48		·10						·02		·10	·02	8
9	·04		·10	·08								·12	9
10	·22		·83	·03	·14					·23	·39	1·15	10
11	·15		·62	·09	·14	·10	·10			·26		·60	11
12	·20		·02		·03	1·33			·02		·12	·15	12
13	·60	·06	·05	·29			·07	·03				·26	13
14	·20	·02		·03	·19		·05			·05		·30	14
15	·44	·04			·01					·05		·30	15
16	·10	·14	·02	·04	·03	·10	·02	·20			·56	·12	16
17		·20	·05			·09	·15	·32			·10	·06	17
18	·13	·10	·73			·05		·41	·08		·08	·06	18
19	·13	·21	·23			·30		·06	·09	·01	·12	·12	19
20	·32	·06	·08				·15	·09	·04		·20	·18	20
21	·12	·43			·40		·14		·20		·04	·10	21
22		·03			·02	·02	·10		·77		·06	·08	22
23				·04						·15	·05		23
24					·16	·37			·02	·12	·05	·50	24
25	·36							·05		·10	·28	·29	25
26	·02	·14	·10	·21		·02		·11	·08	·25		·11	26
27	·04	·15		·21				·79	·04	·35		·09	27
28	·02	·02	·19	·20				·10		·25		·19	28
29			·02	·04				·10	·10	·04	·23	·13	29
30		X		·16		·18		·14	·05		·60	·45	30
31		X	·21	X		X	·13		X		X	·02	31
Total	5·53	2·29	4·12	1·71	1·36	2·72	·91	2·46	2·43 ~~2·53~~	2·01	3·03	6·64 ~~5·64~~	YEAR'S TOTAL 35·21 ~~34·31~~
Rain Days.	24	16	22	15	14	13	9	13	16	14	17	29	202

W, 6,500, VII. 18. W W C

2/5 20 Exe 3532

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Fishguard, Goodwick Station
in the County of Pembroke
by G. L. Gibson

Lat.……… Long.………
Time of Observation………
Nearest Railway Station………
Diameter of Funnel of Rain Gauge………in.
Height of top of Gauge above Ground………ft………in.
" " " " Sea Level………ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·10	·20	·50		·86	·03	33	·60	·02	·37	1
2	·12	·07			·06		·04		·44	·10		·29	2
3	·17	·12					·07	·02	·11	1·50		·37	3
4				·03	·07		·06	1·86		·30		·05	4
5		·02	·20		1·24		·18	·04	·05	·35			5
6	·02		·30	·13	·22		·23			·10			6
7	·10	·20	·06	·04	02		·41	·07		·02	·03		7
8		·14	·02	·36			·02	·30				·10	8
9	·34	·11	·07	·37	10		·17	·02	08		·18	·05	9
10	·50	·06	·15			·19	·08					·05	10
11	·13		·09	·30	10	·04	·13					·01	11
12	·17	·19	·25	·44		·06	·18	·01	07				12
13		·02	·47	·38		·06	·01			·04	·02		13
14	·31	·10	·50	·53			·15		1·39	·25	·40		14
15	·01	·12	·02	·52		·06	·01		20	·03	·07		15
16	·08	·03	·10	·18	·20	·06	·47	·02	·50	·33			16
17	·28		·06	·15	40		·01	·45	19	·33	·02		17
18	·25	·02	·02	·15	16	·02	·02	·15			·02		18
19	·08	·20		·53	02	·15	·05		·20	·03		·02	19
20	·06	·02		·08			·07		·14	·03		·37	20
21	·02			·12			·33		·04			·07	21
22	·23			·08			·16	·06				·17	22
23	·20		·13	·02			·10	·35			·02		23
24	·28		·72			·03	·03	·01			·03	·50	24
25	·22		·33				1·00		03		·04	·10	25
26	·19		·69	·02			·04		·01		·15	·20	26
27	·68		·37	·27		·95	·20		·04		1·35	·10	27
28	·45	·04	·40		·24	·03	·05				·50	·22	28
29	·28	·10	·26	·02	·06	·12	·28			·50	·44	·37	29
30	·15		·60	·50		·32	·04		·55	·50	·37	·76	30
31	·22		·53		·05		·05	·20		1·04		·05	31
TOTAL	5·54	1·56	6·44	5·42	3·44	2·09	5·50	3·59	4·37	6·05	3·66	4·22	YEAR'S TOTAL 51·88
Days with ·01 in. or more	26	17	24	23	15	13	31	15	17	17	16	20	234
+·04	23	12	21	19	13	10	25	9	15	13	9	18	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W

Dh

Cor. by B. [illegible] 22.

HAVERFORDWEST

GRAMMAR SCHOOL

1911 -- 1920

REG N 1911

FORM A2. BRITISH RAINFALL.

19 JAN 1912

1/25

4122

Kept at Haverfordwe

in the County of Pem

by J. W. Philli

ern

meter of top .... in.

ht of top above Ground .... ft. .... in.

" " Sea Level .... ft.

rvation

way Station { Name / Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·095		·038	·042	·502			·118		·038	·468	·584	1
2	·031		·002	·003	·262			·318	—	·322	·117	·345	2
3			·144		·778			·041	—	·009	(·248)	·353	3
4			·318		·023			1·478	·049	·023	·505	·597	4
5	·913		·005					·128		·192	(100)		5
6	·073		·081 ·819					·101			(·399)	1·020	6
7	·295		·007							·005	·413	·035	7
8	·438		·187								·379	1·210	8
9	·085		·043								·427	·830	9
10	·243		1·008		·072					~~·260~~	·011	·463	10
11	·378	—	·087		·002					·079	·257	·232	11
12	·031	·332	·551		·042				·109		·787	·153	12
13		·005	·063		·061				·652	·423	·417	·195	13
14		·093	·181		·042				·005	·003	·346	1·229	14
15		·162	·122		·004	·108					·410	·067	15
16	·013	·013	·058		·002	·482					·367	·399	16
17	·005	·056		·147		·399					·365	·729	17
18		·241	·092	·319		·053				(·180)	·339	·305	18
19		·008	·005	·438		·009				(·105) ~~·285~~	·243	·534	19
20		·275		·509				·018	·168	1·002	·011	·294	20
21	·069	·217	·069	·101		·130	·006	·006	·257	·848	·071	·125	21
22	·195	·147	·003	·187		·079	·210		·293	·075	·003	·865	22
23	·011	·068		·003		·032		·429	·672	·878		·373	23
24	·045	·327		·048		·792		·082	·183	·043		·473	24
25	·049	·003		·135		·005	·098	·009	·047	·293		·113	25
26	·028	·470		·527			·010	·147	·237	·229		·324	26
27		·398		·017			·052	1·318	·012	·192	·243	·304	27
28		·195	·009	·280			·083	·003	·136	·011	·008	·017	28
29			·019			·329	·013		·006	·716	·003	·085	29
30				·002		·012	·131		·268	·254	·394	·013	30
31			·089				·026			·164		·041	31
Total	2·997	3·010	3·181 ~~3·910~~	2·758	1·790	30 2·4~~18~~	·131 ~~·629~~ ·751	4·196	3·094	6·084 ~~6·352~~	231 7·~~0··~~	12·307	TOTAL for year ~~49·756~~ 49·831
No. of Rain Days	18	15 ~~16~~	21 ~~19~~	12	8	12 ~~10~~	10 ~~9~~	13	14	22	24	30	~~196~~ 199

9,000, IX. '10.

Cord. by B [illegible] 22.

/25

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

4122

REGISTER OF RAINFALL IN 1911

Kept at Haverfordwest

in the County of Pembroke 4

by J. W. Phillips

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·095		·038	·042	·502			·118		·038	·468	·584	1
2	·031		·002	·003	·262			·318		·322	·117	·345	2
3			·144		·778			·041		·009	(·248)	·353	3
4			·318		·023			1·478	·049	·023	·505	·597	4
5	·913		·005					·128		·192	(·100)		5
6	·073		·081 ·810					·101			(·399)	1·020	6
7	·295		·007							·005	·413	·035	7
8	·438		·187								·379	1·210	8
9	·085		·043								·427	·830	9
10	·243		1·008		·072					~~·268~~	·011	·463	10
11	·378		·087		·002					·079	·257	·232	11
12	·031	·332	·551		·042				·109		·787	·153	12
13		·005	·063		·061				·652	·423	·417	·195	13
14		·093	·181		·042				·005	·003	·346	1·229	14
15		·162	·122		·004	·108					·410	·067	15
16	·013	·013	·058		·002	·482					·367	·399	16
17	·005	·056		·147		·399					·365	·729	17
18		·241	·092	·319		·053				(·180)	·339	·305	18
19		·008	·005	·438		·009				(·105) ~~·285~~	·243	·534	19
20		·275		·509				·018	·168	1·002	·011	·294	20
21	·069	·217	·069	·101		·130	·006	·006	·257	·848	·071	·125	21
22	·195	·147	·003	·187		·079	·210		·293	·075	·003	·865	22
23	·011	·068		·003		·032		·429	·672	·878		·373	23
24	·045	·327		·048		·792		·082	·183	·043		·473	24
25	·049	·003		·135		·005	·098	·009	·047	·293		·113	25
26	·028	·470		·527			·010	·147	·237	·229		·324	26
27		·398		·017			·052	1·318	·012	·192	·243	·304	27
28		·195	·009	·280			·083	·003	·136	·011	·008	·017	28
29			·019			·329	·013		·006	·716	·003	·085	29
30				·002		·012	·131		·268	·254	·394	·013	30
31			·089				·026			·164		·041	31
Total	2·997	3·010	3·181 ~~3·910~~	2·758	1·790	2·4~~48~~ 30	·131 ~~·629~~ ·751	4·196	3·094	6·084 ~~6·352~~	7·~~[illegible]~~ 231	12·307	TOTAL for year ~~49·756~~ 49·831
No. of Rain Days	18✓	15 ~~16~~	21 ~~19~~	12✓	8✓	12 ~~10~~	10 ~~9~~	13✓	14	22✓	2[illegible]✓	30✓	~~196~~ 199

9,000, IX. '10.

Section **A** for the entry of Daily Observations

Station No. 4122

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN ~~196~~ 1911

Kept at Haverfordwest.

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09		04	04	50			12		04	47	58		1
2	·03				26			32		32	12	35		2
3			14		78			04		01	25	35		3
4			32		02			148	05	02	51	60		4
5	·91		01					13		19	10			5
6	·07		08					10			30	102		6
7	·29		01							01	41	03		7
8	·44		19								38	121		8
9	·09		04								43	83		9
10	·24		101		07						01	46		10
11	·38		09							08	26	23		11
12	·03	·33	55		04				11		79	15		12
13		·01	06		06				65		42	19		13
14		·09	18		04				01	42	35	123		14
15		·16	12			11					41	07		15
16	·01	·01	06			48					37	40		16
17	·01	·06		15		40					37	73		17
18		·24	09	32		05				18	34	31		18
19		·01	01	44		01				11	24	53		19
20		·27		51			01	02	17	100	01	29		20
21	·07	·22	07	10		13	20	01	26	85	07	13		21
22	·19	·15		19		08			29	07		87		22
23	·01	·07				03		43	67	88		37		23
24	·05	·33		05		79	10	08	18	04		47		24
25	·05			13		01	01	01	05	29		11		25
26	·03	47		53			05	15	24	23		32		26
27		40		02			08	132	01	19	24	30		27
28		19	01	28			01		14	01	01	02		28
29		X	02			33	13		01	72		09		29
30		x				01	03		27	25	39	01		30
31		x	09	x		x	13		x	16	x	04		31
TOTAL	299	301	319	276	177	243	75	421	311	607	725	1229	Year's Total 4983	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Dh

FORM A2.
BRITISH RAINFALL.

1/25

25 JAN 1913

4122

REGISTER OF RAINFALL IN 1912

Kept at Haverfordwest

in the County of Pembroke 4

by J. W. Phillips

RAIN GAUGE	Pattern
	Diameter of top ...... in.
	Height of top above Ground ...... ft. ...... in.
	" " " Sea Level 95 ft.

Time of Observation

Nearest Railway Station: Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·004		·241	~~·731~~	·067	·523		·124	·085		·027	·435	1
2	·002		·481	·002	·017	·355	·040	·003	·091	·505	·135		2
3	·147		·577	·019		·178		·639	·013		·011	·170	3
4	·322		·689	·005	·005			·163	·095	~~·008~~	·656		4
5	·978	·017	·153		·098			·665		~~·030~~	·025		5
6	·184	·329			·061		·180	·241		·030 ~~·006~~	·070		6
7	·099	·689	·412		·291	·528	·070	·029	·007	·006 ~~·005~~	·025	·438	7
8	·918	·273	·081		·189	·103		·164	·031	·005		·538	8
9	·049	·135	·101		·003	·058	·265	·578		~~·008~~	·630		9
10	·470	·028	·028	·038		·051	·313	·004		·008 ~~·007~~	·065	·788	10
11	·254	·029	·012				·270	·002		·007 ~~·018~~		·459	11
12	·352	·003	·521				·309	·003		·018 ~~·743~~	·585	·089	12
13	·856		·093	·024	·129		·003	·043		·743	·045	·198	13
14	·107	·291	·365					·168	·011	~~·023~~	·025		14
15	·931	·182	·063			·318		·099	·007	·023 ~~·283~~	·040		15
16	·412		·869			·061		·549	·005	·283		·159	16
17	·003	·159	·051		·081	·415		·239	·005	~~·076~~	·112	·508	17
18	·009	·221	·118		·002	·022		·349		·076 ~~·271~~	·040	·375	18
19		·058	·005			·061		·333	·001	·271 ~~·206~~		·058	19
20		·029	·401		·006			·008	·004	·206 ~~·202~~	·025	·079	20
21	·076	·423	·179		·009	·031	·018	·138		·202 ~~·328~~	·010		21
22	·483	·458	·461		·059	·461	·273	·851		·328 ~~·412~~		·240	22
23	·011	·008	·359			·150	·179	·391		·412 ~~·342~~	·520	·050	23
24		·076	·115			·561	·012	·003		·342 ~~·135~~		·256	24
25		·007	·022			·112	·082	1·069		·135 ~~1·190~~	·310	·778	25
26		·175	·139			·095	·002	·087		1·190 ~~·555~~		·239	26
27		·163	·143			1·560	·485	·004		·555 ~~·581~~	·350	·459	27
28		·115				·250	·512	·569	·183	·581 ~~·755~~	1·100		28
29		·205				·040	·041	·032	·012	·755 ~~·345~~		·145	29
30			·100		·287	·002	·439	·026	·056	·345 ~~·182~~		·025	30
31			·731		·013		·879	·085		·182 ~~·227~~		·031	31
Total	6·467	4·073	7·510	·088 ~~·819~~	1·317	5·935	4·372	7·658	·606	7·208 ~~7·243~~	4·806 ~~5·406~~	6·547	TOTAL for year ~~57·318~~ 56·587
No. of Rain Days	~~18~~	22	28	3 ~~4~~	~~14~~	21	17	25	12	23 ~~25~~	21	22	226

9,000, IX. '10.

Section A **for the entry of Daily Observations** **Station No.** F122

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN ~~196~~ 1912

Kept at Haverfordwest.

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

copy from climat. book.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			24		02	52		12	09	51	03	43		1
2			48	02		35	04		09		13			2
3	15		58	01	01	18		64	01		01	17		3
4	32		69		10			16	09		66			4
5	98	02	15		06			67		01	03			5
6	18	33			29		18	24		03	07			6
7	10	69	41		19	53	07	03	01	01	03	44		7
8	92	27	08			10		16	03	01		54		8
9	05	13	10	04		06	27	58			03			9
10	47	03	03			05	31			01	07	79		10
11	25	03	01				27			01		46		11
12	35		52	02	13		31			02	59	09		12
13	86		09					04		74	05	20		13
14	11	29	37					17	01		03			14
15	93	18	06			32		10	01	02	04			15
16	41		87		08	06		55	01	28		16		16
17		16	05			41		24	01		11	51		17
18	01	22	12			02		35		08	04	37		18
19		06	01		01	06		33		27		06		19
20		03	40		01			01		21	03	08		20
21	08	42	18		06	03	02	14		20	01			21
22	48	46	46			46	27	85		33		24		22
23	01	01	36			15	18	39		41	52	05		23
24		08	11			56	01			34		26		24
25		01	02			11	08	107		13	31	78		25
26		17	14			09		09		119		24		26
27		16	14			156	49			55	35	49		27
28		11				25	51	57	18	58	110			28
29		21			29	04	04	03	01	75		15		29
30		x	10	07	01		44	03	06	35		03		30
31		x	73	x	(52)	x	88	09	x	18	x	03		31
TOTAL	666	407	750	16	178	591	437	765	61	722	424	657	Year's Total 5674	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 4122

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN ~~196~~ 1913

Kept at Haverfordwest.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

COPY from climat book.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	22	51	15							30	15		1
2	03	17	22	04	34	24				06	25	17		2
3	23		10		10					04	01	26		3
4	41	05	01			21			22	10	16	09		4
5	10	10	08		36	30	04		07		42	33		5
6	34	23	03		33	45	02			49	04	56		6
7	14	46	17		120	47	02			22	26	06		7
8	24	32	01		43		08	01				09		8
9	03	55	07	01	08	23	04		01		77	09		9
10	82	01	01	03	07		01	59	.05	69	04			10
11	08	01		16	17			07	01	33	21	17		11
12	02				13	03	17	19	203		31	08		12
13	40		50	01	13		05	18	200	01	18			13
14	67		42	06			29		34	41	16	07		14
15	38		65	125					01			04		15
16	34		43	09					04		06			16
17	25		09	09							07			17
18	09		50	13					02		08			18
19	81		11		01			01	62	68	07			19
20	27		23	46	09	05			11	20	61			20
21			21	07	16		06	05	07	13				21
22	99		94		02	45		61	120			08		22
23	08		08	17				01	34		44	05		23
24	01	34		24							11	07		24
25				28					13	10	06			25
26				97					24	01	01	31		26
27	30		16	10						53				27
28	31		24	06	32			03	01	46	01	10		28
29	01	X	28	56	06			02		51	08	04		29
30	45	X	01	01	06					09	10	01		30
31	07	X	11	X		X			X	19	X			31
TOTAL	790	246	617	494	406	243	78	177	752	525	481	282	Year's Total ~~4286~~ ~~4080~~ 5091	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

82

Cor. for arith. 19. iii. 14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

1/25

22 JAN 1914

4122

W. 180

Kept at Haverfordwest

in the County of Pembroke

by J. W. Phillips

July - Oct 4

Dec Portfield?

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·025	·220	·515	·150						·038	·303	·336	1
2	·031	·171	·220	·037	·339	·239					·250	·233	2
3	·232		·101		·104					·002	·005	·280	3
4	·412	·051	·007			·211			·265	·183	·160		4
5	·100	·104	·080		·360	·301	·056		·071		·419	·407	5
6	·342	·231	·025		·331	·450	·015			·349	·038	·509	6
7	·140	·458	·167		1·201	·474				·299	·260	·061	7
8	·243	·316	·014		·430		·099	·006		·003	·004	·121	8
9	·030	·551	·069	·015	·077	·235	·016				·770	·136	9
10	·822	·005	·010	·030	·073		·021	·575	·037	·903	·041		10
11	·082	·006	·003	·161	·168	·003		·100	·003	·281	·211	·186	11
12	·016	·004			·129	·028	·185	·330	2·020		·309		12
13	·400	·001	·500	·012	·125		·007	·659	2·062	·104	·181		13
14	·669		·420	·064			·301		·330	·429	·160	·098	14
15	·378		·649	1·249							·003	·040	15
16	·339		·429	·088			·038				·060		16
17	·254		·090	·091							·073		17
18	·085		·497	·125					·079		·081		18
19	·815		·109		·011				·611	1·034	·070		19
20	·271		·233	·458	·090	·055				·231	·610		20
21	·002		·212	·070	·161			·070	·197	·117	·002		21
22	·990		·079		·022	·450		·679	1·526	·004	·001	·054	22
23	·080		·943	·171	·003			·012	·320		·442	·066	23
24	·010	·339		·239							·108	·063	24
25				·280					·244	·112	·060		25
26	·002			·973					·249	·008	·005	·430	26
27	·298		·158	·101				·007		·570			27
28	·311		·243	·059	·318					·910	·007	·219	28
29	·009		·284	·558	·061					~~·428~~ 418	·080	·068	29
30	·449		·010	·005	·061					·429	·100	·002	30
31	·071		·110					·002		·131			31
Total	7·908	2·457	6·1~~81~~ 77	4·~~8~~36 9	4·064	2·446	·738	1·840	8·014	6·555	4·813	3·309	YEAR'S TOTAL 53·163
Rain Days.	28	10	26	~~20~~ 21	18	9	9	9	13	18	~~25~~ 24	17	202

6·555

W. 7,500, XI. ·12

Section A **for the entry of Daily Observations** **Station No.** ~~4122~~

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN ~~196~~ 1914

Kept at Haverfordwest.

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Copy from climat. book.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			07			26	50	36			12	15		1
2					05		40	05		03	03	31		2
3			20	16	57						01	33		3
4	29		03	37	17		115				13	20		4
5	03	02	25	05	01		01	05		02	11			5
6			11	03	10		04	11			19	28		6
7	27	19	33	13	54	14	63	58		06	06	20		7
8	20		02	08	09	04		53	16	03	01	15		8
9	31	13		03	59	45		13			05	03		9
10	05	47	17	23		03	01		79			03		10
11		27	65		03	32			43		15	55		11
12		60	19				02		09		24	01		12
13		40	45	01			17		38	36	12	02		13
14		47	32				04		09		66	33		14
15			04				07	24	34		57	05		15
16		03	06				08	25	17			03		16
17		64	21				06					101		17
18		07	16			01				02		23		18
19		16	01				74	01				07		19
20		38	03			01		32	07		03	52		20
21		58				20		01		24				21
22		12	08	06		09		43		28				22
23		07	10			03	04	16		11				23
24	07	07	30				02			05	25	07		24
25	25	02	45				27	118		65	15	96		25
26	01	03					08			15	33	44		26
27	20	11					06			11	40	145		27
28	07	05	57			02	03			14	11	50		28
29	31	X	18		05		01	03		01	60	01		29
30	01	X	15		01			18		03	48	54		30
31	16	X	07	X	03	X	62	03	X	39	X	38		31
TOTAL	223	488	520	115	224	160	505	465	252	268	480	885	Year's Total 458~~4~~5	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

82

Corrd by B.C [illegible] 23.IV.15

[illegible]

1/25

FORM A.
BRITISH RAINFALL.

21 JAN 1915

4122

REGISTER OF RAINFALL IN 1914

Kept at Haverfordwest

in the County of Pembroke

by J. W. Phillips

4

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level ~~220~~ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·070	·002		·230	·375	·580			·17	·170	1
2			·001		·053		·370	·390			·01	·700	2
3	~~·004~~		·260	·160	·590			·400				·31	3
4	·315 ~~·292~~		·002	·365	·190		1·110				·14	·21	4
5	·042 ~~·028~~	·025	·270	·050	·003		·005				·09	·33	5
6	-	·035	·115	·030	·113		·025	·160		·01	·17		6
7	·291 ~~·269~~	·270	·340	·130	·485	·140	·600	·450		·075	·04	·17	7
8	·101 ~~·196~~		·030	·080	·105	·050		·680	·160	·025		·18	8
9	·350 ~~·315~~	·155		·030	·578	·430		·120			·03	·01	9
10	·039 ~~·040~~	·540	·300	·230	·012	·053	·002		·790			·02	10
11		·334	·600		·023	·315			·430		·135	·56	11
12		·650	·210						·090		·27	·005	12
13		·465	·540	·010			·225		·380	·26	·15	·340	13
14		·440	·290				·001		·090		·79	·06	14
15		·005	·080				·055	·450	·340		·57	·02	15
16		·040	·016					·300	·170			1·03	16
17		·650	·247				·140					·26	17
18		·055	·140				·160					·08	18
19		·175	·015			·003	·785				·03	·56	19
20		·400	·027			·220			·070				20
21		·515				·085		·270		·30			21
22		·150	·080	·060		·015		·600		·35			22
23		·002	·155				·050	·500		·125			23
24	~~·069~~	·087	·330				·015	·120		·015	·27	1·03	24
25	·380 ~~·253~~	·003	·465				·260	1·150		·77	·24	·40	25
26	·020 ~~·013~~	·040					·080			·16	·37	1·50	26
27	·190 ~~·202~~	·130				·003				·12	·44	·25	27
28	·060 ~~·065~~	·040	·535		·040		·100			·13	·13	·23	28
29	·330 ~~·314~~		·220					·200			·66	·65	29
30	·003 ~~·006~~		·230	·003			·500	·500			·32	·53	30
31	·019 ~~·157~~				·025		·580	·400		·41			31
Total	2·149 ~~2·226~~	5·206 5·206	5·568	1·150	2·217	1·544	5·438	7·370	2·520 ~~2·430~~	2·750	5·025	9·605	YEAR'S TOTAL 50·533
Rain Days.	12 ~~14~~	21	24	10	11	9	17	17	9	13	20	25	188

W.7,000, XI. 13

Section **A** for the entry of Daily Observations

Station No. 4122

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN ~~196~~ 1915

Kept at Haverfordwest.

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Copy from climat. book.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	18	41			33		03	106	25		01	12		1
2	11	32	33	35		37	06	06	01	03		13		2
3	01	11	35	03	09	01	01	02	01		02	43		3
4	05	01	03		17	04	05					86		4
5	11	34		19	09	03		10				148		5
6	60	09		33			56	15				11		6
7	32	56		01		01	30	01		87	02	15		7
8	18	65					01	19		08	33	03		8
9	17	47		22				07	02		04	92		9
10	44	131	14	19				02		30		03		10
11		03						09		04	115	06		11
12	30	54	02	05	14			01			79	06		12
13	02	17		01	33				25	13	03	33		13
14	12								11		01	55		14
15	31		01	01	38		43		12		22	20		15
16		133			15		108		05	01		28		16
17	04	46			08			01	02	01		01		17
18		31	02	03			04			01				18
19	01			09	68		32							19
20	71	06			10			01	09	22		27		20
21		07			01		44			26		18		21
22	09	04	09	14		127	34		23	07	07	60		22
23	13	15	12	01		60			04	36		40		23
24			01	02					42	20		20		24
25						38	05		02		08	18		25
26		49				14	37		18			61		26
27		13				17	26		01	109		16		27
28		05						06	40	03		07		28
29		X		01	01	109			32	04	33	28		29
30	17	x		34					21	80	34	40		30
31	01	x		x		x	28	04	x	07	x	40		31
TOTAL	408	810	112	203	256	411	463	190	276	462	344	950	Year's Total 4885	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

81 Copd for Mill 18.2.16 4085 4122

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Haverfordwest

in the County of Pembroke

by J. W. Phillips

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·39			·120		·010	·96	·240	·423	·045	·140	1
2	·10	·36	·292	·33		·36	·010	·03			·013	·120	2
3		·15	·28	·02	·090	·03	·050	·01				·406	3
4	·13		·01		·280	·02						·842	4
5	·08	·41		·20	·085	·28		·09				1·375	5
6	·60	·09		·30		·015	·420	·14				·115	6
7	·33	×					·251			·800	·032	·167	7
8	·23	×1·85					·016	·19		·080	·348	·008	8
9	·18			·24				·10			·027	·812	9
10	·50	1·00	·12	·23		·005		·01		·315		·050	10
11		·06	·005			·04		·07		·016	1·289	·082	11
12	·32	·59		·06	·136					·035	·771	·085	12
13	·03	·18			·334				·270	·080	·025	·316	13
14	·10	·03							·400		·043	·594	14
15	·33	·90		·01	·390		·455		·140		·170	·236	15
16		·90			·140		1·061		·050			·324	16
17	·02	·70			·130							·002	17
18		·25	·015				·029						18
19				·10	·650		·341						19
20	·74	·07			·015				·070	·223		·270	20
21	·10	·08		·02	·190		·355			·254		·200	21
22	·13	·13	·079	·12		1·265	·380		·196	·055		·610	22
23		·19	·125			·62				·480		·390	23
24				·01					·600	·200		·210	24
25						·41					·084	·190	25
26		·40				·12	·426		·134			·520	26
27		·06				·155	·023		·061	1·032		·230	27
28								·03	·362	·015		·060	28
29					·001	·80			·368	·055	·215	·280	29
30	·15			·33					·208	·810	·425	·450	30
31							·023	·13		·045		·400	31
Total	4·300	8·790	·926	1·970	2·561	4·120	3·856 3·850	1·760	3·099	4·918	3·487	9·484	YEAR'S TOTAL 49·265 ~~48·265~~
Rain Days.	18	23 ~~22~~	8	13	12	12 ~~13~~	15	11	13	17	13	28	182

W. 8,000. X. 14.

Section A **for the entry of Daily Observations** **Station No.** 4122

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN ~~196~~ 1916.

Kept at Haverfordwest.
in the County of
Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

COPY - from climat books.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	35	14	12		01	04	23	03		150	13			1
2	33	57	11			02	34		86	137	52	01		2
3	03	85	01		02	36	53		27	53	25	03		3
4	16	31	03	06	26	24		02	08	01	43	07		4
5	08	26	06	07	29	04	14		05	36	02			5
6	13	12	02		21		44			12	70	02		6
7	01		01	01	27	01				11	27	20		7
8	06	02			39		01	01		05		16		8
9	01	11			01						09	103		9
10		10		12				03			04	01		10
11	02	01		22	30		31				02			11
12	01	11			18		14	54	07	24	02			12
13		39	05		02			41		05	01	14		13
14	05	49	05	02	11			01	01	13				14
15	03	13	10	58	15		01			03		02		15
16	11	04	07	21	01		08			21				16
17	43	23	01	02	01				75	38	60	05		17
18	03	03	26	06				05	05	02	03	55		18
19	19	09	12	31							15	10		19
20	34	36	24	03							03	41		20
21	12		09		05	16						05		21
22						46		11		39	06			22
23	11		12	30	02	02		52		16	40	18		23
24			01	14	07			53		44	02	13		24
25	02		11		16	23		07	02	02	19	05		25
26	07			01		01		09	53		23	06		26
27	02		39			02		06	42	93		02		27
28		05			01					53	11	81		28
29		15	01			44			13	83	08	05		29
30		X				35	02			49	03	01		30
31		X		X	14	X		19	X	32	X	01		31
TOTAL	271	456	199	216	269	240	225	267	324	922	443	417	Year's Total 4249	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(Signed) (P.T.O.)

8L

Exe 8L

4054

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

JAN 1917

4122

Kept at Haverfordwest

in the County of Pembroke

by J. W. Phillips

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·40	·192	·180				·165			1·384	·190		1
2	·38	·675	·095			x	·300		·60	1·415	·418	·026	2
3	·34	·880		·040	·020	x ·230	·250		·18	·510	·340	·068	3
4	·18	·189		·060	·280	·442			·09		·380	·030	4
5	·10	·243	·050		·340	·022	·246		·05	·320	·010		5
6	·17	·175	·030		·200		·380			·185	·770	·058	6
7		·150	·010		·291	·010	·006			·110	·270	·252	7
8	·05	·005			·350	·010	·006			·050		·259	8
9		·135			·050						·105	1·058	9
10		·388		·125	·125		·002			·005	·025	·010	10
11		·009		·250	·320		·140		·06		·010		11
12	·03	·110			·200		·330	·37		·200			12
13		·384	·053		·050			·47		·067		·090	13
14		·509	·085		·140					·175		·059	14
15	·08	·149	·081	·560	·145				·01	·019	·015		15
16	·10	·038	·015	·240	·010		·060			·217	·032		16
17	·47	·225	·078						·76	·325	·550		17
18	·03	·035	x	·080				·02	·04	·048	·020	x	18
19	·21	·080	x ·279	·380							·142	x ·700	19
20	·21	·340	·228	·010		·120					·030	·325	20
21	·14		·115		·020	·380						·060	21
22		·025				·010		·11		·372	·040	·250	22
23	·07		·165	·320	·005			·50		·270	·429	·100	23
24				·120	·090			·50		·360		·090	24
25	·02		x		·145	·165		·09		·020	·256	·010	25
26	·087		·055			·005		·23	·261	·900	·275		26
27	·015		·680		·001	·045		·06	·612	·500			27
28	·004	·200				·003			·008	·813	·120	·820	28
29		·130	·012			·435			·131	·478	·090	·060	29
30		X				·280	·010			·395			30
31		X		X	·140	X		·22	X	·249	X	·010	31
Total	3·086	5·266	2·211	2·185	2·922	2·157	1·895	2·570	2·802	9·387	4·517	4·335	YEAR'S TOTAL 43·333
Rain Days.	19	23	18	11	~~19~~ 18	14	11	10	12	~~25~~ 24	22	21	203

W. 8,000. X. 15.

Dl

384/1/~~34~~

FORM A. BRITISH RAINFALL.

4122

REGISTER OF RAINFALL IN 1917

Kept at Haverfordwest

in the County of Pembroke

by J. W. Phillips

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.30			.130					.11		1
2						.215				.02	.35		2
3	.08	.12				.070	1.05			.51	.73	.09	3
4		.10	.49	.57					.25	.04	.06		4
5	.38		.30	.14					.06	.28	.35		5
6			.29	.04		.370				.22	.20	.18	6
7	.39			.01		.045	.12	.50		.09	.08		7
8	.04		.20	.04				.40	.09		.36	.17	8
9			.05	.01	.070			.19	.18	.52	.06	.03	9
10	.35		1.09	.40				.33	.01	.19			10
11	.01			.29				.21		.34	.38		11
12	.23			.01	.370			.41	.02	.32			12
13	.09		.09	.01	.010	.050		.67	.31	.64	.08		13
14				.03	.010		.09			.08		.01	14
15				.10			.02		.09	.43			15
16		.09		.01				.03	.34	.22	.13	.44	16
17		.031	.08	.50	.085		.84	1.55	.15	.05	.05		17
18		.011	.06	.03	.112		.25		.75				18
19		1.12	.02			.160			.04				19
20		.06			.595	.965		.21	.06				20
21		.02	.11							.18			21
22		.07			.025			1.36		.17			22
23					.205	.140		.23		.07	.07		23
24		.40	.02					.06		.17			24
25		.09	.06				.55		.30	.08	.02		25
26			.02		1.350	.120		.56	.17	.06	.53	.09	26
27			.09		.060	.840	.91	1.38					27
28		.06	.12		.021	.175		.12			.01		28
29			.15		.025			.02		.67	.03	.15	29
30		✕						.34		.11	.10		30
31		✕		✕	.400	✕		.16	✕	.05	✕		31
Total	1.57	2.172	3.54	2.19	3.338	3.260	3.83	8.73	2.82	~~5.52~~ 5.51	~~3.69~~ 3.70	1.16	YEAR'S TOTAL 41.840
Rain Days.	8	12	18	~~16~~ 18	14	12	8	~~20~~ 19	~~16~~ 15	24	19	8	~~177~~ 175

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN ~~196~~ 1917

Kept at Haverfordwest.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

Copy MWR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			21	20		10				02	11			1
2				21		20				03	33			2
3	07	23		11		07	103			48	82	09		3
4		11	56	04					21	05	07	01		4
5	35		35	11					04	25	24			5
6			28	04		35				25	21	17		6
7	37			04		07	11	76	01	07	06			7
8	06		16	03			01	36	09	45	30	18		8
9	01		12	02	08			18	19	12	07	05		9
10	33		99	28	01			33		15	02			10
11	01			20				19		29	38			11
12	20		01	01	35			26	02	33				12
13			08	02	02	06		44	28	46	07			13
14				02			08			11	02			14
15		05		09			02		09	40				15
16		06		01			08	04	28	07	13	32		16
17		03	09	43	10		99	145	22		05			17
18		01	06	03	13		11		75					18
19		115	03			18		01	04		01			19
20		05			66	55		23	05	03	08			20
21			12						01	17	01			21
22		13			11			128		15				22
23		35			13	05		21		07		02		23
24		02	03			05	51	07	05	15	03			24
25		07	07				05	44	30	06				25
26			02		131	19	01	16	17	07	48	10		26
27			10		04	98	73	161			01			27
28		15	06		05	14		10	01	01	02			28
29		X	16					02	01	85	02	14		29
30		X			01			35	01	10	12			30
31		X		X	41	X		15	X	06	X			31
TOTAL	140	241	350	189	341	299	373	864	283	525	366	108	Year's Total 4079	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

8h

W DL

16

FORM A.
BRITISH RAINFALL

4122

REGISTER OF RAINFALL IN 1918

Cor. by [illegible] 20.3.19.

Kept at Haverfordwest

in the County of Pembroke

by J. W. Phillips

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		×		·12	·15			·85		·01	1·40		1
2	·02	×						·46		·02	·25	·93	2
3		× ·43		·02	·20			·02	·59	·27	·35	·10	3
4		·09						·27	·25	·48	·81	·45	4
5		·07	·02	·29	·12			·38	·02	·43	·03	·02	5
6	·09	·78		·06		·28			·10	·43		·21	6
7	·40	·18		·01				·08	·56	·05	·46	·51	7
8	·08	·17		·04		·37	·08		·04	·53	·02	·01	8
9		·04		·07		·12	·16		·56	·22	·02	·65	9
10		·02	·09				·13		·11	·15	·31	·47	10
11	·11	·07	·27	·03			·13		·20	·43	·11	·20	11
12	·01	·04			·34		·08		·10	·10		·02	12
13	·19		·01			·02	·06		·71	·48		·19	13
14	·65				·01		·30	·02	·42	·10		·65	14
15	·40	·03					·61		·79	·03		·83	15
16	·07			·47			·27	·02	·37	·04			16
17	·72	·04	·04			·09	1·18	·03	·03	·20		·43	17
18	·53	·12	·17			·59		·05	·18	·25		·53	18
19	·40	·25	·06	·22			·60	·02	·02	·15		·05	19
20	·47	·04	·01	·12		·01	·02	·03	·46				20
21	·53	·04		·01		·02	·87		·56	·03		·17	21
22	·04				·21		·48		·24	·23		·21	22
23	·39				·33	·13	·05		·01		·07	·05	23
24	·01	·18					·01	·61	·41		·37	·02	24
25				·63	·26		·16	·02	·03	·04	·32		25
26	·30							·03	·05	·05		·74	26
27	·04	·09	·65					·26	·09	·08	·06	·03	27
28		·30	·12						·03	·06	·44	·08	28
29			·62						1·21	·03	·23	·11	29
30		×	·46						·11	·04		·25	30
31		×	·54	×		×			×	·83	×	·15	31
Total	5·45	2·98	3·06	2·09	1·62	1·63	5·19	3·15	8·25	5·76	5·25	8·06	YEAR'S TOTAL 52·49
Rain Days.	20	26	13	13	8	9	17	16	28	28	16	27	216

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations

Station No.............

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN ~~196~~ 1918

Kept at Haverfordwest

in the County of..........

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

COPY MWR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		27		14	16			89	02	01	136	01		1
2	02	27						33		02	17	93		2
3		18		03	20			02		27	40	11		3
4		08						34	22	48	76	45		4
5		01	02	56	10			38	02	64	04	22		5
6	09	80			01	27			07	25		19		6
7	40	17						09	53	04	50	49		7
8	08	12				31	09		04	64	01	01		8
9	01	04		12		11	17	01	61	13	03	65		9
10		02	10	03			13		10	16	32	49		10
11	09	03	29	01			13		21	47	12	19		11
12	01	10			32		09	02	13	06		04		12
13	14	01	01			02	07		75	58		29		13
14	69				02		31	04	40	09		68		14
15	52	04					57		78	06		78		15
16	06	11		44		01	09	03	37	03				16
17	73		06	02		05	109	03		16		41		17
18	52	15	17			07	04	04	18	22		48		18
19	43	23	06	20			56	02	02	01		01		19
20	41	05	02	11		01	03	03	45					20
21	53	04				03	91		57	03		18		21
22	07						52	02	25	26	03	19		22
23	38	02			30	13	04				20	04		23
24	02	17					01	38	40		24	01		24
25				75	26		14	24	03	05	27			25
26	30	03					01	03	06	05	04	72		26
27	04	07	73					24	09	08	46	04		27
28		14	11						05	07	17	07		28
29		X	51						109	03		11		29
30		X	45						09	07	24	21		30
31		X	53	X		X			X	80	X	14		31
TOTAL	554	315	306	241	137	101	500	318	753	576	536	814	Year's Total 5151	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).......... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 235

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN ~~196~~ 1919

Kept at Haverfordwest

in the County of

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

MWR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	69		07	03	06		03		42	07		75		1
2	37		11		03				01			14		2
3	05	04	01		18	10			09			17		3
4		46	33	01	01	02		05	46			11		4
5	37	44			07			01	06			10		5
6	54	10	57	05				01	07	01		11		6
7	12		03	34		05			01		03	07		7
8	59		17			08			01					8
9	18		06	16					02		11	23		9
10	19		80	04	01	03				12	36	131		10
11	22		73		45	07	11	01			05	34		11
12	27		07	07		114			16	15	27	06		12
13	75	02	08	36			05	04				61		13
14	24			16	16		03	03				27		14
15	27	08		03	01					02	04	55		15
16	03	57	01		03	05		17			52	16		16
17		41	04			16	05	26			25	04		17
18	25	29	122			01		34	05		29	06		18
19	35	39	32		02	35	38	06	07		13	11		19
20	27	11	11		17		07	03		01	05	13		20
21	09	79	01		32		08	02	35	02	02	11		21
22		01	01			01			50	09	01	07		22
23				02						84	03	02		23
24	05				04	39			03	18	04	25		24
25	31	01						73	13	01	07	25		25
26	11	08	12	38		03				03	03	62		26
27	03	09		11				28		02		06		27
28	03		35	43				55	12	42		48		28
29		X	02	06				09		03	16	21		29
30		X	07	17		14	01	42	03		55	36		30
31		X	05	X		X			X		X	05		31
TOTAL	637	389	536	242	156	263	81	310	259	202	301	780	Year's Total 4156	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

81 3654

FORM A. BRITISH RAINFA

412

REGISTER OF RAINFALL IN 1919

Kept at Haverfordwest

in the County of Pembrokeshire

by J. W. Phillips

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.66		.07		.05		.04		.45	.14		.89	1
2	.37		.14		.03					.01		.16	2
3	.03	.06	.02		.16	.01	—		.08		.01	.19	3
4	.04	.38	.34		.03	.06		.06	.36			.15	4
5	.43	.42			.04				.07			.13	5
6	.56	.12	.57	.50					.07			.18	6
7	.11		.03	.29								.07	7
8	.57		.15			.10			.01				8
9	.20		.04	.15					.01		.15	.29	9
10	.14		.79	.04	.01	.01				.10		1.36	10
11	.25		.90	.10	.45	.05	.12			.10		.31	11
12	.25		.10	.07	.01	1.16			.09	.06	.32	.05	12
13	.70	.01	.08	.30	.14		.04					.64	13
14	.22	.08		.18			.03			.06		.30	14
15	.32	.03		.04	.01					.02		.55	15
16	.03	.63				.04					1.00	.16	16
17		.51	.03			.15	.37	.35			.32	.05	17
18	.18	.26	1.20					.41	.04		.30	.06	18
19	.38	.37	.32			.38		.07	.08		.15	.10	19
20	.30	.09	.15		.21		.04	.03	.06		.06	.15	20
21	.04	.77			.31		.10	.02	.25		.02	.11	21
22						.01	.01		.48	.09		.03	22
23										.75	.02	.05	23
24	.03				.02	.35			.02	.20	.04	.21	24
25	.26	.01				.06		.72	.14	.01	.06	.20	25
26	.13	.11	.15					.04		.05		.93	26
27	.02	.07		.62				.35	.12	.03		.06	27
28	.03	.05	.34	.65				.45		.28		.47	28
29				.06				.09		.05	.02	.25	29
30		X	.04	.18		.15	.03	.50	.05		.85	.36	30
31		X	.09	X		X		.01	X		X	.05	31
Total	6.25	3.97	5.55	3.18	1.47	2.53 ~~2.88~~	.78	3.10	2.38	1.95	3.32	8.51	YEAR'S TOTAL 42.99 ~~43.34~~
Rain Days	25	17	20	14	13	13	9	14	17	15	~~16~~ 17	30	~~205~~ 204

W. 6,500, VII. 18. w w c

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN ~~196~~ 1920

Kept at Haverfordwest

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Copy. MWR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			64	03	78		66	07	30	12		49		1
2	11	06		11	01		13		36	24		38		2
3	29	08		01			06	01	07	122				3
4			03		14			280		44				4
5			15		126		45	01	01	41				5
6	03		15	20	27		07			40	01			6
7		24	03	06	01		48	49		01	03			7
8	07	01	01	70	11		02	16				14		8
9	50	15	07	56		07	31		06			02		9
10	87	08	16	06		58	21				21	05		10
11	03		19	42	22	01	12		01		01			11
12	20	14	08	42		09	14		07	08	01			12
13	02	03	85	22		03			01	20	13			13
14	36	11	53	33			17		124	20	35			14
15	05	16	05	37	09				07	05	19			15
16	08	02	15	15	04	05	60	03	43	153	10			16
17	13		04		66			56	40	05	01			17
18	19	03		29	06	07		06	35					18
19	07	63		55	01	38	09		09					19
20		01		03			07		12	17		54		20
21				20			20	01	08	04		06		21
22	17		02	09		01	29	01				28		22
23	16		14	01			23	24				55		23
24	09		60			03	14	02	01		21	34		24
25	40	04	16				132				02	01		25
26	19		78			14	03		05		37	08		26
27	55	11	45	13		55	49				199	65		27
28	36	05	17	02	07	02	11					12		28
29	36	03	21		03	07	35				44	45		29
30	23	X	63	50		44	04				37	81		30
31	05	X	55	X	03	X		08	X	171	X	05		31
TOTAL	556	198	684	546	379	254	678	455	373	687	445	502	Year's Total 5757	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

from C est 3546

4122

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Copy by B.R.O.

Kept at Haverfordwest

in the County of Pembroke

by J W Phillips

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·07	·03	·77		·70	·03	·98	·13	·01	·50	1
2	·11	·06		·11	·01		·10	·01	·35	·27		·33	2
3	·34	·09	·01	·03	·01		·01		·07	1.10		·03	3
4			·01	·01	·14			2.03		·21			4
5			·20	·02	1.28		·47		·01	·45			5
6	·01		·20	·20	·35		·07			·54	·04		6
7		·30	·04	·08	·01		·46	·46		·41	·03	·10	7
8	·08		·01	·75	·14		·01	·22				·01	8
9	·55	·20	·06	·58		·01	·23		·05		·05		9
10	1.03	·10	·18	·07		·57	·33				·18	·04	10
11	·03		·23	·36	·22	·01	·11				·04		11
12	·21	·14	·08	·39		·10	·17	·03	·06		·28		12
13	·02	·02	·74	·26		·04				·36	·02		13
14	·40	·06	·71	·35			·17		1·30	·21	·54		14
15	·06	·17	·09	·40	·09				·25	·09	·09		15
16	·08	·03	·16	·18	·04	·04	59	·04	·33	1.53			16
17	·12		·05		64			·45	·45	·04	·03		17
18	·20	·03		·26	·09	·06		·12	·43				18
19	·08	·04		·62	·01	·38	·08						19
20	·03	·02		·05			·08		·15	·19		·65	20
21				·22			·21	·01	·06	·05		·09	21
22	·15		·01	·09		·01	·30	·03		·01		·19	22
23	·15		·14				·21	·20				·75	23
24	·08		·67			·02	·25				·15	·33	24
25	·45	·04	·18				1.24						25
26	·16	·01	·83	·02		·10	·03		·08		·31	·10	26
27	·70	·13	·54	·15		·62	·49				2.16	·65	27
28	·46	·05	·19	·02	·04	·04	·12				·01	·15	28
29	·66	·03	·34		·02	·10	·30				·45	50	29
30	·26	X	·69	·49		·49	·08		·08		·34	79	30
31	·18	X	·54	X	·03	X	·05	·08	X	1.54	X	·02	31
Total	6.60	2.12	6.87	5.74	3.89	2.57	6.84	3.71	4.65	7.13	4.93	5.23	YEAR'S TOTAL 60·08
Days with ·01 in. or more	26	18	26	25	17	15	26	13	15	16	17	17	231
Days with ·04 in. or more	22	12	22	19	11	11	23	8	14	15	12	14	183

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Cd. 22.IV.12

FORM A2.
BRITISH RAINFALL
~~10 JAN 1912~~

HAVERFORDWEST

PORTFIELD

PEMBROKESHIRE

1911 – 1919, 1920

REGISTE … 1911

… Snowden.

Kept at Haverfordwest (Port… … top 5 in.

… above Ground 1 ft. — in.

in the County of the same Tow… „ Sea Level 220 ft.

… 9 A.M.

by J W Phillips. all readings entered … Name Haverfordwest

… Distance 3 Direction ~~S.W.~~ E

IMPORTANT NOTE.—Rain … and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. [illegible]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	·03	·02	·53	–	–	·12	–	·04	·41	·52	1
2	·01	–	[illegible]	–	·21	–	–	·38	–	·41	·11	·21	2
3	–	–	·02	–	·76	–	–	·02	·05	–	·21	·43	3
4	–	–	·33	–	·04	–	–	1·71	–	·02	·51	·47	4
5	·91	–	·13	–	[illegible]	–	–	·13	–	·33	·06	·01	5
6	·03	–	·08	–	–	–	–	·07	–	–	·25	1·11	6
7	·29	–	–	–	–	–	–	–	–	·01	·41	·04	7
8	·46	–	·17	–	–	–	–	·01	–	–	·23	1·07	8
9	·07	·03	·06	–	–	–	–	–	–	–	·73	·63	9
10	·21	·25	·94	–	·07	–	–	–	–	–	·01	·34	10
11	·35	·03	·12	–	–	–	–	·01	·20	·08	·32	·23	11
12	·09	–	·53	–	–	–	–	–	·64	–	·56	·10	12
13	–	[illegible]	·04	–	·37	–	–	–	[illegible]	–	·33	·14	13
14	–	·09	·12	–	·04	–	–	–	·01	·42	·21	·98	14
15	[illegible]	·13	·07	–	[illegible]	·10	–	–	–	–	·40	·05	15
16	·02	·01	·05	–	·01	·41	–	·01	–	–	·37	·33	16
17	·01	·06	–	·11	–	·34	–	·01	–	[illegible]	·33	·57	17
18	–	·22	·07	·19	–	·01	–	·01	–	·15	·32	·21	18
19	–	·01	–	·34	–	–	[illegible]	·01	·12	·10	·15	·49	19
20	–	·21	–	·42	–	–	[illegible]	·02	·31	·64	·01	·31	20
21	·05	·20	·06	·09	[illegible]	·11	·19	–	·19	·64	·06	·10	21
22	·19	·12	–	·15	[illegible]	·07	–	–	·61	·08	–	·70	22
23	·01	·05	[illegible]	[illegible]	·01	·02	–	·42	·13	·93	–	·23	23
24	·05	·30	–	·05	–	1·05	·01	·07	·04	·05	–	·48	24
25	·05	·03	–	·12	–	·01	·04	·01	·20	·35	–	·13	25
26	·03	·36	–	·11	–	–	·02	·15	·01	·20	–	·26	26
27	[illegible]	·37	–	·56	[illegible]	–	·06	1·23	·14	·16	·25	·26	27
28	–	·19	·01	·27	–	–	·02	·01	–	·09	·01	·02	28
29	–	×	·02	[illegible]	–	·34	·12	–	·23	·62	–	·08	29
30	–	×	–	–	–	·01	·06	–	·03	·22	·38	·02	30
31	–	×	·07	×	–	×	·06	–	×	·09	×	·04	31
Total	2·95	2·65	2·93	2·41	2·26	2·48	·59	4·37	2·91	5·63	6·63	10·56	TOTAL 46·28
No. of Rain Days	16 ~~20~~ 18	16 ~~18~~ 18	19 ~~21~~ 19	~~14~~ 12 12	~~14~~ 8 9	10 10	9 ~~11~~ 9	~~10~~ 12 19	~~16~~ 14 15	20 ~~22~~ 21	23 ~~24~~ 24	30 31	204

9,000, IX. '10.

Cd. 22.IV.12

FORM A2.
BRITISH RAINFALL.
~~16 JAN 1912~~

REGISTER OF RAINFALL IN 1911

Kept at Haverfordwest (Portfield)

in the County of the same Town 4

by J. W. Phillips.
all readings entered to previous day.

RAIN GAUGE
Pattern Snowden.
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 220 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Haverfordwest
Distance 3 Direction ~~S.W.~~ E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	·03	·02 [redacted]	·53	–	–	·12	–	·04	·41 [redacted]	·52	1
2	·01	–	[redacted]	–	·21	–	–	·38	–	·41	·11 [redacted]	·21 [redacted]	2
3	–	–	·02	–	·76	–	–	·02 [redacted]	·05	–	·21	·43	3
4	–	–	·33	–	·04	–	–	1·71 [redacted]	–	·02	·51 [redacted]	·47	4
5	·91	–	·13	–	[redacted]	–	–	·13	–	·33	·06	·01 [redacted]	5
6	·03	–	·08	–	–	–	–	·07 [redacted]	–	–	·25	1·11	6
7	·28	–	–	–	–	–	–	–	–	·01	·41	·04	7
8	·46 [redacted]	–	·14	–	–	–	–	·01	–	–	·23	1·07	8
9	·07 [redacted]	·03	·06	–	–	–	–	–	–	–	·73 [redacted]	·63	9
10	·21	·25 [redacted]	1·94	–	·07	–	–	–	–	–	·01	·34	10
11	·35 [redacted]	·03 [redacted]	·12 [redacted]	–	–	–	–	·01 [redacted]	·20	·08	·32	·23	11
12	·09 [redacted]	–	·53 [redacted]	–	–	–	–	–	·64	–	·56 [redacted]	·10	12
13	–	[redacted]	·04 [redacted]	–	·37 [redacted]	–	–	–	[redacted]	–	·33	·14 [redacted]	13
14	–	·09 [redacted]	·12	–	·04 [redacted]	–	–	–	·01 [redacted]	·42	·21	·98	14
15	[redacted]	·13	·07	–	[redacted]	·10 [redacted]	–	–	–	–	·40	·05	15
16	·02	·01	·05 [redacted]	–	·01	·41	–	·01 [redacted]	–	–	·37	·33	16
17	·01 [redacted]	·06 [redacted]	–	·11	–	·34	–	·01 [redacted]	–	[redacted]	·33	·57	17
18	–	·22	·07 [redacted]	·19 [redacted]	–	·01 [redacted]	–	·01 [redacted]	–	·15	·32	·21	18
19	–	·01 [redacted]	–	·34 [redacted]	–	–	[redacted]	·01 [redacted]	·12	·10 [redacted]	·15	·49	19
20	–	·21 [redacted]	–	·42	–	–	[redacted]	·02 [redacted]	·31	·64 [redacted]	·01	·31	20
21	·05	·20	·06	·09 [redacted]	[redacted]	·11	·19	–	·19	·64	·06	·10	21
22	·18	·12	–	·15 [redacted]	[redacted]	·07	–	–	·61	·08	–	·70	22
23	·01 [redacted]	·05	[redacted]	[redacted]	·01	·02	–	·42	·13	·93	–	·23	23
24	·05 [redacted]	·30	–	·05	–	1·05	·01	·07 [redacted]	·04	·05 [redacted]	–	·48	24
25	·05	·03	–	·12	–	·01	·04 [redacted]	·01 [redacted]	·20	·35	–	·13	25
26	·03	·36	–	·11	–	–	·02 [redacted]	·15	·01	·20	–	·26	26
27	[redacted]	·37	–	·56	[redacted]	–	·06	1·23	·14	·16	·25 [redacted]	·26	27
28	–	·19	·01	·27	–	–	·02	·01 [redacted]	–	·09 [redacted]	·01 [redacted]	·02	28
29	–	X	·02 [redacted]	[redacted]	–	·34 [redacted]	·12 [redacted]	–	·23	·62	–	·08	29
30	–	X	–	–	–	·01	·06 [redacted]	–	·03	·22	·38	·02	30
31	–	X	·07 [redacted]	X	–	X	·06	–	X	·09	X	·04	31
Total	2·95	2·65	2·93	2·41	2·26 [redacted]	2·48	·59 [redacted]	4·37	2·91	5·63	6·63	10·56	TOTAL 46·28
No. of Rain Days	~~20~~ 16 18	~~18~~ 16 18	~~21~~ 19 19	~~14~~ 12 12	~~14~~ 8 9	~~10~~ 10	9 ~~11~~ 9	~~10~~ 12 19	~~16~~ 14 15	~~22~~ 20 21	~~24~~ 23 24	30 31	204

cndly Castle 28.III.13 W. HG

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
15 FEB 1913

Kept at Portfield, Haverfordwes
in the County of the same Town. 4
by J.W. Phillips Esq.

Lat. 51°48′N Long. 4°58′W
Nearest Railway Station Haverfordwes
Time of Observation 9 A.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 220 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		–	·12	–	·04	·57	·02	·14	·05	·51	–	·43	1
2		·01	·50	·03	–	·37	–	–	·03	–	·13	–	2
3	·15	–	·40	·01		·18	–	·81	·07	–	·01	·14	3
4	·30	–	·65	–	·10	–	–	·22	–	–	·66	·03	4
5	·83	·03	·13	–	·05	–	–	·50	–	–	–	·14	5
6	·13	·25	–		·28	·22	·15	·30	–	·03	·10	·02	6
7	·07	·47	·30	–	·10	–	·07	·14	·01	·01	·03	·29	7
8	·64	·23	·09	–	·01	·15	–	·04	·02	·01	·01	–	8
9	·06	·11	·17	·03	–	·09	–	·69	–	–	·02	·48	9
10	·44	·03	·04	–	–	·01	·28	–	–	·01	·08	·06	10
11	·02	·04	·01	–	–	–	·24	–	–	·01	·11	·75	11
12	·10		·48	·02	·13	–	·29	–	–	·02	·65	·01	12
13	·70	–	·06 ·056	–	–	–	–	·12	–	·74	·06	·42	13
14	·06	·17	·37	–	–	–	–	·15	·01	–	·03	·10	14
15	·69	·13	·03	–	–	·31	–	·11	·01	·02	·02	·19	15
16	·35	·10	·78	–	·12	·05	–	·55	·01	·28		·10	16
17	·01	·14	·11	–	–	·36 ·35	–	·31	Tr	–	·10	·52	17
18	·01	·18	·09	–	–	·03	–	·17	Tr	·08	·07	·05	18
19	–	·04	·01	–	–	·05	–	·40	Tr	·27		·11	19
20	·17	·03	·35	–	–	–	–		Tr	·21	·03	·06	20
21	·01	·29	·11	·01	·08	·04	–	·12	–	·20		·40	21
22	·25	·44	·20	–	·01	·48	·28	·85	–	·33	·04	·19	22
23	·02	·02	·34	–	–	·15	·09	·40	–	·41	·50	·06	23
24	·01	·06	·01	–	–	·57	·14	–	–	·34		·26	24
25	–	·01	·03	–	–	·08	·07	·90	–	·10	·45	·61	25
26	–	·14	·13	–	–	·07	–	·11	–	1.08	·36	·21	26
27	–	·19	·13	–	–	1.51	·44	–	–	·54	·01	·45	27
28	–	·10	–	–	–	·15	·44	·61	·16	·50	1·20	·01	28
29	–	·14	–	–	·38	·05	·08	·04	·48	·68	–	·03	29
30	–	×	·09	·05	–	·05	·34	–	–	·29	–	·02	30
31	–	×	·61	×	–	×	·93	·08	×	·24	×	·28	31
Total	5·02	3.36	6.31	·15	1.29	5·54	3·85	7.75	0.85	6·90	4·67	6.41	TOTAL for year 52:09
No. of Rain Days	20	24	28	5	11	22	13	22	10	23	22	28	220

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

51

[illegible]

Con. for auth. 17.[illegible].14

REGISTER OF RAINFALL IN ~~1914.~~ 1913.

FORM A2. BRITISH RAINFALL. 18 JUN 1914

Kept at HAVERFORDWEST (Portfield) 4 [illegible]
in the Town County of HAVERFORDWEST
by J. W. Phillips

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 220 ft.
Time of Observation 9 A.M.
Nearest Railway Station
Name Haverfordwest G.W.R.
Distance 1½ miles Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.22	.48	.14	-	-	-	-	-	-	.30	.15	1
2	.18	.20	.23	.03	.30	.25	-	-	-	.06	.25	.17	2
3	.11	.01	.11	-	.11	-	-	-	-	.04	.01	.26	3
4	.40	.06	.09	-	[illegible]	.19	-	-	.22	.10	.16	.09	4
5	.10	.11	.01	-	.31	.31	.04	-	.08	-	.42	.33	5
6	.34	.16	.16	-	.30	-	.02	-	-	.49	.04	.56	6
7	.14	.53	.02	-	1.01	.51	.02	-	-	.22	.26	.06	7
8	.24	.31	.02	-	.30	-	.08	.01	-	[illegible]	[illegible]	.09	8
9	.03	.51	.16	.01	.22	.21	.04	-	.01	-	.77	.09	9
10	.82	.01	.10	.06	.06	-	.01	.59	.05	.69	.04	-	10
11	.32	.02	.01	.16	.15	.31	-	.07	.01	.33	.21	.17	11
12	.02	.02	.02	-	.16	.05	.17	.19	2.03	-	.31	.01	12
13	.40	.01	.50	.02	.09	-	.05	.18	2.01	.01	.18	-	13
14	.45	.00	.40	.05	[illegible]	-	.29	-	.34	.41	.16	.07	14
15	.38	-	.56	1.15	-	-	-	[illegible]	.01	-	[illegible]	.04	15
16	.38	-	.42	.08	-	-	-	-	.04	-	.06	-	16
17	.33	-	.07	.08	-	-	-	-	-	-	.07	-	17
18	.05	-	.52	.11	-	.02	-	-	.02	-	.08	-	18
19	.85	-	.12	-	.02	.03	-	.01	.62	.68	.07	-	19
20	.28	-	.22	.37	.11		-	-	.11	.20	.61	-	20
21	.01	-	.17	-	.13	.02	.06	.06	.07	.13	[illegible]	-	21
22	.93	-	.82	.07	.04	.40	-	.61	1.20	[illegible]	[illegible]	.08	22
23	.09	-	.01	.05	[illegible]	.01	-	.01	.32	-	.44	.05	23
24	.10	.31	-	.20	.01	-	-	[illegible]	-	-	.11	.07	24
25	[illegible]	.01	-	.24	.01	-	-	-	.13	.10	.06	-	25
26	-	-	-	.87	-	-	-	-	.24	.01	.01	.31	26
27	.24	-	.10	.15	-		-	-	-	.53	-	-	27
28	.20	-	.10	.03	.27	-	-	.03	.01	.46	.01	.10	28
29	.02		.26	.56	.14	-	-	.02	-	.51	.08	.04	29
30	.50		[illegible]	.05	.07	-	-	[illegible]	-	.09	.10	.01	30
31	.07		.16		-		-	-		.19		-	31
Total	8.02	2.47	5.79	4.48	3.83	2.30	.79	1.79	7.48	5.26	4.81	2.74	TOTAL 49.77
No. of Rain Days	29	14	27	21	~~19~~ 20	12	10	10	17 18	19	23 24	20	

9,000, IX. '10.

end for auth 23.IV.15

HRMC

FORM A.
BRITISH RAINFALL.

19 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Haverfordwest, Portfield

in the County of Pembroke

4

by J.W. Phillips

Lat. 51° 48' N Long. 4° 58' W

Time of Observation 9 a.m.

Nearest Railway Station Haverfordwest

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	·07	.	.	·26	·50	·36	·01	.	·12	·15	1
2	.	.	.	.	·05	.	·40	·05	·01	·03	·03	·31	2
3		.	·20	·16	·57	.	.		.	.	·01	·33	3
4	·29	.	·03	·39	·17	.	1.15	.	.	.	·13	·20	4
5	·03	·02	·25	·04	·01	.	·01	·05	.	·02	·11	.	5
6	.	.	·11	.	·10	.	·04	·11	.	.	·19	·28	6
7	·27	·19	·33	·17	·54	·14	·63	·58	.	·06	·06	·20	7
8	·20	.	·02	·07	·09	·04	.	·53	·15	·03	·01	·15	8
9	·31	·13	.	·04	·59	·45	.	·13	·07		·05	·03	9
10	·05	·47	·17	·24	.	·03	·01	.	·44	.	.	·03	10
11	.	·27	·65	.	·03	·32	. .	.	·05	.	·15	·55	11
12	.	·60	·19	.	.	.	·02	.	·37	.	·24	·01	12
13	.	·40	·45	.	.	.	·17	.	·59	·36	·12	·02	13
14	.	·47	·32	.	.	.	·04	.	·01		·66	·33	14
15	.	.	·04	.	.	.	·07	·24	·26	.	·57	·05	15
16	.	·03	·06	.	.	.	·08	·25	·25	.	.	·03	16
17	.	·64	·21	.	.	.	·06	.	.	.	.	1.01	17
18	.	·07	·16	.	.	·01	.	.		·02	.	·23	18
19	.	·16	·01	.	.	.	·74	·01	.	.	.	·08	19
20	.	·38	·03	.	.	·01	.	·32	·01	.	·03	·52	20
21	.	·58	. .	.	.	·20	.	·01	.	·24	.	.	21
22	.	·12	·08	·07	.	·09	.	·43	.	·28	.	.	22
23	.	·07	·10	.	.	·03	·04	·16	.	·11	.	.	23
24	·07	·07	·30	.	.	.	·02	.		·05	·25	·07	24
25	·25	·02	·45	.	.	.	·27	1.18	.	·65	·15	·96	25
26	·01	·03	.	.	.	.	·08	.	·01	·15	·33	·44	26
27	·20	·11	.	.	.	.	·06	.	.	·11	·40	1.45	27
28	·07	·05	·57	.	.	·02	·03	.	.	·14	·11	·50	28
29	·31	✕	·18	.	·05	.	·01	·03	.	·01	·60	·01	29
30	·01	✕	·15	.	·01	.		·18	.	·03	·48	·54	30
31	·16	✕	·07	✕	·03	✕	·62	·03	✕	·39	✕	·38	31
Total	2·23	4·89	5·20	1·18	2·26	1·59	5·04	4·64	2·25	2·65	4·80	8·84	YEAR'S TOTAL 45·56
Rain Days.	14 ~~13~~	21	26	8	11	10	19	16	10	17	21	23	~~197~~

W. 8,000. X. 14.

Slip made

4084

FORM A.
BRITISH RAINFALL.
18 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Portfield Haverfordwest

in the County of Pembroke

by J. W. Phillips

Lat. 51° 48' N Long. 4° 58' W

Time of Observation 9 A.M.

Nearest Railway Station Haverfordwest

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·41	–	–	·33	–	·03	1·06	·25	·03	·01	·12	1
2	·11	·32	·33	·35	–	·37	·06	·06	·01	–	–	·13	2
3	·01	·11	·35	·03	·09	·01	·01	·02	·01	–	·02	·43	3
4	·05	·01	·03	–	·17	·04	·05	–	–	–	–	·86	4
5	·11	·34		·19	·09	·03	–	·10	–	–	–	1·48	5
6	·60	·09	–	·33	–		·56	·15	–	–	–	·11	6
7	·32	·56	–	·01	–	·01	·30	·01	–	·88	·02	·15	7
8	·18	·65	–	–	–	–	·01	·19	–	·08	·33	·03	8
9	·17	·47	–	·22	–	–	–	·07	·02	–	·04	·92	9
10	·44	1·31	·14	·19	–	–		·02	–	·30	–	·03	10
11		·04	–	–	–	–	–	·09	–	·04	1·15	·06	11
12	·30	·54	·02	·05	·14	–	–	·01	–	–	·79	·06	12
13	·02	·17	–	·01	·33	–	–	–	·25	·13	·03	·33	13
14	·12	–	–	–	–	–	–	–	·41		·01	·55	14
15	·31	–	·01	·01	~~·32~~ ·38	–	·43	–	·12		·22	·20	15
16	–	1·33	–	–	·15	–	1·08	–	·05	·01	–	·28	16
17	·04	·45	–	–	·08	–	–	·01	·02	·01	–	·01	17
18	–	·31	·02	·03	–	–	·04	–	–	·01	–	–	18
19	·01	–	–	·09	·68	–	·32	–	–	–	–	–	19
20	·71	·06	–	–	·10	–	–	·01	·09	·22	–	·27	20
21	–	·07	–	–	·01	–	·44	–	–	·26	–	·18	21
22	·09	·04	·09	·14	–	1·27	·34	–	·23	·07	·07	·60	22
23	·13	·15	·12	·01	–	·60	–	–	·04	·36	–	·40	23
24	–	–	·01	·02	–	–	–	–	·42	·20	–	·20	24
25	–	–	–	–	–	·38	·05		·02	–	·08	·18	25
26	–	·49	–	–	–	·14	·37	–	·18	–	–	·61	26
27	–	·13	–	–	–	·17	·26	–	·01	1·09	–	·16	27
28	–	·05	–	–	–		–	·06	·40	·03	–	·07	28
29	–	X	–	·01	·01	1·09	–	–	·32	·04	·33	·28	29
30	·17	X	–	·34	–	–	–	–	·21	·80	·34	·40	30
31	·01	X	–	X	–	X	·28	·04	X	·07	X	·40	31
Total	4·06	8·09	1·116	2·01	2·57	4·11	4·65	1·88	3·03	4·63	3·44	9·52	49·12
Rain Days.	18	22 23	8 9	13 17	13	10 11	16	13 15	17 19	18	13	29	190 206

W. 8,000. X. 15.

Smade ✓ Crosby Castle Ened El 4013

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 9 JAN 1917

Kept at Haverfordwest (Portfield "[illegible] level Reservoir)

in the County of Pembroke

by J. W. Phillips

Lat. 51° 48 N Long. 4° 58 W

Time of Observation 9 A.M.

Nearest Railway Station Haverfordwest G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·14	·12	—	·01	·04	·23	·03	—	1·50	·13	—	1
2	·33	·57	·09	—	—	·02	·34	—	·86	1·38	·52	·01	2
3	·03	·85	·01	—	·02	·36	·53	—	·27	·53	·25	·03	3
4	·16	·31	·03	·06	·26	·34	—	·02	·08	·01	·43	·07	4
5	·08	·26	·06	·07	·29	·04	·14	—	·05	·36	·02	—	5
6	·13	·12	·02	—	·21	—	·44	—	—	·12	·70	·02	6
7	·01	—	·01	·01	·27	·01	—	—	—	·11	·27	·20	7
8	·06	·02	—	—	·39	—	·01	·01	—	·05	[illegible]	·16	8
9	·01	·11	—	—	·01	—	—	—	—	—	·09	1·03	9
10	[illegible]	·10	—	·12	—	—	[illegible]	·03	—	—	·04	·01	10
11	·02	·01	—	·22	·30	—	·31	—	—	—	·02	—	11
12	·01	·11	—	[illegible]	·18	—	·14	·54	·07	·24	·02	—	12
13	—	·39	·05	—	·02	—	—	·41	—	·05	·01	·14	13
14	·05	·49	·05	·02	·11	—	—	·01	·01	·13	—	·02	14
15	·03	·13	·10	·58	·15	—	·01	—	—	·03	—	—	15
16	·11	·04	·07	·21	·01	—	·08	—	—	·21	—	—	16
17	·43	·23	·01	·02	·01	—	—	—	·75	·38	·60	·05	17
18	·03	·03	·26	·06	—	—	—	·05	·05	·02	·03	·55	18
19	·19	·09	·12	·31	—	—	—	[illegible]	—	—	·15	·10	19
20	·34	·36	·24	·03	—	—	—	[illegible]	—	—	·03	·41	20
21	·12	—	·09	—	·05	·06	—	[illegible]	—	—	—	·05	21
22	—	[illegible]	—	—	—	·46	—	·11	—	·39	·06	·18	22
23	·11	—	·12	·30	·02	·02 ·019	—	·52	—	·16	·40	·13	23
24	—	—	·01	·14	·07	·00	—	·53	—	·44	·02	·05	24
25	·02	—	·01	—	·16	·23	—	[illegible]	·02	·02	·19	·06	25
26	·07	—	—	·01	—	·01	—	[illegible]	·53	·93	·23	—	26
27	·02	—	·49	—	—	·02	—	·06	·42	·53	[illegible]	·02	27
28	—	—	—	—	·01	—	—	—	—	·83	·11	·81	28
29	—	·05	·01	—	—	·44	[illegible]	—	·13	·49	·08	·05	29
30	—	✕	—	—	—	·35	·02	—	—	·32	·03	·01	30
31	—	✕	—	✕	·14	✕	—	·19	✕	·21	✕	·01	31
Total	2·71 ✓	4·41	1·98	2·16	2·70	2·41	2·26	2·67	3·23	9·45	4·45	4·16	YEAR'S TOTAL 42·59
Rain Days.	~~23~~	~~20~~	~~21~~	~~15~~	~~21~~	~~14~~	~~11~~	15	~~12~~	~~25~~	~~26~~	~~23~~	~~226~~

W. 8,000, VIII. 16

S. Made MWR 3846

FORM A.

25. JAN 1918 BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Haverfordwest – Portfield Reservoir

in the County of Pembroke

by J. W. Phillips

Lat. 51° 48' N Long. 4° 58' W

Time of Observation 9 am

Nearest Railway Station Haverfordwest

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ~~90~~ 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	21	20	–	·10 [redacted]	–	–	–	·02 [redacted]	11	–	1
2	–	–	–	·21 [redacted]	–	20	–	–	–	03	33	–	2
3	·07 [redacted]	23	–	11	–	·07 [redacted]	1·03	–	–	48	82	09	3
4	–	11	56	·04 [redacted]	–	–	–	–	·21 [redacted]	·05 [redacted]	·07 [redacted]	01	4
5	35	–	35	11	–	–	–	–	·04 [redacted]	25	·24 [redacted]	[redacted]	5
6	–	–	·28 [redacted]	·04 [redacted]	–	35	–	–	[redacted]	25	·21 [redacted]	·17 [redacted]	6
7	37	–	–	04	–	07	·11 [redacted]	·76 [redacted]	·01 [redacted]	·07 [redacted]	06	–	7
8	06	–	·16 [redacted]	03	–	–	·01 [redacted]	36	09	45	30	18	8
9	·01 [redacted]	–	·12 [redacted]	·02 [redacted]	·08 [redacted]	–	–	·18 [redacted]	19 [redacted]	12	07	·05 [redacted]	9
10	33	–	·99 [redacted]	28	01	–	–	33	–	·15 [redacted]	·02 [redacted]	–	10
11	01	–	–	·20 [redacted]	–	–	–	19	–	·29 [redacted]	38	–	11
12	20	–	·01 [redacted]	[redacted] 01	35	–	–	26	02	·33 [redacted]	~~132~~	[redacted]	12
13	–	–	·08 [redacted]	·02 [redacted]	02	·06 [redacted]	–	·44 [redacted]	28	46	·07 [redacted]	[redacted]	13
14	–	–	–	02	–	–	08	[redacted]	–	·11 [redacted]	·02 [redacted]	–	14
15	–	05	–	09	–	–	02	–	09	40	~~013~~	–	15
16	–	·06 [redacted]	–	01	–	–	08	04	28	·07 [redacted]	·13 [redacted]	32	16
17	–	·03 [redacted]	09	43	·10 [redacted]	–	99	1·45	22	–	·05 [redacted]	–	17
18	–	·01 [redacted]	[redacted] 06	·03 [redacted]	13	–	11	–	75	–	–	–	18
19	–	1·15	·03 [redacted]	–	–	·18 [redacted]	–	·01 [redacted]	·04 [redacted]	–	01	–	19
20	–	05	–	–	·66 [redacted]	55	–	·23 [redacted]	·05 [redacted]	·03 [redacted]	·08 [redacted]	–	20
21	–	–	·12 [redacted]	–	[redacted]	00	–	–	01	·17 [redacted]	·01 [redacted]	–	21
22	–	13	–	–	·11 [redacted]	–	–	1·28	–	15	–	–	22
23	–	35	–	–	13	05	–	21	–	·07 [redacted]	–	·02 [redacted]	23
24	–	02	·03 [redacted]	–	–	05	·51 [redacted]	07	05	·15 [redacted]	·03 [redacted]	–	24
25	–	·07 [redacted]	·07 [redacted]	–	–	–	05 [redacted]	44	·30 [redacted]	06	–	–	25
26	–	–	·02 [redacted]	–	1·31	·19 [redacted]	·01 [redacted]	16	17	·07 [redacted]	·48 [redacted]	10	26
27	–	–	10	–	·04 [redacted]	98	·73 [redacted]	1·61	–	–	·01 [redacted]	–	27
28	–	15	06	–	05	14	–	10	·01 [redacted]	·01 [redacted]	02	–	28
29	–	×	16	–	–	–	–	02	01	85	02	14	29
30	–	×	–	–	01	–	–	35	01	10	·12 [redacted]	–	30
31	–	×	–	×	41	×	–	15	×	·06 [redacted]	×	–	31
Total	1·40 [redacted]	2·41	3·48 [redacted]	1·90 [redacted]	3·42	3·00 [redacted]	3·73	8·65	2·84	5·25 [redacted]	3·66	1·10	YEAR'S TOTAL 40·83
Rain Days.	~~8~~	~~12~~	~~19~~	~~18~~	~~14~~	~~13~~	~~12~~	~~21~~	~~20~~	~~26~~	~~23~~	~~9~~	~~195~~

W. 8,000. X. 15.

#·970 Co. by mur. stats.

15

FORM A. BRITISH RAINFALL. 20.

REGISTER OF RAINFALL IN 1918

Kept at Haverfordwest (Portfield)

in the County of Pembroke. MWR

by J. W. Phillips

Lat. 51° 48 N. Long. 4° 58' W.

Time of Observation 9 A.M.

Nearest Railway Station Haverfordwest G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·27	—	·14	·16	—	—	·89	·02	·01	1·36	·01	1
2	·02	·27	—	—	—	—	—	·33	—	·02	·17	·93	2
3	—	·18	—	·03	·20	—	—	·02	—	·27	·40	·11	3
4	—	·08	—	—	—	—	—	·34	·22	·48	·76	·45	4
5	—	·01	·02	·56	·10	—	—	·38	·02	·64	·04	·22	5
6	·09	·80	—	—	·01	·27	—	—	·07	·25	—	·19	6
7	·40	·17	—	—	—	—	—	·09	·53	·04	·50	·49	7
8	·08	·12	—	—	—	·31	·09	—	·04	·64	·01	·01	8
9	·01	·04	—	·12	—	·11	·17	·01	·61	·13	·03	·65	9
10	[illegible]	·02	·10	·03	—	—	·13	—	·10	·16	·32	·49	10
11	·09	·03	·29	·01	—	—	·13	—	·21	·47	·12	·19	11
12	·01	·10	—	—	·32	—	·09	·02	·13	·06	—	·04	12
13	·14	·01	·01	—	—	·02	·04	—	·75	·58	—	·29	13
14	·69	—	—	—	·02	—	·31	·04	·40	·09	—	·68	14
15	·52	·04	—	—	—	—	·57	—	·48	·06	—	·78	15
16	·06	·11	—	·44	—	·01	·09	·03	·37	·03	—	—	16
17	·73	—	·06	·02	—	·05	1·09	·03	—	·16	—	·41	17
18	·52	·15	·17	—	—	·07	·04	·04	·18	·22	—	·48	18
19	·43	·23	·06	·20	—	—	·56	·02	·02	·01	—	·01	19
20	·41	·05	·02	·11	—	·01	·03	·03	·45	—	—	—	20
21	·53	·04	—	—	—	·03	·91	—	·57	·03	—	·18	21
22	·07	—	—	—	—	—	·52	·02	·25	·26	·03	·19	22
23	·38	·02	—	—	·30	·13	·04	—	—	—	·20	·04	23
24	·02	·17	—	—	—	—	·01	·38	·40	—	·24	·01	24
25	[illegible]	—	—	·75	·26	—	·14	·24	·03	·05	·27	—	25
26	·30	·03	—	—	—	—	·01	·03	·06	·05	·04	·72	26
27	·04	·07	·73	—	—	—	—	·24	·09	·08	·46	·04	27
28	—	·14	·11	—	—	—	—	—	·05	·07	·17	·09	28
29	—	X	·51	—	—	—	—	—	1·09	·03	—	·11	29
30	—	X	·45	—	—	—	—	—	·09	·07	·24	·21	30
31	—	X	·53	X	—	X	—	—	X	·80	X	·14	31
Total	5·55	3·15	3·06	2·41	1·37	1·01	5·01	3·19	7·53	5·79	5·34	8·15	YEAR'S TOTAL. 51·55
Rain Days.	21	24	13	11	8	10	19	19	26	28	18	28	225

W. 8,000, VIII. 16

entry MWR

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Haverfordwest Portfield
in the County of Pembroke.
by

Lat. 51° 48′ N Long. 4° 58′ W
Time of Observation 9 h GMT
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 250 ft.

MWR

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0·64	0·03	0·78	-	0·66	0·07	0·30	0·12	-	0·49	1
2	0·11	0·06	-	0·11	0·01	-	0·13	[illegible]	0·36	0·24	-	0·38	2
3	0·29	0·08	-	0·01	[illegible]	-	0·06	0·01	0·07	1·22	-	-	3
4	-	-	0·03	-	0·14	-	-	2·80	-	0·44	-	-	4
5	-	-	0·15	-	1·26	-	0·45	0·01	0·01	0·41	-	-	5
6	0·03	-	0·15	0·20	0·27	-	0·07	-	-	0·40	0·01	-	6
7	-	0·24	0·03	0·06	0·01	-	0·48	0·49	-	0·01	0·03	-	7
8	0·07	0·01	0·01	0·70	0·11	-	0·02	0·16	-	-	[illegible]	0·14	8
9	0·50	0·15	0·07	0·56	-	0·07	0·31	-	0·06	-	[illegible]	0·02	9
10	0·87	0·08	0·16	0·06	-	0·58	0·21	-	-	-	0·21	0·05	10
11	0·03	-	0·19	0·42	0·22	0·01	0·12	-	0·01	-	0·01	-	11
12	0·20	0·14	0·08	0·42	-	0·09	0·14	-	0·07	0·08	0·01	-	12
13	0·02	0·03	0·85	0·22	-	0·03	-	[illegible]	0·01	0·20	0·13	-	13
14	0·36	0·11	0·53	0·33	-	-	0·17	-	1·24	0·20	0·35	-	14
15	0·05	0·16	0·05	0·37	0·09	-	-	-	0·07	0·05	0·19	-	15
16	0·08	0·02	0·15	0·15	0·04	0·05	0·60	0·03	0·43	1·53	0·10	-	16
17	0·13	-	0·04	-	0·66	-	-	0·56	0·40	0·05	0·01	-	17
18	0·19	0·03	-	0·29	0·06	0·07	-	0·06	0·35	-	-	-	18
19	0·07	0·63	-	0·55	0·01	0·38	0·09	[illegible]	0·09	-	-	-	19
20	-	0·01	-	0·03	-	-	0·07	-	0·12	0·17	-	0·54	20
21	-	-	-	0·20	-	-	0·20	0·01	0·08	0·044	-	0·06	21
22	0·17	-	0·02	0·09	-	0·01	0·29	0·01	-	-	-	0·28 0·~~279~~	22
23	0·16	-	0·14	0·01	-	-	0·23 0·228	0·24	-	-	-	0·55	23
24	0·09	-	0·60	[illegible]	-	0·03	0·14	0·02	0·01	~~0·004~~	0·21	0·34	24
25	0·40	0·04	0·16	-	-	[illegible]	1·32	-	[illegible]	-	0·02	0·01	25
26	0·19	-	0·78	-	-	0·14	0·03	-	0·05	-	0·37	0·08	26
27	0·55	0·11	0·45	0·13	-	0·55	0·49	-	-	-	1·99	0·65	27
28	0·36	0·05	0·17	0·02	0·07	0·02	0·11	-	-	-	-	0·12 0·~~118~~	28
29	0·36	0·03	0·21	-	0·03	0·07	0·35	-	-	-	0·44	0·45	29
30	0·23	X	0·63	0·50	-	0·44	0·04	-	[illegible]	-	0·37	0·81	30
31	0·05	X	0·55	X	0·03	X	0·00	0·08	X	1·710	X	0·05	31
TOTAL	5·57	1·99	6·84	5·48	3·80	2·55	6·79	4·56	3·74	6·87	4·45	5·01	57·63
Days with ·01 in. or more	~~25~~ 22	~~16~~ 18 11	~~25~~ 21	~~23~~ 18	~~16~~ 11	~~15~~ 10	~~25~~ 22	~~16~~ 12	6 14	15 15	~~11~~ 9	~~16~~ 15	~~229~~ 180

Wt. [illegible]—213. 7500. [illegible] Gp.132) A.&E.W.

copied from 19 3 203

[illegible]

HAVERFORDWEST

POYSTON

PEMBROKESHIRE

1912 - 14 16 18

2 JAN 1913

FORM A2.
BRITISH RAINFALL.

2.

Kept at Poyston .... in.

in the County of P .... Ground .... ft. .... in.

by Dr. Ste .... Sea Level .... ft.

a.m.

Name Haverfordwest

Distance 2 mile Direction N. E.

IMPORTANT NOTE.—Rain should be measured ... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·10	·20	—	—	·30	·10	·30	—	·10	·10	·50	1
2	—	·30	·60	—	—	·50	—	·20	—	—	·10	—	2
3	—	·20	—	—	—	·20	—	—	—	—	·20	·10	3
4	·40	·10	·40	—	—	—	—	·60	—	—	·20	—	4
5	·10	·30	2·00	—	—	—	—	·50	—	—	—	·10	5
6	·60	·10	·30	—	·20	—	·60	·20	—	—	·10	·20	6
7	·50	·20	·30	—	·30	—	—	·10	—	—	—	·20	7
8	·60	—	·40	—	·10	—	—	·50	—	—	·20	·10	8
9	·20	·10	·10	·20	—	·30	·30	—	—	—	·10	·50	9
10	·10	·30	—	—	—	—	·10	—	—	—	·30	·10	10
11	·50	·10	—	—	—	·50	·30	—	—	·30	·20	·20	11
12	·20	—	·10	—	·10	—	·60	—	—	·40	·10	·20	12
13	·10	—	·30	—	—	—	—	—	—	·30	·20	·20	13
14	·60	—	·60	—	—	—	—	·35	—	—	—	·40	14
15	·60	—	·60	—	—	·60	—	·10	—	·20	—	·20	15
16	·60	—	·20	—	—	—	—	·60	—	—	—	·30	16
17	—	—	—	—	—	·60	—	·50	—	·40	—	·20	17
18	—	—	·20	—	—	—	—	·20	—	·20	—	·10	18
19	—	·10	·60	—	—	·10	—	·40	—	·10	·10	·60	19
20	—	·40	—	—	—	—	—	·30	—	·10	·10	·40	20
21	·40	·60	·10	—	—	·60	·30	·90	—	·30	—	·50	21
22	—	—	·60	—	—	—	—	·60	—	·40	—	—	22
23	—	—	·20	—	—	·20	·20	—	—	·40	·10	·10	23
24	—	—	·10	—	—	—	—	·20	—	·30	—	·20	24
25	—	—	·30	—	—	·60	—	·40	—	·10	—	·50	25
26	—	·20	·10	—	—	—	—	—	—	·50	—	·20	26
27	—	·10	·20	—	—	1·60	—	—	—	·50	·10	·50	27
28	—	·20	—	—	—	—	·30	·20	·10	·60	—	—	28
29	—	·30	·10	—	—	·20	·40	·70	·40	·50	—	—	29
30	—		—	—	·40	·40	—	·20	·30	—	—	—	30
31	—		·60		—		1·20	·10		·20		·40	31
Total	5·50	3·70	9·20	·20	1·10	6·90	4·40	8·15	·80	5·90	2·20	7·00	TOTAL for year 54·85
No. of Rain Days.	14	17	24	1	5	14	11	22.	3	19	15	25	170

W. 8,000, X. '11.

[illegible]

REGISTER 2.

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Poyston, Haverfordwest.
in the County of Pembroke 4
by Dr. Henry Owen.

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation 9. am.

Nearest Railway Station
Name Haverfordwest
Distance 2 mile Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·10	·20	—	—	·30	·10	·30	—	·10	·10	·50	1
2	—	·30	·60	—	—	·50	—	·20	—	—	·10	—	2
3	—	·20	—	—	—	·20	—	—	—	—	·20	·10	3
4	·40	·10	·40	—	—	—	—	·60	—	—	·20	—	4
5	·10	·30	2·00	—	—	—	—	·50	—	—	—	·10	5
6	·60	·10	·30	—	·20	—	·60	·20	—	—	·10	·20	6
7	·50	·20	·30	—	·30	—	—	·10	—	—	—	·20	7
8	·60	—	·40	—	·10	—	—	·50	—	—	·20	·10	8
9	·20	·10	·10	·20	—	·30	·30	—	—	—	·10	·50	9
10	·10	·30	—	—	—	—	·10	—	—	—	·30	·10	10
11	·50	·10	—	—	—	·50	·30	—	—	·30	·20	·20	11
12	·20	—	·10	—	·10	—	·60	—	—	·40	·10	·20	12
13	·10	—	·30	—	—	—	—	—	—	·30	·20	·20	13
14	·60	—	·60	—	—	—	—	·35	—	—	—	·40	14
15	·60	—	·60	—	—	·60	—	·10	—	·20	—	·20	15
16	·60	—	·20	—	—	—	—	·60	—	—	—	·30	16
17	—	—	—	—	—	·60	—	·50	—	·40	—	·20	17
18	—	—	·20	—	—	—	—	·20	—	·20	—	·10	18
19	—	·10	·60	—	—	·10	—	·40	—	·10	·10	·60	19
20	—	·40	—	—	—	—	—	·30	—	·10	·10	·40	20
21	·40	·60	·10	—	—	·60	·30	·90	—	·30	—	·50	21
22	—	—	·60	—	—	—	—	·60	—	·40	—	—	22
23	—	—	·20	—	—	·20	·20	—	—	·40	·10	·10	23
24	—	—	·10	—	—	—	—	·20	—	·30	—	·20	24
25	—	—	·30	—	—	·60	—	·40	—	·10	—	·50	25
26	—	·20	·10	—	—	—	—	—	—	·50	—	·20	26
27	—	·10	·20	—	—	1·60	—	—	—	·50	·10	·50	27
28	—	·20	—	—	—	—	·30	·20	·10	·60	—	—	28
29	—	·30	·10	—	—	·20	·40	·70	·40	·50	—	—	29
30	—		—	—	·40	·40	—	·20	·30	—	—	—	30
31	—		·60		—		1·20	·10		·20		·40	31
Total	5·50	3·70	9·20	·20	1·10	6·70	4·40	8·15	·80	5·90	2·20	7·00	TOTAL for year 54·85
No. of Rain Days.	14	17	24	1	5	14	11	22.	3	19	15	25	170

W. 8,000, X. '11.

S. made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

3 JAN 1914

Kept at Poyston ~Ex RR
in the County of Pembrokeshire 4
by Haverfordwest

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Haverfordwest
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·20	·20	·10	·	·20	·	·	·	·	·40	·	1
2	·20	·30	·30	·	·30	·	·	·	·	·	·20	·10	2
3	·10	·10	·	·	·	·40	·	·	·	·10	·30	·40	3
4	·30	·	·10	·	·20	·20	·	·	·40	·	·20	·10	4
5	·20	·60	·10	·	·10	·	·	·	·10	·20	·30	·40	5
6	·50	·20	·	·	·30	·60	·	·	·	·	·30	·	6
7	·30	·50	·30	·	1·20	·20	·	·	·	·20	·10	·	7
8	·50	·10	·	·	·40	·60	·15	·	·	·	·10	·10	8
9	·80	·10	·40	·	·10	·40	·10	·	·	·	·20	·	9
10	·	·40	·10	·	·	·20	·	·	·	1·00	·60	·20	10
11	·10	·	·	·20	·	·	·	·50	·	·40	·10	·10	11
12	·60	·	·20	·	·	·	·20	·	1·90	·	·20	·	12
13	·20	·	·10	·	·	·	·	·40	1·70	·	·40	·	13
14	·60	·	·20	·10	·	·	·20	·	·30	·	·20	·	14
15	·20	·	·50	·	·	·	·	·	·10	·40	·20	·20	15
16	·50	·	·20	1·20	·	·	·	·	·	·	·	·	16
17	·10	·	·30	·10	·	·	·10	·	·	·	·	·	17
18	·20	·10	·40	·10	·	·10	·	·	·	·	·20	·	18
19	·10	·20	·	·	·	·	·	·	·60	·80	·10	·	19
20	·20	·	·10	·50	·	·	·	·	·	·	·80	·10	20
21	·	·	·10	·	·	·50	·	·	1·30	·10	·	·	21
22	·80	·10	·	·10	·	·	·	·80	·	·	·	·	22
23	·	·	·	·	·10	·	·	·	·40	·10	·40	·	23
24	·20	·	·	·20	·	·	·	·	·	·	·20	·	24
25	·10	·	·	·80	·30	·	·	·	30	·	·	·	25
26	·10	·	·	·40	·10	·	·	·	·	·60	·	·30	26
27	·	·	·	·	·	·	·	·	·	·10	·10	·10	27
28	·20	·	·20	·20	·10	·	·	·	·	·50	·	·	28
29	·10		·20	·40	·	·	·	·	·	·10	·10	·	29
30	·20		·	·	·40	·	·	·	·	·30	·10	·	30
31	·20		·20		·10		·	·		·10		·	31
Total	7·70	2·90	4·20	440	3·70	340	·75	1·70	7·10	5·00	5·80	2·10	YEAR'S TOTAL 48·75
Rain Days.	27	12	19	13	13	10	5	3	10	15	23	11.	161

W. 7,500, XI. ·12

compared 30/4/15

corrd for auth 23.IV.15

~~H~~ LMC.

REGISTER OF RAINFALL IN 19/14

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Poyston, Haverfordwest

in the County of Pembroke. 4

by Dr. Henry Owen.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly
requested to add th … in the space provided
for it at the end … nt of rain,
the selection and … sh Rainfall
Organization are g … pplication to
Dr. H. R. Mill, 6 …

Jan. 1, following.
·30

1915 May 3rd

Poyston,
Haverfordwest.

I thank you for your letter. I have had my register amended

Henry Owen

attach to A

Date	Jan.	Feb.									Nov.	Dec.	Date.
1											·10	·30	1
2											·20	·50	2
3												·20	3
4											·10		4
5		·20										·40	5
6		·40									·40	·20	6
7	·50											·60	7
8	·20	·15	[illegible]		[illegible]								8
9	·40	·40		·10	·50	·30		·20			·10		9
10		·40		·40					·40			·20	10
11		·30	·60								·10		11
12		·50	·40				25		·40	·30	·40		12
13		·40	·20						·70		·80		13
14													14
15								·10	·20		1·00	·20	15
16		·50	·10				·10		·20			·40	16
17								·50				·80	17
18		·30	·30				·10					·30	18
19		·40					·80			·30	·10	·10	19
20		·50				·30		·30				·40	20
21			·30			·10					·20		21
22		·10	·10					·50		·30			22
23			·20									·10	23
24		·10	·20					1·00		·10	·40	·90	24
25	·40						·10			·70	·10	·50	25
26		·30	·10							·20	·40	1·50	26
27	·30	·10	·30		·10					·10	·20	·50	27
28			·40							·10	·40	·30	28
29	·30	X	·10								·30	·50	29
30		X	·10		·10			·70		·10		·50	30
31	·20	X		X	·10	X	·80		X	·30	X	·50	31
Total	2·30	5·05	4·40	1·10	1·90	1·30	~~3·20~~ 4·25	4·30	2·20	2·50	5·30	9·90	YEAR'S TOTAL 44·55 44·50
Rain Days.	~~7~~	~~16~~	~~19~~	~~5~~	~~7~~	~~5~~	~~10~~	~~11~~	~~7~~	~~10~~	~~17~~	~~22~~	~~136~~

W. 8,000. X. 14.

30/4/15

cmd for anth 23.IV.15

~~W~~ LMcC.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Poyston

in the County of

by Dr. Ste

in.

Ground ft. in.

Sea Level ft.

IMPORTANT the result entered to the previous day. If sal rule, he is earnestly requested to add t in the space provided for it at the end nt of rain, the selection and sh Rainfall Organization are g plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·30

Dr. H. R. Mill
British Rainfall
62 Camden Square
London
N.W.

½ HALFPENNY ½
POSTAGE

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10				·40	·30			·10	·30	1
2							·40	·10			·20	·50	2
3				·10		·20			·10			·20	3
4			·40		·80		1·00				·10		4
5		·20	·20	·20				·80				·40	5
6		·40	·20				·30	·40			·40	·20	6
7	·50			·30	·60	·40						·60	7
8	·20	·15	·10		·20				·20				8
9	·40	·40		·10	·50	·30		·20			·10		9
10		·40		·40					·40			·20	10
11		·30	·60								·10		11
12		·50	·40				·25		·40	·30	·40		12
13		·40	·20						·70		·80		13
14													14
15								·10	·20		1·00	·20	15
16		·50	·10				·10		·20			·40	16
17								·50				·80	17
18		·30	·30				·10					·30	18
19		·40					·80			·30	·10	·10	19
20		·50				·30		·30				·40	20
21			·30			·10					·20		21
22		·10	·10					·50		·30			22
23			·20									·10	23
24		·10	·20					1·00		·10	·40	·90	24
25	·40						·10			·70	·10	·50	25
26		·30	·10							·20	·40	1·50	26
27	·30	·10	·30		·10					·10	·20	·50	27
28			·40							·10	·40	·30	28
29	·30	✕	·10								·30	·50	29
30		✕	·10		·10			·70		·10		·50	30
31	·20	✕		✕	·10	✕	·80		✕	·30	✕	·50	31
Total	2·30	5·05	4·40	1·10	1·90	1·30	~~3·20~~ 4·25	4·30	2·20	2·50	5·30	9·90	YEAR'S TOTAL 44·56 44·50
Rain Days.	~~7~~	~~16~~	~~19~~	~~5~~	~~7~~	~~5~~	~~10~~	~~11~~	~~7~~	~~10~~	~~17~~	~~22~~	~~136~~

W. 8,000. X. 14.

Sq made ✓

Exd CJE

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Poyston

in the County of Pembrokeshire

by Dr Henry Owen

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·2	·4	–	–	–	·3	·1	–	–	·5	·1	–	1
2	·1	·75	–	–	–	–	·1	–	·8	1·7	·4	–	2
3	·4	·3	·1	–	·2	–	1·2	–	·3	·6	·2	·1	3
4	·15	·1	·1	·1	·3	·7	·1	–	–	–	·4	–	4
5	·1	–	·2	–	·3	·1	·4	–	·1	·4	·8	–	5
6	–	·4	–	–	·4	–	–	–	–	·2	·2	·3	6
7	·2	–	–	–	–	–	–	–	–	–	–	·2	7
8	–	–	·2	–	–	–	–	–	–	–	–	–	8
9	–	·1	–	·1	–	–	–	–	–	–	·1	·8	9
10	–	·2	·1	–	·1	–	–	–	–	–	–	–	10
11	–	–	–	·35	–	–	–	–	–	–	–	–	11
12	·1	·3	–	–	·3	–	–	·5	–	–	–	–	12
13	–	–	·1	–	·2	–	·5	–	–	·3	–	·2	13
14	·2	·2	–	–	·15	–	–	–	–	·1	–	–	14
15	·1	·1	·1	·2	·5	–	–	–	–	·1	–	–	15
16	–	–	·1	·6	–	–	·1	–	·7	·1	–	·5	16
17	·5	·4	·15	·1	–	–	–	–	–	·5	·6	·1	17
18	·1	·2	·2	–	–	–	–	–	–	–	–	·4	18
19	–	·5	·1	·3	–	–	–	–	–	·2	–	·2	19
20	·2	·6	·2	–	–	–	–	–	–	–	–	·2	20
21	–	·2	·1	–	–	–	–	–	–	·2	·1	·1	21
22	–	–	·1	–	–	·8	–	–	–	·0	–	·1	22
23	–	–	·2	·4	–	–	–	–	–	·1	·5	–	23
24	–	–	·1	·1	·1	–	–	–	–	1·1	–	·1	24
25	–	–	·1	–	·2	–	–	·3	–	·1	·2	–	25
26	–	–	·2	–	–	·1	–	·7		1·0	·2	–	26
27	·2	–	·1	–	–	–	–	·3	·9	·6	–	–	27
28	–	–	–	–	–	·6	–	·1	–	·4	·2	·5	28
29	–	–	–	·1	–	·1	–	–	·1	·6	–	–	29
30	–	✕	–	–	–	·4	–	–	–	·4	–	–	30
31	–	✕	–	✕	–	✕	–	·2	✕	·2	✕	–	31
Total	2·55 ✓	4·65 ✓	2·55 ✓	2·35 ✓	2·75 ✓	3·1 ✓	2·5 ✓	2·1 ✓	2·9 ✓	8·7 ✓	4·0 ✓	3·8 ✓	YEAR'S TOTAL 41·95
Rain Days.	13 ✓	15 ✓	19 ✓	10 ✓	11 ✓	8 ✓	4 ✓	6 ✓	6 ✓	27 ✓	13 ✓	13 ✓	142 ✓

W. 8,000, VIII. 16

S. made

cnd for auth

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

Kept at Poyston

in the County of Pembroke.

by Dr. Henry Owen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			30	10							10	10	1
2					~~10~~	10			20		10	10	2
3				20	~~20~~	20				10	80		3
4			10	30			80			30	10		4
5	50		20		~~50~~	50				40.	20		5
6			60		~~20~~	20		30			30		6
7	40.		20		~~10~~	10		40	10	20	40		7
8			40	10				10	20	60		20	8
9			20				10	10		10	10	10	9
10			60	40				40		40	10		10
11	20			10				20		50	30		11
12	40			20.	50			40	40	100			12
13								40		10			13
14			10							40			14
15				10					20		10	20	15
16							10	10	40			30	16
17			10	40			100	130	10		10		17
18				10	10				90				18
19		80.				20			20		20		19
20					40	50		30					20
21										20			21
22										~~20~~	10		22
23		50			20					20			23
24						20		150		~~20~~	10		24
25			20					20	20	20	20		25
26					130.		20	30		20	10	10	26
27		10.	10		10	100	100	20		20	10		27
28			30			20		140		50			28
29			10.							~~30~~	10		29
30		X						50.	10	10	10		30
31		X		X	40	X		20.	X	10	X		31
Total	1·50	1·40.	3·40	2·00	3·30	2·30 3·20	3·20	8·50	3·00	5·30 5·70	3·70	1·40	YEAR'S TOTAL ~~38·40~~ 40·00
Rain Days.	~~4~~	~~3~~	~~14~~	~~10~~	~~7~~	~~10~~	~~6~~	~~18~~	~~11~~	~~19~~	~~20~~	~~7~~	~~129~~

W. 8,000, IX. 17.

Small

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

7.1.19

17

Kept at Poyston

in the County of Pembrokeshire

by late Dr Henry Owen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	.1"	–	.2"	–	–	–	.4"	–	–	2.0"	–	1
2	–	.5"	–	–	–	–	–	.6"	.1"	.1"	–	.3"	2
3	–	.1"	–	–	–	–	–	–	.2"	–	.1"	.2"	3
4	–	.3"	–	–	–	–	–	.3"	.4"	.3"	1.0"	.1"	4
5	–	.1"	–	.4"	.3"	–	–	.6"	–	1.0"	–	.2"	5
6	–	.4"	–	–	–	.3"	–	–	–	–	.1"	.6"	6
7	–	.5"	–	–	–	.3"	–	–	.1"	.1"	.3"	.2"	7
8	–	–	–	.1"	–	–	.1"	–	.2"	–	.1"	.1"	8
9	–	.1"	–	–	–	–	.3"	–	.8"	.8"	.1"	.3"	9
10	–	.1"	.2"	.1"	–	–	.7"	–	.6"	.1"	.1"	.2"	10
11	–	–	.5"	–	–	–	.3"	–	.4"	.6"	–	.4"	11
12	–	.2"	–	–	–	–	–	–	.1"	.5"	.3"	.3"	12
13	–	–	–	–	–	–	–	–	.3"	.2"	–	.2"	13
14	–	–	–	–	–	–	.4"	–	.4"	–	–	.1"	14
15	–	.1"	–	–	–	–	.1"	–	.1"	.6"	–	.2"	15
16	.2"	.2"	–	.5"	–	–	.7"	.1"	.6"	.1"	–	.2"	16
17	.4"	–	–	.1"	–	.7"	.9"	–	–	.1"	–	1.4"	17
18	.4"	.2"	–	–	–	–	–	–	.3"	–	–	.2"	18
19	.3"	–	.1"	–	–	–	.6"	–	.1"	–	–	–	19
20	.5"	–	.2"	–	.2"	–	–	–	.7"	.1"	–	.2"	20
21	.7"	–	–	–	.5"	–	.9"	–	.5"	–	–	.1"	21
22	.2"	.1"	–	–	.1"	–	.5"	–	.1"	.1"	–	–	22
23	.1"	–	–	–	–	–	–	–	.3"	–	–	.1"	23
24	.1"	.1"	–	.3"	.3"	–	–	.3"	–	–	.5"	.3"	24
25	–	–	–	–	–	–	.2"	.5"	.1"	.1"	–	.1"	25
26	.1"	–	.1"	–	–	–	–	–	–	–	–	.2"	26
27	–	–	.4"	–	–	–	–	.3"	.1"	–	.1"	–	27
28	–	–	.3"	–	–	–	–	–	.2"	–	.5"	.1"	28
29	–	–	–	–	–	–	–	–	.8"	–	.3"	.1"	29
30	–	✗	.5"	–	–	–	–	–	.3"	.1"	.1"	.3"	30
31	–	✗	1.0"	✗	–	✗	.1"	–	✗	.1"	✗	.1"	31
Total	3.0"	3.1"	3.3"	1.7"	1.4"	1.3"	5.8"	3.1"	7.8"	5.00 ~~3.0~~	5.6"	6.8"	YEAR'S TOTAL 47.9 ~~45.9"~~
Rain Days.	~~10~~	~~15~~	~~10~~	~~7~~	~~5~~	~~3~~	~~13~~	~~8~~	~~24~~	~~17~~	~~14~~	~~27~~	~~153~~

W. 8,000, IX. 17.

JOHNSTON
COUNCIL SCHOOL
PEMBROKESHIRE

1920

FORM A. 1. **METEO**… …**ANIZATION.**

17 JAN 1921

Kept at *Johnst*… …G.W.

in the County of… …Johnston G.W.R

by W.A.Ev… …Gauge 5 in.

…Ground – ft 5 in.

…Sea Level ft.

IMPORTANT … …tered to the previous day.

If an Observer pref… …ted to add the reading at 9 a.m. … the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·39	·28								1.5		1
2		·03											2
3		·07								1.4		1.3	3
4							·71						4
5									·6	1.2			5
6							·44						6
7													7
8	·51	·23	·48							·3			8
9		·15				·02							9
10		·08	·25								·3		10
11			·18	2		·34							11
12	1·60	·09		·34									12
13	·23			·19		·05				·1			13
14			1·21	·45			·4			·3			14
15	·3	·28		·33						·1	·5		15
16	·11	·01	·17										16
17					·62	·05							17
18		·04	·03	·10						1.3			18
19	·50	·53		·28			·52						19
20	·03						·1			·1			20
21	·005											·6	21
22	·09	·07		·26		·3	·3			·2		·4	22
23			·19						1				23
24			·61										24
25	·55	·06				·03							25
26			·81				·9				·5		26
27	·66			·12									27
28	·50		·65			·04							28
29	·45		·24								1.9		29
30			·6			·04			1.4				30
31										1·50			31
TOTAL	5.535	2.03	5.70	~~4.07~~	~~·62~~	~~·9~~	~~3.7~~		3.	~~5~~	~~4.7~~	~~2.3~~	YEAR'S TOTAL ~~34.535~~
Days with ·01 in. or more				4·69	imp	imp	imp	…		6·50	3.20	imp	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

17 JAN 1921

Kept at Johnston
in the County of Pembrokeshire
by W. A. Evans & W. S. Root.

Lat. 51·45 n. Long. 5. w.
Time of Observation 9 a.m.
Nearest Railway Station Johnston G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 5 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·39	·28								1.5		1
2		·03											2
3		·07								1.4		1.3	3
4							·71						4
5									·6	1.2			5
6							·44						6
7													7
8	·51	·23	·48							·3			8
9		·15				·02							9
10		·08	·25								·3		10
11			·18	2		·34							11
12	1·60	·09		·34									12
13	·23			·19		·05				·1			13
14			1·21	·45			·4			·3			14
15	·3	·28		·33						·1	·5		15
16	·11	·01	·17										16
17					·62	·05							17
18		·04	·03	·10						1.3			18
19	·50	·53		·28			·52						19
20	·03						·1			·1			20
21	·005											·6	21
22	·09	·07		·26		·3	·3			·2		·4	22
23			·19						1				23
24			·61										24
25	·55	·06				·03							25
26			·81				·9				·5		26
27	·66			·12									27
28	·50		·65			·04							28
29	·45		·24								1.9		29
30			·6			·04			1.4				30
31										1·50			31
Total	5.535	2.03	5.70	~~4.07~~ 4·69	~~·62~~ imp	~~·9~~ imp	~~3.7~~ imp	...	3.	~~5~~ 6·50	~~4.7~~ 3.20	~~2.3~~ imp	Year's Total ~~34.535~~
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~4123~~

4122/5

MYNACHLOGDDY COUNCIL SCH

PEMBROKE

~~1911 – 20~~

1911, 1918 – 1920.

A/B1912-17

---

made

1911.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at My

in the County of

by J. E

f top 5 in.

p above Ground ft. in.

„ Sea Level 620 ft.

9.a.m.

ation Name Crymmych

Distance 3½ mls Direction N.N.E

IMPORTAN , and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·07	·56	1
2											·49	·42	2
3											·59	·42	3
4											·92	·68	4
5											·25	·01	5
6											·18	·96	6
7											·56	·02	7
8											·37	1·29	8
9											·31	·88	9
10											–	·57	10
11											·18	·34	11
12											1·61	·13	12
13											·68	·3	13
14											·34	·69	14
15											·63	·12	15
16											·35	·45	16
17											·41	·72	17
18											1·18	·68	18
19											·39	·98	19
20											–	·72	20
21											–	–	21
22											–	·81	22
23											–	·39	23
24											–	·48	24
25											–	·12	25
26											–	·32	26
27											·14	·27	27
28											·01	·38	28
29											·01	·24	29
30											·7	·04	30
31												·06	31
Total											10·37	14·05	TOTAL for year
No. of Rain Days.											22	30	

W. 8,000, X. '11.

made

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Mynachlogddu

in the County of Pembroke

by J. Edwal Williams.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level 620 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Crymmych
Distance 3½ mls Direction N.N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·07	·56	1
2											·49	·42	2
3											·59	·42	3
4											·92	·68	4
5											·25	·01	5
6											·18	·96	6
7											·56	·02	7
8											·37	1·29	8
9											·31	·88	9
10											—	·57	10
11											·18	·34	11
12											1·61	·13	12
13											·68	·3	13
14											·34	·69	14
15											·63	·12	15
16											·35	·45	16
17											·41	·72	17
18											1·18	·68	18
19											·39	·98	19
20											—	·72	20
21											—	—	21
22											—	·81	22
23											—	·39	23
24											—	·48	24
25											—	·12	25
26											—	·32	26
27											·14	·27	27
28											·01	·38	28
29											·01	·24	29
30											·7	·04	30
31												·06	31
Total											10·37	14·05	TOTAL for year
No. of Rain Days.											22	30	

W. 8,000, X. '11.

20.1

FORM B.
BRITISH RAINFALL

9 JAN 1917

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1916

At Mynachlogddu

In the County of Pembroke 4

Rain Gauge
Diameter of Funnel 5 in.
Height of Top *Above Ground* 1 ft. 2 in.
Height of Top *Above Sea Level* 620 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	7·24			
FEB.	6·99			
MAR.	3·20			
APR.	2·01			
MAY	3·06			
JUNE	5·13?			
JULY	3·56			
AUG.	3·82			
SEPT.	2·16			
OCT.	2·13?			
NOV.	5·23			
DEC.	7·10			
✓ Total	51·63	1311		

Signed Henry Davies

W. 16,000. viii. 16.

[*Please fill in the other side also.*

If Gauge has been moved during year state—

Date.	Distance.	Direction.
—	—	—

How was height above sea level ascertained?

—

State pattern and maker of Gauge, if known.

—

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
—	—	—	—

In order that the position may be accurately entered on a map please mention

Latitude 51/48° **N.**

Longitude 4·40°

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Crymmych.	4	E
Church	7m Sy Cardigan [illegible]	2½	SW.

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

B. Made

REGISTER OF RAINFALL IN 19 18

7

FORM A.
BRITISH RAINFALL.

Kept at Mynachlogddu
in the County of Pembrokeshire
by W. G. Lewis

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Crymmych Arms
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2					·21			·85					2
3													3
4					·27								4
5		1·48											5
6					·1				1·53		4·25		6
7						·35		·75					7
8		1·47	·49	2·16									8
9						·46	·3	·08					9
10				·18		·21							10
11							·5		1·88	4·35			11
12		·79							·4				12
13					·37								13
14					·05	·06							14
15							·71						15
16				·66	·02		·66		3·03			No Record	16
17													17
18			·87			·88	1·31						18
19													19
20									·59				20
21					·03	·06							21
22							2·55						22
23													23
24						·06	·01						24
25				·29					2·19				25
26							·3						26
27		1·48			·94								27
28													28
29								1·97					29
30		X							2·4				30
31		X		X		X			X	4·25	X		31
Total		5·22	1·36	3·29	1·99	2·08	6·34	3·65	12·02	8·60	4·25		YEAR'S TOTAL ~~48·6~~
Rain Days.		~~4~~	~~2~~	~~4~~	~~8~~	~~7~~	~~8~~	~~4~~	~~7~~	~~2~~	~~1~~		

W. 6,500. VII. 18. W W C

and for W D ~~H~~ RL and transfer

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

15 JAN 20

Kept at Mynachlogddu

in the County of Pembrokeshire

by Wm Phillips

Lat. 52. Long. 4°40.

Time of Observation 9·15 a.m.

Nearest Railway Station Crymmych Arms

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·3	0	·1	·18	·23	0	·28	·08	0	0	0	·6	1
2	·24	0	·09	·05	·15	0	·07	0	1·00	·16	0	·88	2
3	·1	0	·1	0	·21	0	0	0	0	·04	·06	·7	3
4	·34	0	·02	0	·2	·05	0	0	·006	0	·1	·5	4
5	·7	·72	·34	0	·1	·11	0	·19	·42	0	0	·3	5
6	·47	·66	0	0	·17	0	0	0	·1	0	0	·8	6
7	·19	·17	1·03	·08	0	·12	0	0	·08	0	0	0	7
8	·79	0	·14	·4	0	·11	0	0	0	0	0	0	8
9	·28	0	0	·05	0	0	0	0	0	0	·1	0	9
10	·12	0	·3	·21	0	0	0	0	0	0	·05	·4	10
11	·1	0	·93	·11	·3	0	0	0	0	0	0	1·22	11
12	·3	0	2·01	·51	·39	·14	·19	0	0	·3	0	·5	12
13	·1	0	·1	·2	·05	1·6	0	0	0	·2	0	0	13
14	1·04	0	·06	·22	0	0	·21	0	0	·02	0	·5	14
15	·4	·2	0	·19	·23	0	·33	0	·006	·1	0	·66	15
16	·79	·38	0	·15	0	0	·005	0	0	·11	0	·38	16
17	·07	·2	0	0	·17	0	0	·75	0	0	·99	·1	17
18	0	·55	·02	0	0	·4	·11	·55	0	0	·8	·18	18
19	·17	·18	1·01	0	0	0	·41	0	·19	0	·56	·1	19
20	·3	·4	·4	0	0	·52	0	·15	0	0	·32	0	20
21	·6	·14	·18	0	·3	0	·07	0	·25	0	0	·2	21
22	·04	·83	0	0	·15	0	·31	·08	·39	0	0	·3	22
23	0	0	0	0	0	·11	·04	0	·93	·03	0	·45	23
24	0	0	0	·02	0	0	0	0	0	1·15	·28	0	24
25	·15	0	0	0	0	·18	0	0	·01	·28	·32	·08	25
26	·25	0	0	0	·06	0	0	·75	·34	·1	·29	·5	26
27	·2	·01	·21	·1	0	0	0	·38	·1	·31	0	·008	27
28	0	·08	·07	·54	0	0	0	·35	0	0	0	·69	28
29	0		·2	·44	0	0	0	·88	0	0	0	·21	29
30	0	╳	0	·22	0	·02	0	·13	0	0	·09	0	30
31	0	╳	·04	╳	0	╳	0	·37	╳	0	╳	·55	31
Total	·3 ~~7·44~~ 7·24	·10 ~~4·52~~ 4·62	·18 ~~7·34~~ 7·433	·23 ~~3·67~~ 3·72	~~2·71~~ 2·48	·28 ~~3·36~~ 3·64	·08 ~~2·075~~ 1·825	~~4·66~~ 4·58	3·822	2·8	·60 ~~3·96~~ 4·56	~~10·8~~ 10·298	YEAR'S TOTAL ~~57·225~~ ~~57·015~~ ~~56·925~~ 56·925
Days with ·01 in. or more	~~24~~ 23	~~15~~ 14	20	17	~~14~~ 13	~~11~~ 12	10	~~12~~ 11	11	12	~~12~~ 13	~~24~~ 23	~~179~~ ~~181~~ 180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

10 885
60

cond for WD

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Mynachlogddu

in the County of Pembrokeshire

by William Phillips

Lat. Long.

Time of Observation 9·15 a.m.

Nearest Railway Station Crymmych Arms

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Records taken in Millimetres should not be entered on this form.

Date	Jan.	~~Feb.~~	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	·07	·07	·54	0	·06	·57	0	·15	1·46	1·4	·51	1
2	·2	·5	·3	0	1·46	·01	·69	·7	·35	·8	0	·57	2
3	·13	·25	·03	0	0	0	·03	1·2	·42	·31	0	·52	3
4	·23	·14	0	·04	0	0	·25	·3	·8	1·1	0	0	4
5	0	0	0	0	·19	0	·35	·1	0	·59	0	0	5
6	0	0	·1	0	1·61	0	·46	·17	0	·5	0	0	6
7	0	0	·7	0	·46	0	·12	0	0	·72	0	0	7
8	·36	0	0	·5	0	0	·42	0	0	·01	·07	·04	8
9	·01	·3	0	·38	·18	0	·02	·5	0	0	0	0	9
10	·5	·5	·1	·43	0	0	0	0	·13	0	·17	0	10
11	·22	·18	·36	1·24	0	0	·18	0	0	0	·12	0	11
12	1·03	·01	·3	·63	·36	0	·5	0	0	0	0	0	12
13	·25	·3	·04	·41	0	·66	·24	0	0	·09	·1	0	13
14	·09	0	·3	·7	0	0	0	0	0	·29	·4	0	14
15	0	·3	1·24	·52	0	0	·29	0	1·79	·67	1·1	0	15
16	·66	·28	·03	·57	0	·41	0	0	·03	0	·17	0	16
17	·14	·06	·27	·3	·03	·75	·69	0	·5	·95	0	0	17
18	·26	0	·06	0	·51	0	0	·75	·25	·21	0	0	18
19	·4	·01	0	·6	·2	0	0	0	·65	0	0	0	19
20	·09	·73	0	·5	·21	·46	·15	·13	0	·01	0	·11	20
21	·01	0	0	·06	0	0	·09	0	·44	·05	0	·82	21
22	0	0	0	·16	0	0	·33	0	·03	0	0	·18	22
23	·3	0	0	·12	0	·03	·52	·25	0	0	0	·25	23
24	·2	0	·13	·06	0	0	·4	·35	0	0	·39	·62	24
25	·1	0	·75	0	0	0	0	·1	0	0	·01	·71	25
26	·52	·05	·44	0	0	0	1·36	0	0	0	·2	0	26
27	·25	·02	·8	0	0	·4	·03	0	·4	0	1·3	·01	27
28	·54	0	·43	·25	·01	·39	·36	0	·8	0	·4	·53	28
29	·66	·02	·7	·15	0	·14	·1	0	0	0	·58	·47	29
30	·47	×	·38	·02	·1	·19	·62	0	0	·9	·52	·96	30
31	0	×	·26	×	0	×	0	0	×	0	×	1·3	31
Total	·07 ~~7·62~~ 7·69	·07 3·72	·54 ~~7·79~~ 8·26	- ~~8·18~~ 7·64	·06 ~~5·32~~ 5·38	·57 ~~3·50~~ 4·01	- ~~8·77~~ 8·20	·15 ~~4·55~~ 4·70	1·46 ~~6·74~~ 8·05	1·40 ~~8·66~~ 8·60	·51 ~~6·93~~ 6·04	·35 ~~7·60~~ 7·44	Year's Total ~~79·38~~ 79·48 79·73
Days with ·01 in. or more	~~24~~ 25	17	22	~~21~~ 20	~~12~~ 13	11	23 ~~24~~	11 12	14	16	15	15	~~202~~ 203
Days with ·04 in. or more	~~22~~ 23	13	20	~~20~~ 19	11 11	9	20 ~~21~~	11 12	12	14	14	14	181

7973

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

NEWPORT
~~LLWYN-GWAIR~~
PEMBROKESHIRE
1911 - 15, 17 - 18

wr. 2

REC

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Lhoyngwa

in the County of Pemb

by G. B. B

in.

nd 1 ft. 1 in.

Level 40 ft.

m.

he Fishguard

tance 9 m. Direction S. W.

IMPORTANT NOTE. e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–		·04		·76					·08	·32	·56	1
2	·03				·42			·30		·39	·05	·50	2
3			·05		·77			·11	·06		·48	·24	3
4			·26		·01			1·51		·02	·54	·81	4
5	·95		·11					·09		·19	·14	·07	5
6			·13					·10			·14	1·58	6
7	·12										·64	·03	7
8	·60		·11								·35	1·10	8
9	·02		·03								·44	·81	9
10	·32	·07	·72		·11						·02	·49	10
11	·31				·27				·21		·12	·12	11
12		·03	·13						·74		1·01	·37	12
13			·07		·98				·63		·63	·36	13
14	·03	·14	·15							·02	·32	·92	14
15		·15	·13		·01						·55	·18	15
16		·03			·02	·47					·48	·24	16
17	·02		·02	·24		·22					·46	1·21	17
18		·25		·98		·03				·27	·70	·45	18
19				·67		·03		·03	·29	·15	·15	·74	19
20		·18		·44				·01	·22	·95	·02	·22	20
21		·26	·02	·17		·34	·18		·38	·84		·03	21
22	·11		·02	·10		·08			·04	·11		·65	22
23	·02	·28		·01		·01		·50	·08	·44		·45	23
24	·02	·23		·04	·02	·62		·08	·11	·11		·35	24
25		·02		·28		·05	·06		·31	·27		·31	25
26		·20		·54			·14	·10	·02	·14		·06	26
27	·02	·52					·13	1·13	·67	·02	·19	·10	27
28		·10	·01				·02	·06		·03		·01	28
29			·15	·12		·25	·12		·17	·78	·38	·07	29
30						·02	·05		·06	·32			30
31							·07			·06			31
Total	2.57	2.46	2.65	3.59	3.37	2.12	·77	4·02	3.39 3·39	5·19	8.13	13.03	TOTAL for year 51·29
No. of Rain Days.	13	14	17	11	10	11	8	12	15	19	22	29	51.29 181

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REGISTER

Kept at Llwyngwair

in the County of Pembroke 2

by G. B. Bowen

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 40 ft.

Time of Observation 10 A. M.

Nearest Railway Station
Name Fishguard
Distance 9 m. Direction S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–		·04		·76					·08	·32	·56	1
2	·03				·42			·30		·39	·05	·50	2
3			·05		·77			·11	·06		·48	·24	3
4			·26		·01			1·51		·02	·54	·81	4
5	·95		·11					·09		·19	·14	·07	5
6			·13					·10			·14	1·58	6
7	·12										·64	·03	7
8	·60		·11								·35	1·10	8
9	·02		·03								·44	·81	9
10	·32	·07	·72		·11						·02	·49	10
11	·31				·27				·21		·12	·12	11
12		·03	·63						·74		1·01	·37	12
13			·07		·98				·63		·63	·36	13
14	·03	·14	·15							·02	·32	·92	14
15		·15	·13		·01						·55	·18	15
16		·03			·02	·47					·48	·24	16
17	·02		·02	·24		·22					·46	1·21	17
18		·25		·98		·03				·27	·70	·45	18
19				·67		·03		·03	·29	·15	·15	·74	19
20		·18		·44				·01	·22	·95	·02	·22	20
21		·26	·02	·17		·34	·18		·38	·84		·03	21
22	·11		·02	·10		·08			·04	·11		·65	22
23	·02	·28		·01		·01		·50	·08	·44		·45	23
24	·02	·23		·04	·02	·62		·08	·11	·11		·35	24
25		·02		·28		·05	·06		·31	·27		·31	25
26		·20		·54			·14	·10	·02	·14		·06	26
27	·02	·52					·13	1·13	·67	·02	·19	·10	27
28		·10	·01				·02	·06		·03		·01	28
29			·15	·12		·25	·12		·17	·78	·38	·07	29
30						·02	·05		·06	·32			30
31							·07			·06			31
Total	2.57	2.46	2.65	3.59	3.37	2.12	·77	4·02	3.39 3·39	5·19	8.13	13.03	TOTAL for year 51·29
No. of Rain Days.	13	14	17	11	10	11	8	12	15	19	22	29	51·29 181

W. 8,000, X. '11.

corr for auth 28.III.13

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL. FORM A.
9 JAN 19

Kept at Lhoyngwair, Newport
in the County of Pembroke
by G. B. Bowen

2

Lat. 52 Long. 5
Time of Observation 10 A.M.
Nearest Railway Station Crymmych arms
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
credited to 31 Dec.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	.29	-	.06	.56	.01	.20	-	-	.01	.25	1
2	-	-	1.01	-	-	1.03	-	-	-	-	.02		2
3	.14	-	.84	-	-	.14	-	.60	.05	-	.02		3
4	.29	-	.97	-	.12	-	-	.63	-	-	.42	.02	4
5	.48	-	.06	-	.03	-	-	.27	-	-	.03	.14	5
6	.44	.18	-	.02	-	-	-	.08	-	-	-	.12	6
7	.13	.78	.55	-	.22	.16	.08	-	-	-	-	.21	7
8	.59	.21	.06	-	-	.03	-	.07	.05	-	-		8
9	.03	.19	.16	.02	-	-	.15	.34	.02	-	.02	.36	9
10	.43	.05	.08	-	-	-	.23	-	-	-	.03	.07	10
11	.02	-	-	-	-	.13	.20	-	-	-	.22	.80	11
12	.23	-	.35	.05	.04	-	.16	-	-	-	.64		12
13	.60	-	.20	-	-	.03	-	.06	-	.66	.03	.46	13
14	.17	.04	.06	-	-	-	-	.12	-	-	.03	.12	14
15	1.02	.14	.15	-	.01	.25	-	.03	-	-	.17	.14	15
16	.36	.12	.71	-	.08	.08	-	.54	-	.14	-	.10	16
17	.02	.26	.26	-	-	.26	-	.29	-	-	.14	.89	17
18	.08	.15	.07	-	-	.05	-	.37	-	.06	.03	.10	18
19	.08	.11	-	-	-	-	-	.32	-	.12	-	.12	19
20	.06	-	.26	-	-	-	-	-	-	.29	.04	.12	20
21	.02	.37	.46	-	.13	-	.03	.33	-	.51	-	.61	21
22	.12	.54	.14	-	.07	.31	.25	.65	-	.26	.05	.28	22
23	.03	-	.18	-	-	.20	.08	.23	-	.21	.30	.08	23
24	.02	.07	.09	-	-	.71	.05	-	-	.02	-	.32	24
25	-	-	.03	-	-	.17	.07	.56	-	.15	.71	.61	25
26	-	.31	.17	-	-	-	.02	.17	-	1.02	.56	.25	26
27	-	.18	.12	-	-	1.24	.85	-	.02	.36	-	.35	27
28	-	.21	-	-	-	.09	.71	.44	.26	.47	.03	.02	28
29	-	.23	-	-	-	.05	.26	.20	.16	.85	.75	.02	29
30	-		.20	-	.09	.11	-	-	.12	.40	-	.09	30
31	.02		.66		.05		.31	.06	-	.30		.19	31
Total	5.33 5.33	4.14	8.09	.09	.90	5.60	3.46	6.56	.68	5.82	4.25	6.84	YEAR'S TOTAL 51.36 51.86
Rain Days.	23	18	26	3	11	19	16	22	7	16	21	27	209

W. 7,500, XI. 12

209

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Llwyngwair, Newport 2
in the County of Pembroke
by G. B. Bowen

Lat. 52·1 Long. 4·51
Time of Observation 10 A.M.
Nearest Railway Station Crymmych Arms
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·24	·43	·07	·02						·58	·02	1
2	·36	·26	·36	·36		·20				·06	·41		2
3	·21		·14		·31							·53	3
4	·44	·04	·13			·11			·55	·12	·16	·06	4
5	·31	·11	·11		·11	·45	·06		·14	·09		·21	5
6	·49	·36	·24		·19	·39	·02			·08	·62	·47	6
7	·23	·62	·05		1·37	·83	·02			·14	·19	·02	7
8	·14	·41			·37			·04		·03	·03	·02	8
9	·07	·37	·06	·09	·19	·49	·10		·07	1·31	·63	·10	9
10	1·24	·01	·07	·09	·11		·06	·13	·05	·12	·07		10
11	·12			·18	·06					·02	·54	·11	11
12	·04		·03		·09	·03	·03	·23	2·07	·03	·35		12
13	·04		·61	·03	·23			·08	2·85	·41	·14		13
14	·59		·47				·03		·23		·29		14
15	·48		·39	1·30							·10	·06	15
16	·25		·37	·09			·01						16
17	·14		·26	·15			·06				·21		17
18	·13		·57	·21		·02	·19				·07		18
19	1·11		·17			·35			·32	·48	·18		19
20	·52		·14	·22	·11		·18		·14	·20	·98		20
21			·36	·22	·22	·03		·10	·07	·11			21
22	·43		·78		·02	·29		1·01	·80			·03	22
23	·11		·04			·02		·02	·26		·33	·05	23
24	·24	·34		·24							·20	·03	24
25				·53					·14	·05	·04	·03	25
26				1·11					·32	·06		·40	26
27	·14		·25	·19						·50		·05	27
28	·07		·02	·22	·20			·02		·29			28
29			·27	·71	·01					1·04	·05	·09	29
30	·56		·03	·02	·29					·18	·13		30
31	·12		·14							·18			31
Total	8.61	2·76	6·49	6·03	3·90	3.21	·76	1·63	8.01	5·50	6.30	2.28	YEAR'S TOTAL 55·48
Rain Days.	27	10	26	19	17	12	11	8	14	21	22	17	204

Ex Dg

REGISTER OF RAINFALL IN 1914

Kept at Llwyngwair, Newport
in the County of Pembroke
by G. B. Bowen

2

Lat. Long.
Time of Observation 10 A. m.
Nearest Railway Station Crymmych arms
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 40 ft.

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·14	·02		·24	·65	·25			·23	·20	1
2		·02					·33			·03	·03	·76	2
3	·02		·34	·67	·68						·02	1·01	3
4	·30		·05	·27	·05		·82				·10	·14	4
5	·06	·04	·24	·08				·09		·02	·12		5
6		·25	·14	·03	·04	·04	·03	·05			·12	·36	6
7	·15	·47	·28	·15	·22	·30	·34	·50	·03		·03	·32	7
8	·06	·02		·20	·23	·12		·82		·02	·02	·14	8
9	·40	·12		·17	·32	·67		·06	·12		·10		9
10	·06	·93	·02	·09	·15	·10			·25		·02	·22	10
11		·42	·48			·29			·07		·24	·32	11
12		1·05	·14						·22		·33	·05	12
13		·61	·75				·20		·42	·25	·12	·12	13
14		·64	·32				·03	·24			·58		14
15		·02	·03				·02	·20	·15		·31	·15	15
16	·02		·03						·26			·03	16
17		·73	·39				·03		·04			1·39	17
18		·02	·20				·10		·02	·03		·34	18
19		·13	·15				·71		·11		·08	·12	19
20		·75				·46		·04				·41	20
21		·57	·09				·04	·02		·31			21
22		·25	·10	·05		·05		·27		·46			22
23		·12	·24				·02	·14		·13			23
24	·11		·07		·03	·04	·01	·02			·23		24
25	·28	·02	·20				·10	·73		·49	·22	1·03	25
26	·05						·09			·17	·38	·64	26
27	·09	·09								·20	·55	1·48	27
28	·06	·10	·56				·07				·09	·55	28
29	·39		·23		·11					·07	1·26		29
30	·09	✕	·27							·12	·39	1·13	30
31	·32	✕		✕	·09	✕	·50	·04	✕	·15	✕	·63	31
Total	2·46	7·39	5·46	1·13	1·92	2·31	4·09	3·47	1·69	2·45	5·57	11·54	YEAR'S TOTAL 49·48
Rain Days.	16	23	24	10	10	10	18	15	11	14	23	23	~~44~~ 197

W. 8,000. X. 14.

4071

FORM A.
BRITISH RAINFALL.

20 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Llwyngwair, Newport

in the County of Pembroke

by G. B. Bowen

Lat. 52 1 Long. 4.50

Time of Observation 10 A. m.

Nearest Railway Station Crymmych Arms G.W.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	·38			·50		·02	·61	·14	·12		·34	1
2	·35	·58	·31	·31		·07	·07	·14	·72	·02	·19	·12	2
3	-	·42	·23	·03			·05	·21	·02			·30	3
4	·03	–	·02	·26			·12					·79	4
5	·04	·77		·30		·05		·09				1·48	5
6	·29	·06			·03		·18	·15				·17	6
7	·32	·69					·36	·02		·33		·16	7
8	·10	·99		·02			·01	·10			·66		8
9	·12	·47	·21	·30				·10				·65	9
10	·37	·81		·16				·09		·31		·04	10
11	–	·03		·02				·07		·13	·96	·03	11
12	·18	·49	·01	·08				·06			·77	·09	12
13	·02	·30			·27			·08	·17	·11	·08	·36	13
14	·17							·48	·04			·25	14
15	·32	·03			·17		·21		·05		·15	·32	15
16	–	1·77		·11	·09		·64					·35	16
17	·13	·76	·05		·04							·02	17
18	·01	·48					·04					·03	18
19	·03	·02		·21	·33		·27						19
20	·69	·02			·05					·10		·45	20
21	·12	·14			·02		·28		·09	·07		·32	21
22	·34	·14	·08			1·22	·19		·16	·05		·66	22
23	–	·17	·06			·75	·02		·12	·72		·31	23
24			·03	·12					·33	·41		·32	24
25						·35			·		·04	·30	25
26		·71				·55	·61		·04		·18	·68	26
27		·12				·28	·07			·84		·29	27
28		·26						·08	·49	·02			28
29					·07	·84			·51	·02	·37	·72	29
30	·21	X		·24					·09	·50	·42	·64	30
31		X		X		X	·27	·10	X	·37	X	·68	31
Total	4·17	10·61	1·00	2·16	1·57	4·11	3·41	2·38	2·97	4·12	3·82	10·87	YEAR'S TOTAL 51·19
Rain Days.	20	24	9	13	10	8	17	15	14	16	10	28	184

W. 8,000. X. 15.

✓

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL 7 JAN 1918

Kept at Llwyngwair, Newport

in the County of Pembrokeshire

by G. B. Bowen

Lat. 52.1 Long. 4.50

Time of Observation 9 A.M.

Nearest Railway Station Goodwick – 9 miles

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.16			.05					.13	.03	1
2						.08				.04	.04	.03	2
3		.39		.54		.08	.70			.28	.30	.04	3
4		.20		.05			.02			.30	.05	.04	4
5	.46					.37		.04	.20	.38	.38		5
6						.13				.38	.31	.12	6
7	.24					.21	.31	.14		.06	.07		7
8	.05			.20		.05	.37	1.00	.04	.43	.30	.13	8
9			1.16					.37	.02	.04	.15	.05	9
10	.34		.92	.48	.03			.20		.10	.17		10
11	.20			.57				.08		.36	.33		11
12	.71				.30			.20	.06	.30		.05	12
13			.07			.08		.45	.28	.43	.03		13
14				.16			.02	.03		.13		.04	14
15				.08			.03		.10	.44		.54	15
16		.04		.14			.02	.19	.04	.11	.04	.19	16
17			.12	.41	.15		.45	1.26	.20	.09	.06		17
18			.12		.10		.28		.65				18
19		.41		.05		.15			.05				19
20					.34	.71		.05	.09	.07	.21		20
21				.03		.15		.03		.10	.05		21
22								1.22		.10			22
23					.28	.12	.03	.25		.05			23
24		.32	.18			.14	.20	.05		.24	.04	.04	24
25		.07						.33	.18	.04	.07		25
26					1.08	.11	.03	.07	.33	.05	.33	.05	26
27						.40	.56	1.25		.17			27
28			.22		.30	.07	.06	.24		.08	.02		28
29										.86	.03	.07	29
30		✗						.29		.13	.13		30
31		✗	.08	✗	.59	✗		.28	✗	.02	✗		31 39.02
Total	2.00 ✓	1.43 ✓	3.03 ✓	2.71 ✓	~~2.17~~ 3.17 ✓	2.90 ✓	3.08 ✓	8.02 ✓	2.24 ✓	5.78 ✓	3.24 ✓	1.42 ✓	YEAR'S TOTAL 39.02
Rain Days	6 ✓	6 ✓	9 ✓	11 ✓	9 ✓	16 ✓	14 ✓	22 ✓	13 ✓	28 ✓	22 ✓	14 ✓	170 170

W. 8,000, IX. 17.

2

FORM A.
BRITISH RAINFALL.

8. 2. 18

REGISTER OF RAINFALL IN 1918

Kept at Llwyngwair, Newport
in the County of Pembroke
by G. B. Bowen

Lat. 52 Long. 5
Time of Observation 9 A.M
Nearest Railway Station Fishguard
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
								~~·91~~					
1		·23		·08	·14			·94		·04	1·40		1
2	·05	·22						·24		·03	·22	·86	2
3		·33			·18				·57	·42	·08	·03	3
4		·13						·07	·24	·56	1·05	·42	4
5		·04		·35	·15			·45	·03	·81	·11	·25	5
6	·05	·61	·02	·05		·21			·20	·40		·14	6
7	·05	·14		·04				·02	·54	·14	·60	·35	7
8		·36				·19	·22		·03	·26	·06		8
9	·22	·26		(·20)		·23	·29		·49	·29	·03	·42	9
10		·03	·09	·03			·22		·18	·18	·54	·60	10
11		·02	·31		·02		·20		·28	·14	·11	·15	11
12		·14			·21				·05	·18		·03	12
13	·06	·03	·03			·06			·35	·26		·08	13
14	·70				·02		·14		·57	·10		·46	14
15	·32	·02			·03		·40		·81	·15		·72	15
16	·74	·05	·06	·72			·20		·53	·24		·07	16
17	·71						·31	·03	·06	·28		·38	17
18	·49	·10	·16			·48	·04	·08	·30	·26		·41	18
19	·48	·11	·22	·32			·50	·03	·02	·03		·03	19
20	·82	·09		·27			·12		·49				20
21	·65	·06		·10			·42		·72	·03		·12	21
22	·10				·27		·71		·23	·28		·22	22
23	·32	·03			·33	·12	·16		·08		·05	·02	23
24	·09	·33					·08	·50	·21		·21	·03	24
25				·09	·16		·21	·45	·06	·05	·07		25
26	·31						·02		·10	·03	·07	·42	26
27	·04	·07	·84					·28	·22	·02	·40	·03	27
28		·19	·21							·03	·33	·06	28
29			·26						1·31			·05	29
30		☒	·30						·22	·12	·03	·17	30
31		☒	·46	☒		☒		·14	☒	·46	☒	·16	31
Total	6·20	3·59	2·96	2·25	1·51	1·29	4·24	3·20	8·89	5·80	5·16	6·68	YEAR'S TOTAL 57·77
Rain Days.	18	24	12	11	10	6	17	12	27	27	17	27	207

W, 6,500, VII. 18. W W C

PEMBROKE DOCK
ADMIRALTY . RES

1911 — 1920

REGIST 1911

FORM A2. BRITISH RAINFALL.

9 JAN 1912

Glaishers (willatsons)

Kept at H. M. Dockya of top 8 in.

top above Ground one ft. - in.

in the County of Pem „ „ Sea Level 101·42 ft.

Civil En n 9 a.m.

by ~~Officer i~~

tation Name Pembroke Dock
Distance 800 y Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	0.00	0.00	0.01	0.29	0.00	0.00	0.00	0.00	0.02	0.24	0.23	1
2	0.00	0.00	0.00	0.00	0.11	0.00	0.00	0.34	0.00	0.08	0.04	0.24	2
3	0.00	0.00	0.00	0.00	0.52	0.00	0.00	0.02	0.04	0.00	0.09	0.23	3
4	0.00	0.00	0.26	0.00	0.00	0.00	0.00	0.84	0.00	0.04	0.22	0.37	4
5	0.71	0.00	0.13	0.00	0.00	0.00	0.00	0.06	0.00	0.09	0.13	0.02	5
6	0.10	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.89	6
7	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.02	7
8	0.31	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	1.03	8
9	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.37	9
10	0.11	0.31	0.67	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.20	10
11	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.13	0.32	0.08	11
12	0.00	0.03	0.55	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.38	0.06	12
13	0.00	0.00	0.02	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.21	0.16	13
14	0.00	0.09	0.18	0.00	0.03	0.00	0.00	0.00	0.00	0.44	0.25	0.92	14
15	0.00	0.10	0.09	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.38	0.07	15
16	0.02	0.02	0.00	0.00	0.00	0.48	0.00	0.00	0.00	0.00	0.21	0.28	16
17	0.00	0.02	0.05	0.08	0.00	0.44	0.00	0.00	0.00	0.00	0.31	0.44	17
18	0.00	0.22	0.00	0.14	0.00	0.08	0.00	0.00	0.00	0.28	0.16	0.25	18
19	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.00	0.44	0.11	0.09	0.56	19
20	0.00	0.16	0.00	0.31	0.00	0.00	0.00	0.03	0.19	0.63	0.00	0.48	20
21	0.08	0.15	0.00	0.05	0.00	0.09	0.09	0.00	0.23	1.62	0.00	0.00	21
22	0.26	0.07	0.00	0.11	0.00	0.02	0.00	0.00	0.75	0.10	0.00	0.48	22
23	0.[illegible]	0.03	0.00	0.00	0.00	0.00	0.00	0.24	0.14	0.33	0.00	0.22	23
24	0.07	0.24	0.00	0.06	0.00	0.56	0.03	0.19	0.00	0.19	0.00	0.34	24
25	0.06	0.00	0.00	0.09	0.00	0.00	0.06	0.00	0.09	0.13	0.00	0.06	25
26	0.03	0.31	0.00	0.45	0.00	0.00	0.00	0.11	0.00	0.38	0.00	0.31	26
27	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.87	0.09	0.27	0.29	0.20	27
28	0.00	0.11	0.00	0.13	0.00	0.00	0.00	0.04	0.00	0.07	0.00	0.01	28
29	0.00	—	0.00	0.05	0.00	0.29	0.05	0.00	0.17	0.41	0.00	0.06	29
30	0.00	—	0.05	0.00	0.00	0.02	0.04	0.00	0.00	0.18	0.31	0.02	30
31	0.00	—	0.36	—	0.00	—	0.17	0.00	—	0.06	—	0.02	31
Total	2.19	2.04	2.49	1.66	1.06	2.00	0.44	2.74	2.91	5.56	4.70	8.62	TOTAL for year 36.41
No. of Rain Days	15	15	12	12	6	9	6	10	11	20	20	30	166.

7,000. X. '09.

√

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
9 JAN 1912

Kept at H.M. Dockyard

in the County of Pembroke 4

by Civil Engineer. ~~Officer in Charge of Works~~

RAIN GAUGE
Pattern Glaishers (Willatts)
Diameter of top 8 in.
Height of top above Ground one ft. – in.
" " " Sea Level 101·42 ft.

Time of Observation 9 am

Nearest Railway Station
Name Pembroke Dock
Distance 300 yds Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	0.00	0.00	0.01	0.29	0.00	0.00	0.00	0.00	0.02	0.24	0.23	1
2	0.00	0.00	0.00	0.00	0.11	0.00	0.00	0.34	0.00	0.08	0.04	0.24	2
3	0.00	0.00	0.00	0.00	0.52	0.00	0.00	0.02	0.04	0.00	0.09	0.23	3
4	0.00	0.00	0.26	0.00	0.00	0.00	0.00	0.84	0.00	0.04	0.22	0.37	4
5	0.71	0.00	0.13	0.00	0.00	0.00	0.00	0.06	0.00	0.09	0.13	0.02	5
6	0.10	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.89	6
7	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.02	7
8	0.31	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	1.03	8
9	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.37	9
10	0.11	0.31	0.67	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.20	10
11	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.13	0.32	0.08	11
12	0.00	0.03	0.55	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.38	0.06	12
13	0.00	0.00	0.02	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.21	0.16	13
14	0.00	0.09	0.18	0.00	0.03	0.00	0.00	0.00	0.00	0.44	0.25	0.92	14
15	0.00	0.10	0.09	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.38	0.07	15
16	0.02	0.02	0.00	0.00	0.00	0.48	0.00	0.00	0.00	0.00	0.21	0.28	16
17	0.00	0.02	0.05	0.08	0.00	0.44	0.00	0.00	0.00	0.00	0.31	0.44	17
18	0.00	0.22	0.00	0.14	0.00	0.08	0.00	0.00	0.00	0.28	0.16	0.25	18
19	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.00	0.44	0.11	0.09	0.56	19
20	0.00	0.16	0.00	0.31	0.00	0.00	0.00	0.03	0.19	0.63	0.00	0.48	20
21	0.08	0.15	0.00	0.05	0.00	0.09	0.09	0.00	0.23	1.62	0.00	0.00	21
22	0.28	0.07	0.00	0.11	0.00	0.02	0.00	0.00	0.75	0.10	0.00	0.48	22
23	[illegible]	0.03	0.00	0.00	0.00	0.00	0.00	0.24	0.14	0.33	0.00	0.22	23
24	0.07	0.24	0.00	0.06	0.00	0.56	0.03	0.19	0.00	0.19	0.00	0.34	24
25	0.06	0.00	0.00	0.09	0.00	0.00	0.06	0.00	0.09	0.13	0.00	0.06	25
26	0.03	0.31	0.00	0.48	0.00	0.00	0.00	0.11	0.00	0.38	0.00	0.31	26
27	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.87	0.09	0.27	0.29	0.20	27
28	0.00	0.11	0.00	0.13	0.00	0.00	0.00	0.04	0.00	0.07	0.00	0.01	28
29	0.00	–	0.00	0.05	0.00	0.29	0.05	0.00	0.17	0.41	0.00	0.06	29
30	0.00	–	0.05	0.00	0.00	0.02	0.04	0.00	0.00	0.18	0.31	0.02	30
31	0.00	–	0.36	–	0.00	–	0.17	0.00	–	0.06	–	0.02	31
Total	2.19	2.04	2.49	1.66	1.06	2.00	0.44	2.74	2.91	5.56	4.70	8.62	TOTAL for year 36.41
No. of Rain Days	15	15	12	12	6	9	6	10	11	20	20	30	166.

7,000. X. '09.

FORM A2.
BRITISH RAINFALL.

7 MAR 1913

Ex DL

REGISTER OF RAINFALL IN 1912

Kept at Admiralty Reservoirs

in the County of Pembroke 4

by Civil Engineer H.M. Dockyard
Pembroke Dock

RAIN GAUGE
Pattern Glaisher's
Diameter of top 8. in.
Height of top above Ground 1. ft. – in.
" " " Sea Level 101·42 ft.

Time of Observation 9·0. am.

Nearest Railway Station
Name Pembroke Dock
Distance 800. Yds. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·07

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·00	0·00	0·10	0·00	0·00	0·50	0·01.	0·06	0·04	0·66	0·00	0·22	1
2	0·00	0·00	0·21	0·02	0·00	0·27.	0·00	0·00	0·00	0·00	0·07.	0·00	2
3	0·13	0·00	0·33	0·02	0·00	0·16	0·00	0·55.	0·06.	0·00	0·00	0·11.	3
4	0·21	0·00	0·58	0·00	0·13	0·00	0·00	0·17.	0·00	0·00	0·46	0·00	4
5	0·80	0·06	0·10.	0·00	0·04	0·00	0·00	0·45.	0·00	0·07.	0·00	0·16	5
6	0·09.	0·25	0·00	0·00	0·22	0·00	0·00	0·17.	0·00	0·02	0·05	0·04	6
7	0·04	0·48.	0·32	0·00	0·15	0·16	0·34	0·00	0·00	0·00	0·02	0·26	7
8	0·51.	0·29.	0·05	0·00	0·00	0·12	0·00	0·07.	0·00	0·00	0·00	0·00	8
9	0·02.	0·18	0·06	0·00	0·00	0·09.	0·23.	0·61.	0·02.	0·00	0·03	0·49.	9
10	0·30.	0·03	0·03	0·00	0·00	0·00	0·15	0·00	0·00	0·00	0·03	0·02	10
11	0·02	0·03	0·00	0·00	0·00	0·00	0·18.	0·00	0·00	0·00	0·20	0·62	11
12	0·06	0·00	0·29.	0·04	0·11.	0·05.	0·25	0·01.	0·00	0·00	0·20	0·00	12
13	0·46.	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·00	0·37.	0·00	0·24	13
14	0·09.	0·21.	0·39.	0·00	0·00	0·00	0·00	0·13.	0·00	0·00	0·03	0·03	14
15	0·53.	0·09.	0·07.	0·00	0·00	0·30	0·00	0·05	0·00	0·00	0·00	0·12	15
16	0·37.	0·07.	0·63	0·00	0·03.	0·06	0·00	0·30	0·00	0·17.	0·00	0·17.	16
17	0·00	0·06	0·16	0·00	0·00	0·28	0·00	0·25.	0·00	0·00	0·07.	0·40	17
18	0·00	0·12	0·11.	0·00	0·00	0·02	0·00	0·20	0·00	0·04	0·08	0·10	18
19	0·00	0·13	0·00	0·00	0·00	0·07.	0·00	0·38.	0·00	0·12.	0·00	0·09.	19
20	0·09	0·05	0·43	0·00	0·00	0·00	0·00	0·05.	0·00	0·11.	0·00	0·03.	20
21	0·00	0·26	0·32	0·00	0·09.	0·05.	0·10	0·22	0·00	0·15.	0·00	0·15	21
22	0·16	0·35	0·26	0·00	0·58.	0·36	0·13	0·48	0·00	0·24.	0·08	0·16	22
23	0·04	0·03	0·20	0·00	0·00	0·02	0·10	0·25	0·00	0·20	0·20	0·08	23
24	0·00	0·12	0·07.	0·00	0·00	0·48	0·00	0·00	0·00	0·35	0·00	0·29.	24
25	0·00	0·01.	0·00	0·00	0·00	0·09.	0·07.	0·64	0·00	0·12	0·40	0·54	25
26	0·00	0·03	0·16	0·00	0·00	0·09.	0·00	0·07.	0·00	0·82	0·22	0·40	26
27	0·00	0·08	0·09.	0·00	0·00	1·24	0·50	0·00.	0·00	0·60	0·00	0·30	27
28	0·00	0·07	0·00	0·00	0·00	0·09.	0·31.	0·54	0·14	0·39.	0·96	0·00	28
29	0·00	0·12.	0·00	0·00	0·08.	0·00	0·08.	0·19.	0·35	0·60	0·00	0·00	29
30	0·00		0·08	0·06	0·00	0·08.	0·19.	0·00	0·00	0·34	0·00	0·00	30
31	0·00		0·60.		0·00.		0·63.	0·10.		0·13.		0·16	31
Total	3·92	3·12	5·70	0·14	1·43.	4·58.	3·27.	5·94	0·61.	5·50	3·10	5·18	TOTAL for year 42·49
No. of Rain Days.	17.	23.	25.	4.	9.	21.	15.	23.	5.	19.	16.	24	201.

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8- JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Admiralty Reservoirs, Pembroke Dkyd

in the County of Pembrokeshire

by Civil Engineer.

RAIN GAUGE
Pattern Glaishers.
Diameter of top 8. in.
Height of top above Ground 1. ft. – in.
" " " Sea Level 89·7. ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Great Western.
Distance ½ M. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·00.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·00	0·12	0·41	0·22	0·00	0·00.	0·00.	0·00	0·00	0·00.	0·17	0·14	1
2	0·07.	0·15	0·07.	0·06.	0·35.	0·17.	0·00.	0·00	0·00	0·15	0·14.	0·10	2
3	0·16.	0·00	0·05	0·00	0·24	0·00.	0·00.	0·00	0·00.	0·00.	0·00.	0·17.	3
4	0·05.	0·04	0·02.	0·00	0·00.	0·27	0·00.	0·00	0·35.	0·02	0·18.	0·06.	4
5	0·33.	0·05.	0·00.	0·00	0·38.	0·43.	0·00.	0·00	0·06.	0·00.	0·38.	0·38	5
6	0·10.	0·08.	0·11.	0·00	0·21.	0·23.	0·02	0·00	0·00	0·08	0·12.	0·34.	6
7	0·10.	0·41.	0·00	0·00	0·82.	0·32.	0·00.	0·00	0·00	0·40.	0·32.	0·05.	7
8	0·08.	0·22.	0·00.	0·00	0·14.	0·00	0·07	0·00.	0·00	0·00	0·02	0·06	8
9	0·21.	0·41.	0·11.	0·00.	0·27.	0·09.	0·06.	0·00.	0·00.	0·00.	0·86.	0·03.	9
10	0·02.	0·00.	0·04.	0·04.	0·13	0·00	0·00	0·55.	0·03.	0·94	0·05.	0·00.	10
11	0·79.	0·02.	0·00	0·04.	0·27.	0·03.	0·00.	0·11.	0·00.	0·23.	0·25.	0·11.	11
12	0·45.	0·00.	0·03.	0·00	0·16.	0·00	0·12.	0·07.	1·25.	0·00	0·28.	0·00	12
13	0·00	0·00	0·27	0·02.	0·08.	0·00	0·00.	0·26.	1·39.	0·00.	0·19	0·00.	13
14	0·33.	0·00	0·26.	0·07	0·00	0·00	0·12.	0·00	0·49.	0·28.	0·18.	0·06	14
15	0·45.	0·00	0·74.	0·70.	0·00	0·00.	0·00	0·00	0·03.	0·00	0·05	0·00	15
16	0·17.	0·00	0·43.	0·07.	0·00	0·00.	0·05.	0·00	0·00	0·00	0·02.	0·00.	16
17	0·35	0·00	0·05	0·08	0·00	0·00	0·03	0·00	0·00.	0·00	0·05	0·00.	17
18	0·18	0·00	0·30.	0·12.	0·00.	0·00.	0·03.	0·00	0·00.	0·00.	0·05.	0·00.	18
19	0·07.	0·00	0·05.	0·00	0·02.	0·02.	0·00	0·00	0·65.	0·40.	0·04	0·00.	19
20	0·87.	0·00	0·11.	0·35.	0·02.	0·00.	0·00.	0·00.	0·11.	0·13.	0·53.	0·00.	20
21	0·17.	0·00	0·06.	0·00.	0·17	0·33.	0·14.	0·02	0·02.	0·23.	0·00.	0·00.	21
22	0·90.	0·00	0·85.	0·00.	0·02.	0·00.	0·00	0·61.	0·94.	0·00	0·00.	0·08	22
23	0·00.	0·00.	0·03.	0·00.	0·02.	0·00.	0·00	0·00	0·43.	0·00.	0·51	0·05	23
24	0·00.	0·28.	0·00.	0·20.	0·00	0·00.	0·00	0·00	0·00.	0·00.	0·08.	0·00	24
25	0·09.	0·00.	0·00.	0·21.	0·00	0·00	0·00	0·00	0·16	0·14	0·03.	0·05.	25
26	0·00.	0·00.	0·00.	0·72.	0·00	0·00.	0·00	0·00	0·20.	0·00.	0·00.	0·22.	26
27	0·28.	0·00.	0·09	0·12	0·00.	0·00	0·00	0·00	0·00	0·53.	0·00	0·00.	27
28	0·19.	0·00.	0·07.	0·05.	0·15.	0·00	0·00	0·00	0·00	0·44.	0·00.	0·11.	28
29	0·02.		0·26	0·54	0·14.	0·00	0·00	0·00	0·00	0·55.	0·07.	0·02.	29
30	0·30		0·00.	0·02.	0·05.	0·00.	0·00	0·00	0·00.	0·18	0·05.	0·00.	30
31	0·05.		0·06.		0·00.		0·00.	0·00.		0·19.		0·00.	31
Total	6·78.	1·78.	4·47.	3·63.	3·64	1·89.	0·64.	1·62.	6·11.	4·89.	4·62.	2·03.	TOTAL for year 42·10.
No. of Rain Days	26	10.	23.	18.	19.	9.	9.	6.	14.	16.	24.	17.	191.

9,000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL
8 - JAN 1915

Kept at H.M. Dockyard, Pembroke Dock

in the County of Pembrokeshire. 4

by Civil Engineer.

Lat. 51·42.N Long. 4·57.W.

Time of Observation 9. am.

Nearest Railway Station Pembroke Dock G.W.R.

Diameter of Rain Gauge Eight ins.

Height of top of Gauge above Ground One ft. – in.

" " " " Sea Level 89·7. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·26.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·00	0·00	0·10	0·00.	0·00	0·19.	0·57.	0·40	0·00	0·00	0·14	0·10.	1
2	0·00.	0·00.	0·00	0·00.	0·04.	0·00	0·31.	0·00.	0·00	0·00	0·04	0·40.	2
3	0·02.	0·00.	0·16.	0·20.	0·47.	0·00	0·00.	0·20	0·00	0·00	0·03.	0·29.	3
4	0·30.	0·00.	0·03.	0·25.	0·05.	0·00	0·92	0·01.	0·00	0·00	0·22.	0·16	4
5	0·02	0·04	0·18	0·05.	0·00.	0·00	0·00	0·00	0·00	0·00	0·04	0·00	5
6	0·00	0·02	0·11.	0·05.	0·10.	0·00.	0·04.	0·00.	0·00	0·00	0·17	0·17.	6
7	0·18.	0·21	0·30	0·05.	0·46.	0·27	0·40.	0·60.	0·12.	0·00	0·00	0·18.	7
8	0·09.	0·00.	0·03.	0·08.	0·05.	0·04.	0·00	0·27	0·00.	0·00	0·00.	0·06	8
9	0·36.	0·10.	0·08.	0·04.	0·41.	0·50	0·00.	0·08.	0·18.	0·00	0·06.	0·00	9
10	0·07.	0·30	0·00.	0·26.	0·00.	0·06.	0·02.	0·00	0·27.	0·00	0·00	0·05.	10
11	0·00.	0·31.	0·46.	0·00.	0·00	0·26	0·00.	0·00	0·00.	0·00	0·05.	0·39.	11
12	0·00.	0·41.	0·21	0·00	0·00	0·00	0·02	0·00	0·42.	0·00.	0·20.	0·07	12
13	0·00.	0·30	0·25.	0·00.	0·00	0·00	0·26	0·00.	0·33.	0·20.	0·10.	0·37.	13
14	0·00.	0·21.	0·18	0·00	0·00	0·00	0·03.	0·22.	0·00.	0·00	0·48.	0·02	14
15	0·00.	0·02.	0·06.	0·00.	0·00	0·00	0·14.	0·00	0·16.	0·00	0·25.	0·03	15
16	0·00.	0·02	0·00.	0·00	0·00	0·00	0·10.	0·00	0·28.	0·00.	0·00	0·06.	16
17	0·00.	0·30	0·23	0·00	0·00	0·00	0·07.	0·00	0·00.	0·00.	0·00	0·52	17
18	0·00.	0·10.	0·10.	0·00	0·00	0·00	0·08.	0·00	0·00.	0·00	0·00	0·30.	18
19	0·00.	0·12	0·00	0·00	0·00	0·00.	1·02.	0·00.	0·03.	0·00	0·06.	0·12	19
20	0·00.	0·32	0·05.	0·00	0·00	0·15	0·00	0·23	0·00.	0·00	0·00	0·43	20
21	0·00.	0·38	0·00.	0·00	0·00	0·00.	0·00	0·00	0·00	0·27.	0·00	0·00	21
22	0·00	0·06	0·11.	0·00	0·00	0·02	0·00.	0·32	0·00	0·30	0·00	0·00	22
23	0·00.	0·06	0·16.	0·00	0·00	0·00	0·03.	0·13.	0·00	0·11.	0·00	0·00	23
24	0·02.	0·10	0·34	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·52	0·00	24
25	0·24	0·00.	0·25	0·00	0·00.	0·00	0·04	0·81.	0·00	0·63	0·09.	0·64	25
26	0·00.	0·08.	0·00.	0·00	0·00	0·00	0·11.	0·00	0·00	0·16.	0·34	0·33	26
27	0·20.	0·10.	0·00	0·00	0·00.	0·00	0·04	0·00	0·00	0·07	0·16	1·17	27
28	0·02	0·03	0·46.	0·00	0·05.	0·00.	0·00.	0·00	0·00	0·07	0·11.	0·59.	28
29	0·17.	0·	0·13.	0·00	0·00.	0·00	0·00.	0·05	0·00	0·00	0·30	0·03	29
30	0·00	X	0·07.	0·00.	0·00	0·00.	0·00.	0·02.	0·00.	0·00	0·27.	0·54	30
31	0·09.	X	0·00.	X	0·05.	X	0·71.	0·00.	X	0·44.	X	0·35.	31
Total	1·78.	3·59.	4·05.	0·98.	1·68.	1·49.	4·92	3·34	1·79.	2·25.	3·63.	7·37.	YEAR'S TOTAL 36·87
Rain Days.	13.	22.	23.	8.	9.	8.	20.	13.	8.	9.	20.	25.	178.

W. 8,000. X. 14.

4078

FORM A.
BRITISH RAINFALL.

18 JAN 1916

REGISTER OF RAINFALL IN 1915.

End Lat

Kept at Admiralty Reservoirs.
in the County of Pembrokeshire.
by Civil Engineer, H.M. Dockyard, Pembroke Dock.

Lat. 51.42.N. Long. 4.57.W.
Time of Observation 9. am.
Nearest Railway Station G.W.R. Pembroke Dock
Diameter of Funnel of Rain Gauge 8. in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 89.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.26	0.23	0.00	0.00	0.15	0.00	0.00	0.81	0.10	0.44	0.00	0.23	1
2	0.20	0.14	0.27	0.35	0.00	0.22	0.00	0.23	0.08	0.00	0.00	0.16	2
3	0.00	0.12	0.19	0.03	0.04	0.00	0.04	0.00	0.00	0.00	0.00	0.39	3
4	0.04	0.02	0.00	0.00	0.13	0.03	0.02	0.00	0.00	0.00	0.00	0.64	4
5	0.10	0.37	0.00	0.12	0.08	0.02	0.00	0.14	0.00	0.00	0.00	1.12	5
6	0.40	0.08	0.00	0.26	0.00	0.00	0.61	0.17	0.00	0.00	0.00	0.07	6
7	0.29	0.35	0.00	0.00	0.00	0.00	0.31	0.05	0.00	0.90	0.06	0.33	7
8	0.08	0.65	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.17	0.32	0.02	8
9	0.12	0.30	0.00	0.17	0.00	0.00	0.00	0.10	0.00	0.12	0.10	0.70	9
10	0.39	0.84	0.09	0.16	0.00	0.00	0.00	0.06	0.00	0.15	0.00	0.03	10
11	0.00	0.18	0.00	0.00	0.00	0.10	0.00	0.10	0.00	0.02	1.01	0.05	11
12	0.25	0.52	0.00	0.02	0.19	0.00	0.00	0.02	0.00	0.00	0.32	0.04	12
13	0.02	0.30	0.00	0.00	0.40	0.00	0.00	0.00	0.20	0.09	0.04	0.20	13
14	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.04	0.41	14
15	0.16	0.00	0.00	0.00	0.47	0.00	0.46	0.00	0.05	0.00	0.10	0.26	15
16	0.00	1.08	0.00	0.00	0.09	0.00	0.80	0.00	0.03	0.00	0.00	0.41	16
17	0.04	0.32	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.09	17
18	0.00	0.36	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	18
19	0.00	0.00	0.00	0.12	0.69	0.00	0.35	0.00	0.00	0.00	0.00	0.00	19
20	0.48	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.16	0.00	0.18	20
21	0.08	0.08	0.00	0.00	0.04	0.00	0.10	0.00	0.00	0.35	0.00	0.17	21
22	0.04	0.16	0.10	0.08	0.00	0.68	0.23	0.00	0.18	0.09	0.00	0.34	22
23	0.00	0.07	0.00	0.00	0.00	0.19	0.00	0.00	0.04	0.35	0.00	0.26	23
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.42	0.31	0.00	0.21	24
25	0.00	0.00	0.00	0.00	0.00	0.21	0.19	0.00	0.00	0.00	0.06	0.18	25
26	0.00	0.26	0.00	0.00	0.00	0.00	0.50	0.00	0.08	0.00	0.00	0.42	26
27	0.00	0.00	0.00	0.00	0.00	0.14	0.11	0.00	0.00	0.92	0.00	0.09	27
28	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.01	0.41	0.31	0.00	0.07	28
29	0.00		0.00	0.00	0.00	1.47	0.00	0.00	0.37	0.08	0.24	0.41	29
30	0.28	✕	0.00	0.17	0.00	0.00	0.00	0.00	0.12	0.53	0.40	0.30	30
31	0.00	✕	0.00	✕	0.00	✕	0.25	0.06	✕	0.07	✕	0.18	31
Total	3.25	6.61	0.65	1.48	2.43	3.06	3.97	1.95	2.19	5.06	2.69	7.96	YEAR'S TOTAL 41.30
Rain Days.	18	22	4	10	11	9	13	13	14	17	11	29	141

W. 8,000. X. 15.

4008

FORM A.
BRITISH RAINFALL.

8 JAN

REGISTER OF RAINFALL IN 1916.

Kept at Admiralty Reservoirs,

in the County of Pembrokeshire

by Officer in Charge of Works, H. M. Dockyard.

Lat. 51·42 N. Long. 4·54 W.
Time of Observation 9· am
Nearest Railway Station G.W.R. Pembroke Dock.
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level 89·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·31	0·04	0·10	0·00	0·00	0·20	0·00	0·05	0·00	2·20	0·19	0·00	1
2	0·19	0·49	0·11	0·00	0·00	0·00	0·00	0·00	0·82	0·45	0·39	0·00	2
3	0·00	0·62	0·00	0·05	0·00	0·20	0·00	0·00	0·07	0·50	0·20	0·03	3
4	0·13	0·30	0·00	0·04	0·19	0·30	0·00	0·00	0·10	0·00	0·30	0·05	4
5	0·05	0·05	0·02	0·00	0·18	0·06	0·00	0·00	0·03	0·14	0·10	0·00	5
6	0·06	0·18	0·00	0·00	0·25	0·00	0·64	0·00	0·00	0·25	0·65	0·09	6
7	0·00	0·00	0·00	0·00	0·14	0·00	0·00	0·00	0·00	0·10	0·21	0·17	7
8	0·07	0·02	0·00	0·00	0·33	0·35	0·00	0·00	0·00	0·06	0·00	0·19	8
9	0·00	0·05	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·09	0·75	9
10	0·00	0·45	0·00	0·12	0·10	0·00	0·00	0·00	0·00	0·00	0·03	0·05	10
11	0·00	0·00	0·00	0·22	0·38	0·00	0·00	0·00	0·05	0·00	0·02	0·00	11
12	0·00	0·03	0·00	0·00	0·15	0·00	0·35	0·60	0·00	0·16	0·02	0·03	12
13	0·00	0·32	0·04	0·00	0·02	0·00	0·00	0·40	0·00	0·04	0·01	0·00	13
14	0·00	0·42	0·11	0·00	0·12	0·00	0·00	0·00	0·00	0·04	0·00	0·00	14
15	0·03	0·20	0·12	0·35	0·09	0·00	0·00	0·09	0·00	0·00	0·00	0·00	15
16	0·10	0·04	0·00	0·26	0·02	0·00	0·11	0·00	0·00	0·20	0·00	0·00	16
17	0·44	0·22	0·00	0·04	0·00	0·00	0·00	0·00	0·77	0·39	0·46	0·00	17
18	0·03	0·05	0·29	0·10	0·00	0·00	0·00	0·00	0·05	0·03	0·00	0·56	18
19	0·34	0·11	0·12	0·18	0·00	0·00	0·00	0·00	0·00	0·00	0·12	0·07	19
20	0·20	0·34	0·20	0·12	0·00	0·00	0·00	0·00	0·00	0·00	0·09	0·26	20
21	0·05	0·00	0·10	0·04	0·03	0·13	0·00	0·00	0·00	0·00	0·00	0·05	21
22	0·00	0·00	0·00	0·00	0·00	0·34	0·00	0·12	0·00	0·43	0·02	0·20	22
23	0·09	0·00	0·07	0·18	0·00	0·00	0·00	0·53	0·00	0·40	0·18	0·15	23
24	0·00	0·00	0·05	0·12	0·10	0·00	0·00	0·37	0·00	0·23	0·00	0·10	24
25	0·00	0·00	0·00	0·00	0·07	0·20	0·00	0·24	0·00	0·06	0·25	0·00	25
26	0·09	0·00	0·00	0·00	0·00	0·02	0·00	0·09	0·34	0·58	0·12	0·00	26
27	0·04	0·00	0·20	0·00	0·00	0·06	0·00	0·00	0·45	0·63	0·00	0·03	27
28	0·00	0·00	0·00	0·05	0·00	0·02	0·00	0·00	0·09	0·80	0·07	0·37	28
29	0·00	0·20	0·07	0·00	0·00	0·59	0·00	0·06	0·04	0·61	0·02	0·04	29
30	0·00	X	0·00	0·00	0·00	0·09	0·00	0·00	0·00	0·17	0·02	0·00	30
31	0·00	X	0·00	X	0·00	X	0·00	0·12	X	0·36	X	0·00	31
Total	2·22	4·19	1·60	1·84	2·14	2·56	1·13	2·67	3·11	9·16	3·56	3·19	YEAR'S TOTAL 34·43
Rain Days.	16	19	14	14	15	13	3	11	11	23	22	18	149

W. 8,000, VIII. 16

~~W.~~ and monthly

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
20 JUL 1918

Kept at Pembroke.
in the County of Pembroke.
by R.N.B. Mackenzie Lt. R.N.V.R.

Lat. 51·41 N. Long. 4·54 W.
Time of Observation 9 am.
Nearest Railway Station Pembroke Dock
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 102·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	·08	·08	nil	nil	nil	nil	nil	nil	·24	0·22	1
2	nil	nil	nil	·16	nil	·07	nil	nil	nil	·02	·16	nil	2
3	·03	·19	nil	nil	nil	·03	·95	nil	nil	·72	·91	~~·28~~ ·11	3
4	nil	·02	·52	·04	nil	nil	nil	nil	·06	·08	nil	nil	4
5	·26	·02	·16	·07	nil	·41	nil	nil	·09	·21	·16	nil	5
6	nil	nil	·61	·02	nil	·18	nil	nil	nil	·16	·24	·15	6
7	·30	nil	nil	·05	nil	·08	·27	[illegible]	nil	·08	·04	·01	7
8	·06	nil	nil	·03	nil	nil	·04	·63 (7)	·04	·47	·43	·33	8
9	nil	nil	·04	nil	·02	nil	nil	·89 (8)	·14	·10	·12	·01	9
10	·21	nil	·88	·14	nil	nil	nil	·10 (9)	nil	·04	·16	nil	10
11	nil	nil	nil	·31	nil	nil	nil	·50 (10)	nil	·35	·39	nil	11
12	·38	nil	·05	·03	·38	nil	nil	·33 (11)	nil	·48	·04	nil	12
13	·07	nil	·25	·01	nil	nil	nil	·44 (12)	·27	·49	·04	nil	13
14	nil	nil	nil	·01	nil	nil	·02	·60 (13)	nil	·05	·04	·04	14
15	nil	nil	nil	·05	nil	nil	·07	·07 (14)	·09	·38	nil	·23	15
16	nil	·08	nil	·01	nil	nil	nil	nil (15)	·13	·06	·04	·15	16
17	nil	·01	·04	·27	·08	nil	1·16	·04 (16)	·14	nil	·12	nil	17
18	nil	nil	·02	nil	·19	nil	·02	1·00 (17)	·68	nil	·04	nil	18
19	nil	1·20	·02	nil	nil	·37	nil	nil (18)	·03	nil	nil	nil	19
20	nil	·01	·02	nil	·68	·41	nil	nil (19)	·09	nil	nil	nil	20
21	nil	nil	·14	nil	nil	nil	nil	·07 (20)	nil	·12	nil	nil	21
22	nil	·08	nil	nil	·08	nil	nil	·02 (21)	nil	·06	nil	nil	22
23	nil	·29	nil	nil	·15	·04	·01	·98 (22)	nil	·13	nil	nil	23
24	nil	nil	nil	nil	nil	·02	·58	·12 (23)	·02	·16	nil	nil	24
25	nil	·04	·05	nil	nil	nil	nil	·07 (24)	·23	·02	nil	nil	25
26	nil	nil	·01	nil	1·02	·28	nil	·48 (25)	nil	·10	nil	·04	26
27	nil	nil	·05	nil	·08	1·14	·81	·09 (26)	nil	nil	nil	nil	27
28	nil	·05	·04	nil	nil	·01	·03	1·20 (27)	nil	·01	nil	nil	28
29	nil	nil	·06	nil	nil	nil	nil	·15 (28)	·02	·48	nil	·17	29
30	nil	✕	nil	nil	nil	nil	nil	·03 (29)	nil	·04	nil	nil	30
31	nil	✕	·08	✕	·25	✕	nil	·40 (30) ·24 (31)	✕	·23	✕	nil	31
Total	1·31	1·99	3·22	1·28	2·93	3·04	3·96	8·45	2·03	5·04	3·17	1·23	YEAR'S TOTAL 37·65
Rain Days.	7	11	19	15	10	12	11	22	14	25	16	11	173

W. 8,000, VIII. 16

Hydrographic Department, Admiralty,
Whitehall, London, S.W. 1.

Met. 2443/17.

18th July, 1918.

Sir,

I send herewith Rainfall Forms "A" and "B" giving a statement of the amount of rainfall recorded during the year 1917, at Pembroke, R.N. Meteorological Station.

I am,
Sir,
Your obedient servant,

A.E. Grindle

for Director,
Naval Meteorological Service.

The Director,
British Rainfall Organisation,
62, Camden Square,
N.W.

Ese Gl.

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

29 MAY 1918

Kept at Pembroke

in the County of Pembroke

by R. M. B. Mackenzie Lt R.N.V.R.

Lat. 51·41N Long. 4·54W

Time of Observation 9. am.

Nearest Railway Station Pembroke Dock

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 102·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	nil	nil	·18	·08	nil	nil	nil	nil	nil	nil	·24		1
2	nil	nil	nil	·16	nil	·07	nil	nil	nil	·02	·16		2
3	·03	·19	nil	nil	nil	·03	·95	nil	nil	·72	·91		3
4	nil	·02	·52	·04	nil	nil	nil	nil	·06	·08	nil		4
5	·26	·02	·16	·07	nil	·41	nil	nil	·09	·21	·16		5
6	nil	nil	·61	·02	nil	·18	nil	nil	nil	·16	·24		6
7	·30	nil	nil	·05	nil	·08	·27	·63	nil	·08	·04		7
8	·06	nil	nil	·03	nil	nil	·04	·89	·04	·47	·43		8
9	nil	nil	·04	nil	·02	nil	nil	·10	·14	·10	·12		9
10	·21	nil	·88	·14	nil	nil	nil	·50	nil	·04	·16		10
11	nil	nil	nil	·31	nil	nil	nil	·33	nil	·35	·39		11
12	·38	nil	·05	·03	·38	nil	nil	·44	nil	·48	·04		12
13	·07	nil	·25	·01	nil	nil	nil	·60	·27	·49	·04		13
14	nil	nil	nil	·01	nil	nil	·02	·07	nil	·05	·04		14
15	nil	nil	nil	·05	nil	nil	·07	nil	·09	·38	nil		15
16	nil	·08	nil	·01	nil	nil	nil	·04	·13	·06	·04		16
17	nil	·01	·04	·27	·08	nil	1·16	1·00	·14	nil	·12		17
18	nil	nil	·02	nil	·19	nil	·02	nil	·68	nil	·04		18
19	nil	1·20	·02	nil	nil	·37	nil	nil	·03	nil	nil		19
20	nil	·01	·02	nil	·68	·41	nil	·07	·09	nil	nil		20
21	nil	nil	·14	nil	nil	nil	nil	·02	nil	·12	nil		21
22	nil	·08	nil	nil	·08	nil	nil	·98	nil	·06	nil		22
23	nil	·29	nil	nil	·15	·04	·01	·12	nil	·13	nil		23
24	nil	nil	nil	nil	nil	·02	·58	·07	·02	·16	nil		24
25	nil	·04	·05	nil	nil	nil	nil	·48	·23	·02	nil		25
26	nil	nil	·01	nil	1·02	·28	nil	·09	nil	·10	nil		26
27	nil	nil	·05	nil	·08	1·14	·81	1·20	nil	nil	nil		27
28	nil	·05	·04	nil	nil	·01	·03	·15	nil	·01	nil		28
29	nil	nil	·06	nil	nil	nil	nil	·03	·02	·48	nil		29
30	nil	X	nil	nil	nil	nil	nil	·40	nil	·04	nil		30
31	nil	X	·08	X	·25	X	nil	·24	X	·23	X		31
Total	1·31 ✓	1·99 ✓	3·22 ✓	1·28 ✓	2·93 ✓	3·04 ✓	3·96 ✓	8·45 ✓	2·03 ✓	5·04 ✓	3·17 ✓		YEAR'S TOTAL
Rain Days.	7 ✓	11 ✓	19 ✓	15 ✓	10 ✓	12 ✓	11	22 ✓	14	25 ✓	16. ✓		

W. 8,000, VIII. 16

Esc 170

FORM A.
BRITISH RAINFALL

18 6. 19

REGISTER OF RAINFALL IN 1918

Kept at Admiralty Reservoirs
in the County of Pembrokeshire
by Officer in Charge of Works, H. M. Dockyard

Lat. 51.42N. Long. 4.54W.
Time of Observation 9 a.m.
Nearest Railway Station G.W.R. Pembroke Dock.
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground one ft. - in.
" " " " Sea Level 89.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.00	0.00	0.13	0.16	0.00	0.00	1.25	0.00	0.02	1.00	0.00	1
2	0.02	0.16	0.00	0.00	0.00	0.00	0.00	0.12	0.46	0.02	0.10	0.60	2
3	0.00	0.12	0.00	0.09	0.21	0.00	0.00	0.02	0.45	0.24	0.14	0.06	3
4	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.24	0.20	0.19	0.62	0.46	4
5	0.00	0.50	0.04	0.29	0.19	0.00	0.00	0.22	0.12	0.35	0.00	0.13	5
6	0.05	0.20	0.00	0.08	0.00	0.13	0.00	0.00	0.43	0.16	0.00	0.08	6
7	0.00	0.03	0.00	0.00	0.00	0.13	0.01	0.04	0.12	0.14	0.10	0.30	7
8	0.00	0.00	0.00	0.00	0.00	0.21	0.25	0.00	0.44	0.47	0.03	0.01	8
9	0.10	0.00	0.00	0.12	0.00	0.00	0.24	0.00	0.04	0.06	0.00	0.53	9
10	0.00	0.00	0.03	0.03	0.00	0.00	0.15	0.01	0.16	0.04	0.18	0.40	10
11	0.02	0.04	0.19	0.02	0.00	0.00	0.00	0.00	0.04	0.25	0.05	0.22	11
12	0.00	0.00	0.00	0.00	0.22	0.02	0.00	0.00	0.45	0.02	0.00	0.01	12
13	0.06	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.31	0.00	0.11	13
14	0.55	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.25	0.05	0.00	0.64	14
15	0.30	0.05	0.00	0.00	0.00	0.00	0.58	0.20	0.54	0.04	0.00	0.40	15
16	0.40	0.00	0.02	0.53	0.00	0.10	0.09	0.02	0.20	0.10	0.00	0.05	16
17	0.34	0.20	0.00	0.10	0.00	0.64	0.40	0.02	0.00	0.13	0.00	0.25	17
18	0.40	0.20	0.02	0.00	0.00	0.00	0.00	0.03	0.19	0.32	0.00	0.42	18
19	0.29	0.00	0.00	0.17	0.00	0.00	0.44	0.04	0.04	0.00	0.00	0.14	19
20	0.16	0.04	0.00	0.10	0.00	0.00	0.05	0.00	0.25	0.00	0.00	0.00	20
21	0.41	0.00	0.00	0.00	0.00	0.00	0.56	0.00	0.41	0.05	0.00	0.27	21
22	0.04	0.00	0.00	0.00	0.25	0.00	0.41	0.00	0.17	0.15	0.00	0.15	22
23	0.32	0.11	0.00	0.00	0.15	0.05	0.12	0.21	0.02	0.00	0.15	0.04	23
24	0.00	0.00	0.00	0.00	0.32	0.00	0.05	0.52	0.33	0.00	0.20	0.00	24
25	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.02	0.00	0.09	0.26	0.00	25
26	0.02	0.07	0.00	0.00	0.00	0.00	0.00	0.15	0.02	0.05	0.07	0.00	26
27	0.00	0.11	0.42	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.37	0.00	27
28	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.20	0.10	0.19	0.12	28
29	0.00		0.38	0.00	0.00	0.00	0.00	0.00	0.87	0.00	0.00	0.00	29
30	0.00		0.37	0.00	0.00	0.00	0.00	0.00	0.08	0.05	0.25	0.05	30
31	0.19 ✓		0.43		0.00		0.00	0.01		0.62		0.12	31
Total	3.94	1.86	1.98	1.66	1.50 ✓	1.28	3.84	3.12	6.84	4.09	3.44	5.86	YEAR'S TOTAL 39.44 ✓
Rain Days.	14 ✓	14 ✓	10	11 ✓	4 ✓	4 ✓	16 ✓	14	25	26	15 ✓	24	189

W, 6,500, VII. 18. W W 6

3648

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8 MAR 20

REGISTER OF RAINFALL IN 1919.

Kept at Admiralty Reservoirs

in the County of Pembroke

by Officer in Charge of Works, H.M. Dockyard.

Lat. 51.42 N. Long. 4.57 W.
Time of Observation 9 a.m.
Nearest Railway Station G. W. R. Pembroke Dock
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground one ft. - in.
" " " " Sea Level 89.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·39	0·00	0·09	0·02	0·04	0·00	0·00	0·00	0·27	0·00	0·00	0·68	1
2	0·53	0·00	0·15	0·00	0·00	0·00	0·00	0·00	0·05	0·00	0·00	0·23	2
3	0·01	0·04	0·00	0·00	0·05	0·04	0·00	0·00	0·00	0·00	0·00	0·26	3
4	0·00	0·54	0·33	0·00	0·00	0·00	0·00	0·01	0·20	0·00	0·00	0·09	4
5	0·30	0·28	0·00	0·00	0·07	0·00	0·00	0·00	0·00	0·00	0·00	0·16	5
6	0·31	0·09	0·35	0·00	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·09	6
7	0·24	0·00	0·00	0·30	0·00	0·00	0·00	0·00	0·00	0·00	0·05	0·02	7
8	0·28	0·00	0·15	0·00	0·00	0·03	0·00	0·00	0·00	0·00	0·00	0·00	8
9	0·10	0·00	0·03	0·06	0·00	0·00	0·00	0·00	0·00	0·00	0·18	0·11	9
10	0·27	0·00	0·52	0·00	0·00	0·01	0·00	0·00	0·00	0·12	0·04	1·09	10
11	0·20	0·00	0·42	0·04	0·28	0·05	0·08	0·00	0·00	0·08	0·05	0·14	11
12	0·29	0·00	0·03	0·05	0·00	0·95	0·00	0·00	0·19	0.02	0·43	0·05	12
13	0·51	0·00	0·12	0·20	0·00	0·00	0·00	0·00	0·07	0.00	0·00	0·50	13
14	0·23	0·10	0·00	0·11	0·24	0·00	0·00	0·00	0·00	0.04	0·00	0·23	14
15	0·15	0·02	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0.03	0·00	0·42	15
16	0·13	0·55	0·00	0·00	0·02	0·00	0·00	0·00	0·00	0.00	0·43	0·07	16
17	0·00	0·26	0·00	0·00	0·00	0·13	0·07	0·25	0·00	0.00	0.23	0·03	17
18	0·17	0·20	0·97	0·00	0·00	0·00	0·39	0·35	0·03	0.00	0.25	0·02	18
19	0·45	0·39	0·20	0·00	0·00	0·26	0·00	0·11	0·07	0.00	0.06	0·09	19
20	0·36	0·05	0·06	0·00	0·23	0·00	0·00	0·00	0·06	0.00	0.10	0·08	20
21	0·05	0·64	0·00	0·00	0·32	0·00	0·03	0·00	0·25	0.00	0.02	0·01	21
22	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·36	0.02	0.00	0·06	22
23	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0.56	0.00	0·00	23
24	0·11	0·00	0·00	0·00	0·00	0·29	0·00	0·00	0·02	0.27	0.07	0·14	24
25	0·23	0·04	0·00	0·00	0·03	0·03	0·00	0·62	0·04	0.00	0.02	0·15	25
26	0·07	0·05	0·08	0·27	0·00	0·00	0·00	0·00	0·01	0.01	0.03	0·48	26
27	0·03	0·04	0·00	0·07	0·00	0·00	0·00	0·23	0·00	0.02	0.00	0·02	27
28	0·00	0·00	0·29	0·36	0·00	0·00	0·00	0·26	0·00	0.20	0.00	0·44	28
29	0·00		0·00	0·02	0·00	0·00	0·00	0·00	0·00	0.02	0.00	0·08	29
30	0·00		0·00	0·07	0·00	0·04	0·00	0·91	0·00	0.00	0.40	0·25	30
31	0·00		0·04		0·00		0·00	0·00		0.00		0·10	31
Total	5·41	3·29	3·83	1·57	1·28	1·83	0·54	2·44	1·64	1·39	2·36	6·09	Year's Total 32·00
Days with ·01 in. or more	23	15	16	12	9	10	4	8	14	12	15	29	164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

and for amts + H.W.D. 3539

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192.........

26 MAY 192

Kept at Admiralty Reservoirs

in the County of Pembroke

by Officer in Charge of Works H.M. Dockyard

Lat. 51·42 N Long. 4·54 W

Time of Observation 8 a.m.

Nearest Railway Station G.W.R. Pembroke Dock

Diameter of Funnel of Rain Gauge eight in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 89·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (—)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·00	0·00	0·05	0·04	0·26	0·00	0·64	0·03	0·00	1·56	0·66	0·32	1
2	0·09	0·00	0·00	0·08	0·65	000	0·60	000	0·20	008	000	0·50	2
3	0·22	0·03	0·00	0·02	000	000	0·06	000	0·29	029	000	013	3
4	0·00	0·00	0·00		000	000	0·06	000	0·03	077	000	004	4
5	0·00	0·00	0·14	000	0·09	000	000	1·29	000	050	000	000	5
6	0·00	0·00	0·14	000	0·90	000	0·35	000	000	045	000	000	6
7	0·05	0·18	0·01	008	0·27	000	0·10	000	000	035	004	000	7
8	0·00	0·00	0·00	008	0·00	000	0·45	0·28	000	000	000	009	8
9	0·34	0·14	0·04	064	0·09	000	0·08	0·23	000	000	000	000	9
10	0·58	0·05	0·09	063	0·00	000	0·16	000	002	000	000	000	10
11	0·05	0·02	0·20	009	0·00	0·56	0·24	000	000	000	004	003	11
12	0·19	0·04	0·04	024	0·28	000	0·14	000	000	000	016	000	12
13	0·03	0·00	0·15	033	0·00	004	0·04	000	006	012	000	000	13
14	0·16	0·06	0·35	015	000	003	000	000	000	036	009	000	14
15	0·04	0·15	0·00	052	000	000	0·11	000	1·06	014	035	000	15
16	0·02	0·02	0·11	020	004	000	000	000	0·10	014	005	000	16
17	0·04	0·00	0·02	008	001	0·05	0·56	000	0·52	1·18	004	000	17
18	0·34	0·02	0·00	000	0·31	000	000	0·44	0·41	009	000	000	18
19	0·04	0·35	0·00	025	000	0·03	000	0·14	0·15	000	000	020	19
20	0·03	0·02	0·00	045	000	0·35	002	000	000	000	000	012	20
21	0·00	0·00	0·00	009	000	000	008	000	0·12	027	000	030	21
22	0·06	0·00	0·00	014	000	000	0·15	000	000	002	000	060	22
23	0·04	0·00	0·13	005	000	000	0·14	000	000	000	000	025	23
24	0·05	0·00	0·52	000	000	000	0·29	0·20	000	000	000	000	24
25	0·28	0·03	0·16	000	000	000	0·10	000	000	000	005	010	25
26	0·12	0·00	0·51	000	000	000	0·90	000	000	000	000	079	26
27	0·25	0·06	0·53	000	000	0·33	0·04	000	005	000	035	005	27
28	0·36	0·03	0·16	015	000	0·50	0·30	000	000	000	165	025	28
29	0·30	0·02	0·15	005	000	0·02	0·05	000	000	000	000	025	29
30	0·20	☒	0·24	000	000	0·15	0·26	000	000	000	026	050	30
31	0·08	☒	0·42	☒	000	☒	0·12	000	☒	0·60	☒	004	31
		1·22		·26	–	·64	·03	–	1·56	·66	·32	–	45·96
TOTAL	4·08	~~1·26~~	4·28	~~4·39~~ 4·65	~~2·85~~ 2·59	~~2·09~~ 2·73	~~6·13~~ 5·52	~~2·64~~ 2·64	~~3·01~~ 4·57	~~6·94~~ 6·64	~~3·44~~ 3·40	~~4·56~~ 4·24	YEAR'S TOTAL ~~46·00~~
Days with ·01 in. or more	25	16	21	~~21~~ 22	~~10~~ 9	~~10~~ 11	26	7 6	~~12~~ 13	16	12	~~16~~ 17	194
Days with ·04 in. or more	22	8	19	~~20~~ 21	~~9~~ 8	7 8	~~25~~ 24	6	~~10~~ 11	15	12	~~14~~ 16	140

✓

REGIS 19 11

PEMBROKE DOCK
COUNTY SCHOOL

1911 - 1920

Canella

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at County School P
top 5 in.
in the County of Pemb
p above Ground 1 ft. in.
„ Sea Level 85 ft.
9 a.m.
by George H. We
tion { Name Pembroke Dock
Distance N. Direction 200 yds

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·03	—	0·01	0·01	0·32	—	—	—	—	0·02	0·33	0·41	1
2	0·01	—	—	—	0·23	—	—	0·33	—	0·11	0·03	0·30	2
3	—	—	0·02	—	0·81	—	—	0·02	0·04	—	0·15	0·24	3
4	—	—	0·32	—	0·01	—	—	0·89	—	0·05	0·36	0·41	4
5	0·94	—	0·13	—	—	—	—	0·07	—	0·10	0·14	0·02	5
6	—	—	0·09	—	—	—	—	0·07	—	—	0·11	1·07	6
7	0·26	—	—	—	—	—	—	—	—	—	0·48	0·02	7
8	0·39	—	0·10	—	—	—	—	—	—	—	0·26	1·16	8
9	0·04	0·02	0·01	—	—	—	—	—	—	—	0·60	0·41	9
10	0·15	0·30	0·94	—	0·05	—	—	—	—	—	0·01	0·29	10
11	0·32	—	0·05	—	—	—	—	—	0·14	0·12	0·34	0·06	11
12	0·01	0·01	0·57	—	—	—	—	—	0·66	—	0·44	0·04	12
13	—	—	0·06	—	0·09	—	—	—	—	—	0·25	0·22	13
14	—	0·11	0·26	—	0·02	—	—	—	—	0·49	0·26	1·03	14
15	—	0·13	0·16	—	—	0·04	—	—	—	—	0·45	0·07	15
16	0·02	0·02	0·05	—	—	0·54	—	—	—	—	0·32	0·37	16
17	0·02	0·02	0·01	0·09	—	0·43	—	—	—	—	0·35	0·55	17
18	0·01	0·30	0·16	0·19	—	0·08	—	—	—	0·26	0·29	0·30	18
19	—	0·01	0·01	0·25	—	—	—	—	0·51	0·10	0·14	0·65	19
20	—	0·20	—	0·37	—	—	—	0·02	0·18	0·71	—	0·53	20
21	0·08	0·21	0·02	0·09	—	0·14	0·09	—	0·27	1·41	0·02	0·02	21
22	0·33	0·13	—	0·13	—	0·02	—	—	0·94	0·08	—	0·54	22
23	0·02	0·06	0·01	—	—	—	0·01	0·22	0·12	0·28	—	0·29	23
24	0·07	0·26	—	0·07	—	0·72	0·02	0·18	—	0·15	—	0·46	24
25	0·08	—	—	0·07	—	0·01	0·05	—	0·12	0·16	—	0·18	25
26	0·02	0·39	—	0·51	—	—	—	0·12	—	0·34	—	0·33	26
27	—	0·28	0·02	0·01	—	—	—	0·99	0·10	0·25	0·20	0·21	27
28	—	0·14	0·01	0·12	—	—	0·01	0·06	—	0·06	—	0·02	28
29	—		0·02	0·06	—	0·32	0·02	—	0·22	0·59	—	0·08	29
30	—		0·01	—	—	0·02	0·08	—	—	0·32	0·34	0·01	30
31	—		0·39		—		0·14	—		0·06		0·02	31
Total	2·80	2·59	3·43	1·97	1·53	2·32	0·42	2·97	3·30	5·66	5·87	10·31	TOTAL for year 43·17
No. of Rain Days.	18	17	24	13	7	10	8	11	11	20	22	31	192.

W. 8,000, X. '11.

√

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

6 - JAN 1912

Kept at County School Pembroke Dock

in the County of Pembroke 4

by George H. West B.Sc.

Rain Gauge
Pattern Casella
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 85 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Pembroke Dock
Distance N. Direction 200 yds

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	—	0·01	0·01	0·32	—	—	—	—	0·02	0·33	0·41	1
2	0·01	—	—	—	0·23	—	—	0·33	—	0·11	0·03	0·30	2
3	—	—	0·02	—	0·81	—	—	0·02	0·04	—	0·15	0·24	3
4	—	—	0·32	—	0·01	—	—	0·89	—	0·05	0·36	0·41	4
5	0·94	—	0·13	—	—	—	—	0·07	—	0·10	0·14	0·02	5
6	—	—	0·09	—	—	—	—	0·07	—	—	0·11	1·07	6
7	0·26	—	—	—	—	—	—	—	—	—	0·48	0·02	7
8	0·39	—	0·10	—	—	—	—	—	—	—	0·26	1·16	8
9	0·04	0·02	0·01	—	—	—	—	—	—	—	0·60	0·41	9
10	0·15	0·30	0·94	—	0·05	—	—	—	—	—	0·01	0·29	10
11	0·32	—	0·05	—	—	—	—	—	0·14	0·12	0·34	0·06	11
12	0·01	0·01	0·57	—	—	—	—	—	0·66	—	0·44	0·04	12
13	—	—	0·06	—	0·09	—	—	—	—	—	0·25	0·22	13
14	—	0·11	0·26	—	0·02	—	—	—	—	0·49	0·26	1·03	14
15	—	0·13	0·16	—	—	0·04	—	—	—	—	0·45	0·07	15
16	0·02	0·02	0·05	—	—	0·54	—	—	—	—	0·32	0·37	16
17	0·02	0·02	0·01	0·09	—	0·43	—	—	—	—	0·35	0·55	17
18	0·01	0·30	0·16	0·19	—	0·08	—	—	—	0·26	0·29	0·30	18
19	—	0·01	0·01	0·25	—	—	—	—	0·51	0·10	0·14	0·65	19
20	—	0·20	—	0·37	—	—	—	0·02	0·18	0·71	—	0·53	20
21	0·08	0·21	0·02	0·09	—	0·14	0·09	—	0·27	1·41	0·02	0·02	21
22	0·33	0·13	—	0·13	—	0·02	—	—	0·94	0·08	—	0·54	22
23	0·02	0·06	0·01	—	—	—	0·01	0·22	0·12	0·28	—	0·29	23
24	0·07	0·26	—	0·07	—	0·72	0·02	0·18	—	0·15	—	0·46	24
25	0·08	—	—	0·07	—	0·01	0·05	—	0·12	0·16	—	0·18	25
26	0·02	0·39	—	0·51	—	—	—	0·12	—	0·34	—	0·33	26
27	—	0·28	0·02	0·01	—	—	—	0·99	0·10	0·25	0·20	0·21	27
28	—	0·14	0·01	0·12	—	—	0·01	0·06	—	0·06	—	0·02	28
29	—		0·02	0·06	—	0·32	0·02	—	0·22	0·59	—	0·08	29
30	—		0·01	—	—	0·02	0·08	—	—	0·32	0·34	0·01	30
31	—		0·39		—		0·14	—		0·06		0·02	31
Total	2·80	2·59	3·43	1·97	1·53	2·32	0·42	2·97	3·30	5·66	5·87	10·31	TOTAL for year 43·17
No. of Rain Days.	18	17	24	13	7	10	8	11	11	20	22	31	192.

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
6 JAN 1913

Kept at County School, Pembroke Dock

in the County of Pembroke. 4

by G. H. West.

Lat. 51·41 N Long. 4·50 W
Time of Observation 9 am.
Nearest Railway Station G. W. R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	0·13	—	0·02	0·53	—	0·04	0·03	0·63	0·02	0·21	1
2	—	—	0·22	0·01	—	0·33	—	—	0·01	0·02	0·05	—	2
3	0·13	—	0·38	—	0·01	0·17	—	0·56	0·05	—	0·01	0·13	3
4	0·27	—	0·60	—	0·10	—	—	0·12	—	—	0·57	0·01	4
5	0·87	0·07	0·10	—	0·03	—	—	0·45	—	0·02	—	0·20	5
6	0·09	0·25	—	—	0·25	—	—	0·14	—	0·03	0·04	0·03	6
7	0·04	0·52	0·37	—	0·10	0·14	0·30	—	—	—	0·01	0·26	7
8	0·66	0·30	0·05	—	—	0·08	—	0·08	0·01	—	—	0·01	8
9	0·01	0·18	0·07	—	—	0·07	0·22	0·59	0·01	—	0·01	0·54	9
10	0·32	0·02	0·03	—	—	0·04	0·17	—	—	—	0·03	0·03	10
11	0·01	0·05	0·01	—	—	—	0·19	—	—	—	0·26	0·74	11
12	0·07	—	0·43	0·05	0·10	0·03	0·24	—	—	—	0·45	—	12
13	0·52	—	0·07	—	—	—	—	~~0·13~~	—	0·41	0·03	0·35	13
14	0·10	0·25	0·43	—	—	—	—	0·13	—	—	0·01	0·04	14
15	1·14	0·11	0·07	—	—	0·28	—	0·07	—	—	0·02	0·13	15
16	0·39	0·07	0·82	—	0·04	0·04	—	0·36	—	0·23	—	0·14	16
17	—	0·05	0·19	—	—	0·27	—	0·29	—	—	0·06	0·41	17
18	—	0·17	0·10	—	—	0·02	—	0·35	—	0·05	0·08	0·08	18
19	—	0·04	—	—	—	0·05	—	0·31	—	0·11	—	0·12	19
20	0·07	0·07	0·42	—	0·03	—	—	0·05	—	0·11	—	0·04	20
21	—	0·28	0·31	—	0·07	0·04	0·07	0·23	—	0·19	—	0·19	21
22	0·18	0·40	0·31	—	0·78	0·35	0·13	0·55	—	0·23	0·08	0·13	22
23	0·03	0·01	0·22	—	—	0·03	0·12	0·24	—	0·20	0·26	0·04	23
24	—	0·09	0·08	—	—	0·51	—	—	—	0·28	—	0·33	24
25	—	—	0·01	—	—	0·12	0·01	0·67	—	0·20	0·48	0·76	25
26	—	0·07	0·13	—	—	0·06	—	0·16	—	0·90	0·29	0·45	26
27	—	0·13	0·09	—	—	1·31	0·46	—	—	0·63	0·02	0·33	27
28	—	0·07	—	—	—	0·05	0·35	0·56	0·13	0·35	1·04	—	28
29	—	0·20	—	—	0·08	0·02	0·05	0·10	0·38	0·56	—	—	29
30	—		0·09	0·05	—	0·06	0·25	—	—	0·36	—	—	30
31	—		0·64		—		0·55	0·10		0·13		0·25	31
Total	4·90	3·40	6·37	0·11	1·61	4·60	3·11	6·15	0·62	5·64	3·82	5·95	YEAR'S TOTAL 46·28
Rain Days.	17	22	27	3	12	23	14	22	7	20	21	26	214

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

17 JAN 1914

REGISTER OF RAINFALL IN 19~~14~~13

Kept at County School, Pembroke Dock

in the County of Pembroke. 4

by G. H. West, B.Sc.

Lat. 51·41 Long. 4·50 W.

Time of Observation 9 am.

Nearest Railway Station G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·11	·12	·43	·20	—	—	—	—	—	—	·21	·14	1
2	0·13	·19	·11	·05	·45	·23	—	—	—	·14	·22	·13	2
3	0·08	—	·06	—	·21	—	—	—	—	—	—	·25	3
4	0·37	·04	·04	—	—	·26	—	—	·37	·02	·16	·14	4
5	0·09	·04	—	—	·44	·48	·03	—	·02	—	·39	·44	5
6	0·23	·18	·16	—	·20	·39	—	—	—	·11	·11	·36	6
7	0·08	·54	·01	—	·82	·46	—	—	—	·44	·35	·05	7
8	0·21	·29	—	—	·17	—	·10	—	—	—	·01	·07	8
9	0·02	·40	·15	·01	·27	·16	·07	—	—	—	·92	·09	9
10	0·84	—	·06	·05	·18	—	—	·57	·05	·93	—	—	10
11	0·44	—	·01	·04	·29	·03	—	·09	·03	·29	·27	·13	11
12	0·01	—	·01	—	·15	·01	·15	·11	1·41	—	·30	—	12
13	0·45	—	·39	·02	·09	—	·01	·25	1·72	—	·23	—	13
14	0·31	—	·29	·07	—	—	·08	—	·58	·33	·22	·06	14
15	0·17	—	·80	1·04	—	—	—	—	—	—	·02	·02	15
16	0·34	—	·56	·06	—	—	·05	—	—	—	—	—	16
17	0·16	—	·05	·08	—	—	·03	—	—	—	·05	—	17
18	0·06	—	·40	·13	—	·04	·03	—	—	—	·07	—	18
19	0·82	—	·05	—	·03	·03	—	—	·69	·34	·06	—	19
20	0·17	—	·12	·40	·04	—	—	—	·12	·11	·66	—	20
21	—	—	·05	·01	·22	—	·13	·07	·03	·27	—	—	21
22	0·90	—	·94	·04	·03	·34	—	·70	1·03	—	—	·10	22
23	0·02	—	·02	—	·01	—	—	—	·46	—	·52	·05	23
24	0·08	·28	—	·20	·01	—	—	—	—	—	·13	—	24
25	—	·01	—	·26	—	—	—	—	·15	·13	·02	·04	25
26	—	—	—	·86	—	—	—	—	·20	·02	—	·33	26
27	0·31	—	·10	·11	—	—	—	—	—	·51	—	—	27
28	0·17	—	·08	·07	·15	—	—	—	—	·42	·02	·21	28
29	0·01		·32	·59	·11	—	—	—	—	·73	·05	·04	29
30	0·43		·01	·01	·10	—	—	—	—	·20	·04	—	30
31	0·06		·05		—		—	—		·22		—	31
Total	7·07	2·09	5·27	4·30	3·97	2·43	0·68	1·79	6·86	5·21	5·03	2·65	YEAR'S TOTAL 47·35
Rain Days.	28	10	26	21	20	11	10	6	14	17	23	18	204

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Pembroke Dock County School

in the County of Pembroke 4

by G. H. West

Lat. 51° 41′ N. Long. 4° 50 W.

Time of Observation 9 a.m.

Nearest Railway Station G. W. R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·12	—	—	·20	·58	·42	—	—	·42	·15	1
2	—	—	—	—	·07	—	·32	·01	—	·01	·03	·55	2
3	—	—	·16	·19	·61	—	—	·26	—	—	·05	·31	3
4	·34	—	·03	·30	·12	—	1·01	·01	—	—	·24	·21	4
5	·02	·02	·23	·06	—	—	·01	·05	—	—	·04	—	5
6	—	·05	·14	·06	·14	—	·04	·04	—	—	·12	·28	6
7	·22	·32	·30	·05	·53	·32	·41	·60	·13	·06	·01	·21	7
8	·14	—	·02	·11	·08	·07	—	·30	—	·04	·01	·07	8
9	·47	·18	·10	·05	·48	·55	—	·15	·18	—	·03	·01	9
10	·06	·48	—	·27	·02	·05	—	—	·35	—	—	·03	10
11	—	·30	·60	—	·07	·26	—	—	—	—	·08	·51	11
12	—	·49	·24	—	—	—	·01	—	·44	—	·29	·06	12
13	—	·06	·33	—	—	—	·26	—	·38	·12	·13	·35	13
14	—	·41	·25	—	—	—	·04	·35	·02	—	} ·80	·01	14
15	—	·31	·18	—	—	—	·09	·11	·17	—		·06	15
16	—	·02	·01	—	—	—	·10	—	·31	—	·03	·06	16
17	—	·01	·27	—	—	—	·07	—	—	—	—	·76	17
18	—	·51	·10	—	—	—	·08	—	·01	·04	—	·36	18
19	—	·14	·01	—	—	—	1·06	·01	—	—	·05	·13	19
20	—	·38	·04	·04	—	·15	·01	·25	·04	—	—	·39	20
21	—	·39	·02	—	—	—	—	—	—	·28	—	—	21
22	—	·09	·13	—	—	·03	—	·36	—	·34	—	—	22
23	—	·09	·20	—	—	—	·03	·12	—	·14	—	—	23
24	·01	·10	·28	—	—	—	·01	—	—	·04	·59	—	24
25	·26	·01	·26	—	—	—	·03	—	—	·73	·11	·85	25
26	—	·10	—	—	—	—	·05	—	—	·16	·44	·51	26
27	·19	·13	—	—	—	—	·14	—	—	·07	·26	1·21	27
28	·03	·03	·48	—	·05	·01	—	·45	—	·15	·09	·65	28
29	·25	X	·17	—	·01	—	·05	·50	—	·01	·61	·02	29
30	—	X	·10	—	—	—	—	·04	—	·10	·39	·69	30
31	·14	X	—	X	·04	X	·72	—	X	·10	X	·47	31
Total	2·13	4·62	4·77	1·13	2·22	1·64	5·12	4·03	2·03	2·39	4·82	8·91	YEAR'S TOTAL 43·81
Rain Days.	12	23	26	9	12	9	22	18	10	16	23	26	206

W. 8,000. X. 14.

4079

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 19 JUN 1916

Kept at Pembroke Dock County School

in the County of Pembroke

by R. G. H. West

Lat. 51·41 N Long. 4·50 W

Time of Observation 9 a.m.

Nearest Railway Station G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	·34	—	—	·25	—	·05	·98	·14	·48	—	·22	1
2	·25	·20	·32	·30	—	·21	·03	·25	·12	—	—	·24	2
3	—	·15	·21	·04	·05	—	·01	—	—	—	—	·34	3
4	·05	·02	·02	—	·15	·05	—	—	—	—	—	·83	4
5	·10	·34	—	·21	·10	·01	—	—	—	—	—	1·55	5
6	·43	·10	—	·25	—	—	·65	·15	—	—	—	·07	6
7	·26	·47	—	—	—	—	·35	·18	—	1·13	·06	·44	7
8	·10	·72	—	—	—	—	—	·03	—	·02	·43	·05	8
9	·10	·32	—	·17	—	—	—	·24	—	·01	·09	·95	9
10	·51	·85	·10	·16	—	—	—	·11	—	·23	—	·06	10
11	—	·12	—	—	—	—	—	·04	—	·01	1·27	·05	11
12	·26	·73	—	·05	·20	—	—	—	—	—	·50	·07	12
13	·02	·16	—	—	·50	—	—	·03	·25	·11	·05	·29	13
14	·06	·01	—	—	—	—	·75	·04	—	·01	·05	·57	14
15	·24	—	—	—	·45	—	·89	—	—	—	·10	·23	15
16	·06	1·35	—	·02	·11	—	—	—	·04	—	—	·45	16
17	—	·34	—	—	·13	—	—	—	—	·02	—	·08	17
18	—	·42	·02	·01	—	—	—	·15	·01	—	—	—	18
19	—	—	—	·15	·81	—	—	—	—	—	—	—	19
20	·54	·04	—	—	·05	—	—	—	·05	·17	—	·21	20
21	·15	·09	—	—	—	—	·58	—	—	·36	—	·14	21
22	·10	·17	·16	·12	—	·75	—	—	·17	·09	·01	·52	22
23	—	·13	·17	—	—	·17	—	—	·06	·53	—	·31	23
24	—	—	—	·02	—	—	—	—	·47	·35	—	·31	24
25	—	—	—	—	—	·27	·33	—	—	—	·06	·13	25
26	—	·40	—	—	—	·02	·45	—	·09	—	—	·56	26
27	—	·01	—	—	—	·11	·32	·05	·04	1·15	—	·18	27
28	—	·12	—	—	—	—	—	—	·46	·27	—	·08	28
29	—		—	—	—	1·34	—	—	·48	·08	·30	·39	29
30	·18	X	—	·20	—	—	—	—	·12	·65	·30	·37	30
31	—	X	—	X	—	X	—	·08	X	·12	X	·42	31
Total	3·75	7·60	1·00	1·79	2·80	2·93	4·41	2·33	2·50	5·79	3·22	10·11	YEAR'S TOTAL 48·14
Rain Days.	18	24	7	13	11	9	11	13	14	19	12	29	180

W. 8,000. X. 15.

4009

FORM A.
BRITISH RAINFALL.

12 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Pembroke Dock County School

in the County of Pembroke

by G. H. West B.Sc.

Lat. 51·41 Long. 4·50 W

Time of Observation 9 A.M.

Nearest Railway Station G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·45	·09	·11	—	·01	·20	·07	·04	—	2·16	·17	·01	1
2	·21	·65	·16	—	—	·01	·03	—	·85	·85	·48	·03	2
3	·02	·81	—	·05	—	·44	·03	—	·09	·44	·30	·05	3
4	·20	·33	—	·06	·21	·20	—	—	·08	·04	·32	·02	4
5	·10	·20	·05	—	·22	·05	·07	—	·03	·17	·12	—	5
6	·15	·15	—	—	·31	—	·54	—	—	·40	·82	·06	6
7	—	·03	—	—	·24	—	—	—	—	·11	·32	·16	7
8	·07	·05	—	—	·36	·36	—	—	—	·08	·01	·24	8
9	—	·11	—	—	·01	·01	—	—	—	—	·13	·50	9
10	—	·59	—	·14	·10	—	—	—	—	—	·03	·35	10
11	—	·02	—	·30	·43	—	·09	—	·06	—	·02	—	11
12	·01	·04	—	—	·16	—	·34	·59	·01	·16	·01	·03	12
13	—	·34	·04	—	·02	—	—	·42	·01	·05	·01	—	13
14	·04	·51	·05	·05	·12	—	—	—	—	·06	—	·03	14
15	·04	·30	·11	·12	·09	—	—	—	—	·02	—	—	15
16	·14	·07	—	·61	·02	—	·11	—	—	·22	—	—	16
17	·62	·27	·02	·10	—	—	—	—	·84	·39	·60	—	17
18	·03	·12	·37	·10	—	—	—	—	·09	·03	·02	—	18
19	·47	·14	·06	·18	—	—	—	—	—	—	·10	·34	19
20	·33	·46	·22	·13	—	—	—	—	—	—	·09	—	20
21	·13	—	·13	·04	·03	·15	—	—	—	—	—	·10	21
22	·03	—	—	—	—	·33	—	·12	—	·48	—	·27	22
23	·09	—	·21	·24	—	·03	—	·62	—	·42	·34	—	23
24	—	—	·11	·10	·10	—	—	·38	—	·25	·02	·23	24
25	·02	—	·16	—	·15	·22	—	·19	·02	·04	·27	—	25
26	·16	—	·05	—	—	—	—	·13	·32	·82	·17	—	26
27	·04	—	·66	—	—	—	—	—	·72	·84	—	—	27
28	—	—	—	·06	—	·02	—	—	·08	·89	·24	·30	28
29	—	·38	·06	—	—	·59	—	·06	·05	·69	·04	·02	29
30	—	X	—	—	—	·24	—	—	—	·22	·03	—	30
31	—	X	—	X	·05	X	—	·15	X	·42	X	—	31
Total	3·35	5·64	2·57	2·28	2·63	2·85	1·28	2·70	3·25	10·25	4·66	2·74	YEAR'S TOTAL 44·20
Rain Days.	21	21	17	15	18	14	8	10	14	25	24	17	204

3842

FORM A.
BRITISH RAINFALL.
27 APR 1918

REGISTER OF RAINFALL IN 1917

Kept at Pembroke Dock County School

in the County of Pembroke

by G. H. West

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station G. W. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·23	·29	—	·08	—	—	—	·01	·17	—	1
2	—	—	—	·09	—	·04	—	—	—	·01	·19	—	2
3	·08	·24	—	·12	—	·06	·87	—	—	·71	·87	·07	3
4	—	—	·57	·03	—	—	·01	—	·18	·11	·04	—	4
5	·21	—	·24	·05	—	·58	—	—	·03	·20	·17	—	5
6	—	—	·37	—	—	·36	—	—	—	·18	·22	·18	6
7	·32	—	—	·25	—	·04	·15	·60	—	·03	·04	—	7
8	·08	—	·57	·04	—	—	·05	·45	·07	·50	·41	·24	8
9	·01	—	·06	·02	·09	—	—	·13	·25	·07	·05	·02	9
10	·10	—	·89	·24	·01	—	—	·43	—	·15	·01	—	10
11	·22	—	—	·22	—	—	—	·35	—	·38	·37	—	11
12	·18	—	—	·05	·34	—	—	·71	·01	·45	—	—	12
13	—	—	·17	·02	·01	—	—	·45	·33	·43	·07	—	13
14	·09	—	—	—	—	—	·20	—	·01	·33	·01	—	14
15	—	—	—	·08	—	—	·09	·01	·10	·39	—	·21	15
16	—	·21	—	·02	—	—	—	·01	·10	·05	·07	·10	16
17	—	·04	—	·42	·11	—	·90	1·20	·70	—	·05	—	17
18	—	—	·07	·01	·20	—	·22	—	·65	—	—	—	18
19	—	1·13	·04	—	—	·44	—	—	·01	—	—	—	19
20	—	·08	·01	—	·64	·56	—	·23	·09	·01	·03	—	20
21	—	·01	·20	—	·01	·01	—	·09	—	·09	—	—	21
22	—	·11	—	—	·09	—	—	1·42	—	·07	—	—	22
23	—	·32	—	—	·19	·07	—	·18	—	·11	—	—	23
24	—	—	—	—	—	·04	·47	·09	·02	·17	·05	—	24
25	—	·08	·04	—	—	—	·02	·58	·26	·01	—	·01	25
26	—	—	·03	—	1·30	·13	—	·05	·13	·04	·50	·05	26
27	—	—	·08	—	·08	·90	·73	1·07	—	·03	—	—	27
28	—	·32	·05	—	·11	·04	·03	·12	—	—	·01	—	28
29	—		·05	—	—	—	—	·01	·01	·55	·05	·18	29
30	—	X	·02	—	—	—	—	·32	—	·01	·04	—	30
31	—	X	—	X	·27	X	·01	·23	X	·17	X	—	31
Total	1·29	2·54	3·69	1·95	3·45	3·35	3·75	8·73	2·95	5·26	3·42	1·06	YEAR'S TOTAL 41·44
Rain Days.	9	10	18	16	14	14	13	22	17	27	21	9	190

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4.1.19

Kept at Pembroke Dock County School
in the County of Pembrokeshire
by J. H. Garnett

Lat. 51° 41' N Long. 4° 50' W
Time of Observation 9 AM
Nearest Railway Station G.W.R. Pembroke Dock
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept	Oct.	Nov.	Dec.	Date.
1	-	·27	-	·14	-	-	-	-	-	·36	·24	-	1
2	·02	·17	-	-	·15	-	-	-	-	·40	·65	·60	2
3	-	·14	-	·10	·20	-	-	·34	-	·05	·34	·06	3
4	-	·04	-	-	-	-	-	·03	·57	-	·77	·55	4
5	-	-	·05	·31	·04	-	-	·30	·35	·18	·01	·13	5
6	·18	·81	-	·09	-	·20	-	·21	·23	·12	-	·09	6
7	·44	·25	-	·01	-	-	-	-	-	·33	·34	·25	7
8	·05	·03	-	-	-	·11	-	·05	·54	-	·02	·14	8
9	·03	·01	-	·07	-	·24	·22	-	·10	·08	·03	·69	9
10	-	·01	·02	·06	-	-	·24	-	·47	·35	·20	·35	10
11	·02	·01	·21	·03	-	-	·14	-	·08	-	~~·20~~ ·05	·23	11
12	-	·08	-	-	·23	-	-	-	·16	-	- [illegible]	·04	12
13	·16	-	-	-	-	·02	·04	-	·05	-	-	·50	13
14	·60	-	-	-	·01	-	·14	-	·73	·19	-	·50	14
15	1·08	-	-	-	-	-	·14	-	·26	·01	-	·75	15
16	·42	·10	·04	·69	-	-	·12	-	·65	·01	-	·04	16
17	·27	-	-	·11	-	-	·42	-	·18	·04	-	·35	17
18	·50	·18	·04	-	-	·07	-	·26	·26	·72	-	·45	18
19	·29	·23	·05	·18	-	·63	·48	·04	·33	·12	-	·17	19
20	·23	·02	·01	·13	-	-	·04	-	·50	·62	-	-	20
21	·45	·01	-	-	-	-	·62	·04	·17	·34	-	·40	21
22	·02	-	-	-	·29	-	·54	-	-	·12	·01	·20	22
23	·38	-	-	-	-	·17	·12	-	-	-	·16	·04	23
24	-	-	-	-	·13	-	-	-	·42	·39	·17	-	24
25	-	-	-	-	·35	-	·39	·55	·02	-	·30	-	25
26	·26	·01	-	-	-	-	-	·36	-	-	·05	·49	26
27	·02	·05	·55	-	-	-	-	·12	-	-	·48	·03	27
28	-	·25	·08	-	-	-	·21	·13	·06	·35	·20	·11	28
29	-		·37	-	-	-	-	-	-	·55	·01	·04	29
30	-		·40	-	-	-	·01	-	1·18	·14	·25	·13	30
31	-		·48		-		No record (–)	-		-		·17	31
Total	5·42	2·67	2·30	1·92	1·40	1·44	3·87	2·43	7·31	5·47	4·28	7·50	YEAR'S TOTAL 46·01
Rain Days.	19	19	12	12	8	7	16	12	21	21	19	27	198

W. 8,000, IX. 17.

A. ans 9-1-19

Sent [illegible]

8 · 1 · 19

4 · 1 · 19

"County School"
Pembroke Dock
3 · 1 · 19

The Director
British Rainfall Organisation.

Dear Sir,

For many years one of our Senior boys has recorded the local rainfall; the records have been forwarded to you by E. H. West Esq. B.Sc. who was called up for military service about Easter time. I was not asked to take on the supervision but the records have been kept. On looking over them I find that day & date do not correspond in July & there is no record for July 31. I am somewhat reluctant to add my name to a scientific record which is incomplete. The rest of the record is so far as I can see complete. Owing to unsettlement, due to the war, our recorders have had to leave the neighbourhood so that the boy who is doing it now is the fourth for the year.

I am
Faithfully yours
J H Garnett

probably none

Ge Rl

3649

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Pembroke Dock County School

in the County of Pembrokeshire

by Mr J. H. Garnett

Lat. 51° 42′ N. Long. 4° 57′ W

Time of Observation 9 A.M.

Nearest Railway Station Pembroke Dock

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·57	–	·04	·05	·05	–	·01	·01	·12	·13	–	·05	1
2	·53	–	–	–	–	–	–	–	–	–	–	·29	2
3	·02	·06	–	–	–	·01	–	–	–	–	–	·32	3
4	·07	·58	·10	–	·11	–	–	·03	·04	–	·02	·11	4
5	·28	·30	·01	–	·10	·05	–	–	·02	–	–	·25	5
6	·35	–	·51	·24	–	–	–	–	–	–	–	·10	6
7	·09	–	·03	·17	–	–	–	–	·10	–	·05	·09	7
8	·53	–	–	–	–	·04	–	–	·02	–	–	·05	8
9	·10	–	–	·09	·04	–	–	–	–	–	·19	·14	9
10	·28	–	·01	·07	·11	·02	–	–	–	·10	–	1·42	10
11	·21	–	1·71	·05	·19	·10	·05	–	–	·01	–	·15	11
12	·29	–	·66	·21	–	1·19	–	–	·13	·16	·02	·02	12
13	·71	·02	·11	·14	–	–	·03	–	·06	·01	–	·31	13
14	·22	·03	–	·16	·25	–	–	–	–	–	–	·65	14
15	·18	·29	–	·61	–	–	–	–	–	–	–	·39	15
16	·11	·31	–	–	–	·04	·02	·16	–	–	·75	·11	16
17	0	·41	·01	–	·06	·09	–	·09	–	–	–	·03	17
18	·11	·21	1·05	–	–	–	·46	·29	·05	–	·75	·03	18
19	·63	·49	·20	–	·02	·37	–	·10	·02	–	·05	·01	19
20	·21	·43	·10	–	·01	–	·02	·16	·12	–	·10	·24	20
21	·05	·71	–	–	·20	–	·02	–	·26	–	–	–	21
22	–	·02	–	–	·35	–	–	–	·41	·04	·03	–	22
23	0	–	–	·01	–	–	–	–	–	·64	·02	·02	23
24	·10	–	–	–	·01	·31	–	·16	·03	·03	·06	–	24
25	·13	–	–	–	·02	·04	–	·25	·05	·29	·03	–	25
26	·21	·10	·09	·29	–	–	–	·21	·03	·06	·05	·97	26
27	·03	·14	·01	·24	–	–	–	·61	·02	·05	–	·01	27
28	·01	·03	·31	·51	–	–	–	–	·02	·19	–	·61	28
29	–		–	·01	–	–	–	·26	–	·01	–	·10	29
30	–	✕	·15	·18	–	·14	–	·49	–	–	·51	·71	30
31	–	✕	·03	✕	–	✕	–	–	✕	–	✕	–	31
Total	6·02 ✓	4·13 ✓	5·13 ✓	3·03 ✓	1·52 ✓	2·40 ✓	·61 ✓	2·82 ✓	1·50 ✓	1·72 ✓	2·63 ✓	7·18 ✓	Year's Total 38·69 ✓
Days with ·01 in. or more	25 ✓	16 ✓	18 ✓	16 ✓	14 ✓	12 ✓	7 ✓	13 ✓	17 ✓	13 ✓	14 ✓	26 ✓	191 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3540

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The County School, Pembroke Dock
in the County of Pembrokeshire
by J. H. Garnett. M. Sc.,

Lat. 51° 41' Long. 4° 50' W
Time of Observation 9 A. M.
Nearest Railway Station Pembroke Dock G. W. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·03	·02	·81	–	·58	·01	·22	·32	–	·79	1
2	·10	–	–	·07	·02	–	·03	·57	·33	·71	–	·12	2
3	·61	·07	–	·08	~~·005~~	–	·02	–	·04	·66	·01	·33	3
4	–	·01	–	·01	·12	–	·37	1·71	–	·46	·60	·08	4
5	–	·01	·16	·08	1·17	–	·10	·02	·01	·44	·01	–	5
6	·03	–	·14	·01	·29	–	·45	·17	–	·35	–	–	6
7	·04	·02	·09	·09	·13	–	·11	·08	–	–	–	·13	7
8	–	·16	–	·64	·20	–	·03	·17	–	·01	·07	–	8
9	·48	·19	·07	·79	·01	·02	–	·01	·01	·05	·09	–	9
10	·81	·13	·09	·05	–	·56	·38	·03	–	–	–	·09	10
11	·01	·02	·20	·25	·28	–	·03	·08	–	–	–	–	11
12	·21	·07	·05	·38	~~·005~~	·02	·13	·13	·09	·10	–	–	12
13	·05	–	·32	·21	–	·09	–	–	–	·29	·18	·09	13
14	·23	·06	·38	·48	·01	·03	·15	·06	1·27	·12	–	–	14
15	·05	·18	·02	·33	·01 ~~·005~~	–	–	·03	·32	·13	–	–	15
16	·03	·01	·15	·07	–	·05	·65	–	·68	·84	·07	–	16
17	·10	–	·03	·27	·01	–	–	·62	·40	·18	–	–	17
18	·15	·03	–	·11	~~·005~~	·07	–	·10	·16	–	·01	·01	18
19	·10	·37	·01	·65	·04	·28	·01	·02	·03	–	–	–	19
20	·05	·02	–	·09	·40	·08	·11	–	·15	–	–	·07	20
21	–	–	–	·17	·04	–	·15	·01	·05	–	–	·50	21
22	·13	–	–	·08	–	–	·19	–	–	·08	·08	·07	22
23	·16	–	·11	–	–	–	·30	·15	–	·09	–	–	23
24	·15	–	·71	·09	–	·03	·02	·01	·01	·04	–	–	24
25	·10	·02	·57	–	–	–	1·16	–	·02	–	·26	–	25
26	·20	–	·29	·04	–	·08	·08	–	–	–	·13	·02	26
27	·51	·09	·75	·50	–	·79	·01	–	–	–	1·38	–	27
28	·47	·04	·36	·01	–	·01	·50	–	–	–	·52	·05	28
29	·49	·04	·20	–	–	·16	·45	–	–	–	·48	·01	29
30	·33	✕	·22	·16	–	·43	·09	–	1·77	·28	·32	–	30
31	·07	✕	·44	✕	·02	✕	·02	–	✕	1·18	✕	·02	31
TOTAL	5·66	1·54	5·39	5·73	3·56	2·70	6·12	3·98	5·56	6·33	4·20	2·38	YEAR'S TOTAL 53·15 53·15
Days with ·01 in. or more	26	19	23	27	16	15	26	19	17	19	15	15	233
Days with ·04 in. or more	23	11	19	23	10	10	18	11	12	18	12	11	178

PEMBROKE —

BANGESTON

PEMBROKESHIRE

1915 - 19

RE

FORM A.
BRITISH RAINFALL.

Kept at Bange 4½ W

in the County of oke (S 1 mile)

5" in.

by Commande d 1 ft. 0 in.

evel 40 ft.

IMPORTANT NO sult entered to the previous day. If an C ule, he is earnestly requested to add the rea the space provided for it at the end of th Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.55	0.37	—	—	0.26	—	0.04	0.53	0.25	0.18	0.04	0.25	1
2	0.38	0.25	0.33	0.30	—	0.26	0.04	0.31	0.12	0.21	—	0.21	2
3	—	0.19	0.24	0.06	0.05	—	—	—	—	—	—	0.44	3
4	0.05	0.07	0.01	—	0.09	0.04	—	—	—	—	—	0.73	4
5	0.14	0.40	0.01	0.15	0.08	0.01	—	0.15	—	—	—	1.40	5
6	0.48	0.07	—	0.35	—	—	0.67	0.18	—	—	—	0.07	6
7	0.32	0.55	—	—	—	0.01	0.57	0.03	—	0.91	0.04	0.28	7
8	0.14	0.75	—	—	—	—	—	0.20	—	0.33	0.51	—	8
9	0.03	0.28	—	0.17	—	—	—	0.10	—	—	0.06	0.94	9
10	0.61	0.86	0.14	0.19	—	—	—	0.07	—	0.29	—	0.06	10
11	—	0.04	0.01	—	—	—	—	0.10	—	—	1.28	0.11	11
12	0.29	0.51	—	0.06	0.20	—	—	—	—	—	0.57	0.12	12
13	0.02	0.27	—	—	0.52	—	—	0.01	0.20	0.13	0.05	0.30	13
14	0.07	0.02	—	—	—	—	—	0.03	0.18	—	0.09	0.56	14
15	0.23	—	—	—	0.51	—	0.65	—	0.07	—	0.13	0.30	15
16	—	1.41	—	0.01	0.12	—	0.99	—	0.03	—	—	0.54	16
17	0.09	0.37	—	—	0.11	—	—	—	—	—	—	0.02	17
18	—	0.50	—	0.01	—	—	0.03	0.15	—	—	—	—	18
19	0.01	—	—	0.13	0.91	—	0.44	—	—	—	—	—	19
20	0.56	0.04	—	0.02	0.01	—	—	—	0.05	0.16	—	0.14	20
21	0.10	0.14	—	—	0.04	—	0.20	—	—	0.24	—	0.23	21
22	0.22	0.15	0.16	0.14	—	0.61	0.14	—	0.20	0.09	—	0.55	22
23	—	0.19	0.15	—	—	0.28	—	—	0.08	0.71	—	0.33	23
24	—	—	—	0.01	—	—	—	—	0.65	0.57	—	0.24	24
25	—	—	—	—	—	0.29	0.10	—	0.02	—	0.08	0.18	25
26	—	0.44	—	—	—	0.01	0.38	—	0.07	—	—	0.55	26
27	—	0.02	—	—	—	0.14	0.13	—	0.02	1.18	=	0.19	27
28	—	0.11	—	—	—	0.01	—	0.04	0.50	0.23		0.10	28
29	—	X	—	—	—	1.05	—	—	0.48	0.07	0.34	0.38	29
30	0.18	X	—	0.20	—	0.02	—	—	0.11	0.69	0.27	0.41	30
31	—	X	—	X	—	X	0.37	0.08	X	0.10	X	0.35	31
Total	4.47	8.00	1.05	1.80	2.90	2.73	4.69	1.98	3.03	6.03	3.46	9.98	YEAR'S TOTAL 50.12 ✓
Rain Days.	19	24	8	14	12	12	14	14	16	16	12	28	~~175~~ 189

W. 8,000. X. 15.

✓

REGISTER

FORM A.
BRITISH RAINFALL.

Kept at Bangeston
in the County of Pembroke
by Commander F. C. Pearson R.N.

Lat. 51·41½ N Long. 4 4½ W
Time of Observation 9 AM
Nearest Railway Station Pembroke (S 1 mile)
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·55	0·37	—	—	0·26	—	0·04	0·53	0·25	0·18	0·04	0·25	1
2	0·38	0·25	0·33	0·30	—	0·26	0·04	0·31	0·12	0·21	—	0·21	2
3	—	0·19	0·24	0·06	0·05	—	—	—	—	—	—	0·44	3
4	0·05	0·07	0·01	—	0·09	0·04	—	—	—	—		0·73	4
5	0·14	0·40	0·01	0·15	0·08	0·01	—	0·15	—	—	—	1·40	5
6	0·48	0·07	—	0·35	—	—	0·67	0·18	—	—	—	0·07	6
7	0·32	0·55	—	—	—	0·01	0·57	0·03	—	0·91	0·04	0·28	7
8	0·14	0·75	—	—	—	—	—	0·20	—	0·33	0·51	—	8
9	0·03	0·28	—	0·17	—	—	—	0·10	—	—	0·06	0·94	9
10	0·61	0·86	0·14	0·19	—	—	—	0·07	—	0·29	—	0·06	10
11	—	0·04	0·01	—	—	—	—	0·10	—	—	1·28	0·11	11
12	0·29	0·51	—	0·06	0·20	—	—	—	—	—	0·57	0·12	12
13	0·02	0·27	—	—	0·52	—	—	0·01	0·20	0·13	0·05	0·30	13
14	0·07	0·02	—	—	—	—	—	0·03	0·18	—	0·09	0·56	14
15	0·23	—	—	—	0·51	—	0·65	—	0·07	—	0·13	0·30	15
16	—	1·41	—	0·01	0·12	—	0·99	—	0·03	—	—	0·54	16
17	0·09	0·37	—	—	0·11	—	—	—	—	—	—	0·02	17
18	—	0·50	—	0·01	—	—	0·03	0·15	—	—	—	—	18
19	0·01	—	—	0·13	0·91	—	0·44	—	—	—	—	—	19
20	0·56	0·04	—	0·02	0·01	—	—	—	0·05	0·16	—	0·14	20
21	0·10	0·14	—	—	0·04	—	0·20	—	—	0·24	—	0·23	21
22	0·22	0·15	0·16	0·14	—	0·61	0·14	—	0·20	0·09	—	0·55	22
23	—	0·19	0·15	—	—	0·28	—	—	0·08	0·71	—	0·33	23
24	—	—	—	0·01	—	—	—	—	0·65	0·57	—	0·24	24
25	—	—	—	—	—	0·29	0·10	—	0·02	—	0·08	0·18	25
26	—	0·44	—	—	—	0·01	0·38	—	0·07	—	—	0·55	26
27	—	0·02	—	—	—	0·14	0·13	—	0·02	1·18	—	0·19	27
28	—	0·11	—	—	—	0·01	—	0·04	0·50	0·23	—	0·10	28
29	—	×	—	—	—	1·05	—	—	0·48	0·07	0·34	0·38	29
30	0·18	×	—	0·20	—	0·02	—	—	0·11	0·69	0·27	0·41	30
31	—	×	—	×	—	×	0·37	0·08	×	0·10	×	0·35	31
Total	4·47	8·00	1·05	1·80	2·90	2·73	4·69	1·98	3·03	6·03	3·46	9·98	YEAR'S TOTAL 50·12 ✓
Rain Days.	19	24	8	14	12	12	14	14	16	16	12	28	~~175~~ 189

W. 8,000. X. 15.

New 442 A

FORM A.
BRITISH RAINFALL.

2 FEB 1915

REGISTER OF RAINFALL IN 1915

Kept at Baugeston House

in the County of Pembroke

by Comder P. C. Pearson R.N.

Lat. 51-41½N Long. 4-54½W

Time of Observation 9 AM

Nearest Railway Station Pembroke (South 1 mile

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ „ „ „ Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.55												1
2	0.38												2
3	—												3
4	0.05												4
5	0.14												5
6	0.48												6
7	0.32												7
8	0.14												8
9	0.03												9
10	0.61												10
11	—												11
12	0.29												12
13	0.02												13
14	0.07												14
15	0.23												15
16	—												16
17	0.09												17
18	—												18
19	0.01												19
20	0.56												20
21	0.10												21
22	0.22												22
23	—												23
24	—												24
25	—												25
26	—												26
27	—												27
28	—												28
29	—												29
30	0.18	X											30
31	—	X		X		X			X		X		31
Total	4.47												YEAR'S TOTAL
Rain Days.	19												

W. 8,000. X. 14.

8 made

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

11 JAN

Kept at Bangeston House
in the County of Pembroke
by Commander F. C. Pearson R.N.

Lat. 51° 41½ N Long. 4° 54½ W
Time of Observation 9 AM
Nearest Railway Station Pembroke (South W)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.15	0.06	0.11	—	0.04	0.22	0.10	0.04	—	2.35	0.30	—	1
2	0.54	0.62	0.20	—	—	—	0.04	—	0.79	0.76	0.36	—	2
3	0.01	0.78	—	0.04	—	0.16	—	—	0.11	0.50	0.18	—	3
4	0.23	0.40	—	0.05	0.19	0.51	—	—	0.07	—	0.30	0.08	4
5	0.10	0.06	0.04	—	0.29	0.02	0.03	—	0.14	0.19	0.08	~~0~~	5
6	0.11	0.28	—	—	0.35	—	1.46	—	—	0.33	0.78	0.06	6
7	—	0.01	—	—	0.25	—	—	—	—	0.13	0.30	0.19	7
8	0.08	0.04	—	—	0.38	0.30	—	—	—	0.10	0.03	0.20	8
9	—	0.10	—	—	—	—	0.08	—	—	—	0.09	0.78	9
10	—	0.55	—	0.13	0.12	—	—	—	—	—	0.05	0.13	10
11	—	0.04	—	0.28	0.47	—	—	—	0.05	—	0.02	—	11
12	0.01	0.03	—	—	0.25	—	0.41	0.60	—	0.17	—	—	12
13	—	0.35	0.04	—	0.02	—	—	0.27	0.01	0.08	0.02	—	13
14	0.05	0.48	0.07	0.09	0.12	—	—	0.03	—	0.08	—	—	14
15	0.04	0.23	0.10	0.28	0.08	—	—	0.05	—	0.02	—	—	15
16	0.14	0.06	—	0.44	0.02	—	0.10	—	—	0.12	—	0.06	16
17	0.68	0.25	0.02	0.08	—	—	—	—	0.86	0.57	0.60	0.60	17
18	0.07	0.11	0.11	0.10	—	—	—	0.02	0.05	0.02	—	0.05	18
19	0.41	0.06	0.31	0.19	—	—	—	—	—	—	0.10	0.35	19
20	0.38	0.48	0.20	0.08	—	—	—	—	—	—	0.06	—	20
21	0.10	—	0.15	0.03	0.03	0.08	—	—	—	—	0.02	0.07	21
22	—	—	—	—	—	0.40	—	0.08	—	0.25	—	0.20	22
23	0.07	—	0.04	0.23	—	0.02	—	0.53	—	0.29	0.38	0.17	23
24	—	—	0.20	0.11	0.09	—	—	0.36	—	0.37	0.02	0.10	24
25	—	—	0.19	—	0.12	0.10	—	0.21	0.01	0.08	0.27	0.05	25
26	0.14	—	0.04	—	—	0.13	—	0.08	0.32	0.80	0.14	—	26
27	0.05	—	0.54	—	—	0.11	—	—	0.77	0.78	—	—	27
28	—	—	—	—	—	—	—	—	0.04	0.82	0.11	0.~~07~~ 62	28
29	—	0.23	0.07	—	—	0.72	—	0.05	—	0.86	0.05	0.07	29
30	—	X	—	—	—	0.27	—	—	—	0.20	0.03	0.01	30
31	—	X	—	X	—	X	—	0.17	X	0.16	X	0.01	31
Total	3.36 ✓	5.22 ✓	2.43 ✓	2.13 ✓	2.8~~0~~2 2.82	3.04 ✓	2.22 ✓	2.49 ✓	3.22 ✓	10.03 ✓	4.29 ✓	3.80 ✓	YEAR'S TOTAL 45.0~~3~~5 45.05
Rain Days.	19 ✓	21 ✓	17 ✓	14 ✓	16	13 ✓	7 ✓	13 ✓	12 ✓	24 ✓	23 ✓	19	198

W. 8,000, VIII, 16

3840

FORM A.
BRITISH RAINFALL,

3 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bangeston
in the County of Pembroke
by Commander P. C. Pearson

Lat. 51°41½ N Long. 4°54½ W.
Time of Observation 9 AM
Nearest Railway Station Pembroke (South 1')
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.28	0.06	—	0.11	—	—	0.08	—	0.21	0.01	1
2	—	—	—	0.17	—	0.03	—	—	—	—	0.09	—	2
3	0.05	0.11	—	0.11	—	0.09	0.88	—	—	0.69	0.91	0.08	3
4	—	0.10	0.57	0.04	—	—	0.12	—	0.15	0.12	—	0.01	4
5	0.27	—	0.24	0.07	—	0.48	—	—	0.10	0.20	0.16	—	5
6	—	—	0.40	—	—	0.30	—	—	—	0.15	0.17	0.17	6
7	0.34	—	—	0.15	—	0.07	0.18	0.60	—	0.08	0.02	—	7
8	0.05	—	—	0.04	—	0.02	0.05	0.73	0.06	0.47	0.42	0.28	8
9	—	—	0.28	—	0.15	—	—	0.13	0.20	0.09	0.05	0.01	9
10	0.30	—	0.98	0.21	—	—	—	0.42	0.02	0.09	—	—	10
11	0.04	—	—	0.26	—	—	—	0.30	—	0.38	0.35	—	11
12	0.23	—	—	0.05	0.41	—	—	0.79	—	0.57	—	—	12
13	0.10	—	0.19	0.02	—	—	—	0.69	0.31	0.32	0.06	—	13
14	—	—	—	0.02	—	—	0.07	0.03	—	0.10	—	—	14
15	—	—	—	0.07	—	—	0.15	—	0.08	0.41	—	0.19	15
16	—	0.17	—	0.05	—	—	—	0.03	0.05	0.07	0.06	0.12	16
17	—	0.02	0.07	0.40	0.12	—	0.78	1.15	0.77	0.01	0.06	—	17
18	—	—	—	0.02	0.21	—	0.50	—	0.71	—	—	—	18
19	—	1.16	0.08	—	—	0.45	—	—	—	—	—	—	19
20	—	0.10	0.01	—	0.69	0.60	—	0.11	0.14	—	0.03	—	20
21	—	—	0.12	—	—	—	—	0.01	—	0.11	—	—	21
22	—	0.02	—	—	0.03	—	—	1.37	—	0.08	—	—	22
23	—	0.42	—	—	0.30	—	—	0.11	—	0.15	—	—	23
24	—	—	—	—	—	0.07	0.45	0.08	0.03	0.14	0.04	0.01	24
25	—	0.08	0.03	—	—	—	0.02	0.57	0.25	—	—	—	25
26	—	—	0.01	—	1.51	0.08	—	0.06	0.21	0.08	0.52	0.04	26
27	—	—	0.04	—	0.08	0.95	0.75	0.96	—	0.04	—	0.01	27
28	—	0.10	0.08	—	0.07	0.07	0.04	0.18	—	0.02	0.01	—	28
29	—		0.04	—	—	—	—	—	—	0.60	0.04	0.19	29
30	—	X	—	—	—	—	—	0.42	—	0.02	0.06	—	30
31	—	X	—	X	0.27	X	—	0.15	X	0.14	X	—	31
Total	1.38 ✓	2.28 ✓	3.42 ✓	1.74 ✓	3.84 ✓	3.32 ✓	3.99 ✓	8.89 ✓	3.16 ✓	5.13 ✓	3.26 ✓	1.12 ✓	YEAR'S TOTAL 41.53 ✓
Rain Days.	8 ✓	10 ✓	16 ✓	16 ✓	11 ✓	13 ✓	12 ✓	21 ✓	15 ✓	25 ✓	18 ✓	12 ✓	177 ✓

W. 8,000, IX. 17.

En M.O.S

10

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
6. 1. 19

Kept at Bangeston

in the County of Pembroke

by Commander E. C. Pearson R.N.

Lat. 51°41½'N Long. 4°54½'W

Time of Observation 9 a.m.

Nearest Railway Station Pembroke 5 m

Diameter of Funnel of Rain Gauge 5" ~~[illegible]~~ in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 40 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.26	—	0.19	0.15	—	—	1.25	—	0.02	0.96	—	1
2	0.05	0.18	—	—	—	—	—	0.19	—	0.02	0.06	0.73	2
3	—	0.16	—	0.09	0.16	—	—	0.02	0.53	0.25	0.16	0.10	3
4	—	0.07	—	—	—	—	—	0.27	0.45	0.34	0.84	0.54	4
5	—	—	0.04	0.20	0.03	—	—	0.32	0.14	0.63	0.02	0.14	5
6	0.08	0.84	—	0.26	—	0.21	—	—	0.08	0.33	~~6~~ —	0.10	6
7	0.08	0.23	—	0.05	—	—	—	0.06	0.75	0.13	0.35	0.34	7
8	—	0.04	—	—	—	0.06	0.06	—	0.10	0.55	0.02	0.02	8
9	—	0.01	—	—	—	0.30	0.15	—	0.56	0.08	0.02	0.66	9
10	—	0.01	0.03	0.06	—	—	0.21	—	0.08	0.15	0.21	0.59	10
11	0.10	0.01	0.22	0.05	—	—	0.12	—	0.17	0.14	0.08	0.25	11
12	0.04	0.10	—	0.03	0.24	—	0.02	—	0.04	0.07	—	0.02	12
13	0.05	—	—	—	—	0.02	0.02	—	0.80	0.40	—	0.17	13
14	0.79	—	—	—	0.01	—	0.17	—	0.30	0.06	—	0.82	14
15	0.90	—	—	—	—	—	0.68	—	0.70	0.02	—	0.84	15
16	0.42	0.08	0.03	0.69	—	—	0.04	0.21	0.19	0.13	—	0.04	16
17	0.22	~~0.0~~	—	0.18	—	0.01	0.81	0.02	—	0.09	—	0.37	17
18	0.54	0.17	0.03	—	—	0.71	0.02	0.02	0.23	0.23	—	0.41	18
19	0.27	0.25	0.13	0.18	—	—	0.57	0.01	0.04	—	—	0.12	19
20	0.25	0.04	0.01	0.10	—	—	0.05	0.02	0.36	—	—	0.33	20
21	0.38	0.03	—	0.01	—	0.01	0.66	—	0.65	0.08	—	0.22	21
22	0.04	—	—	—	0.36	—	0.55	—	0.17	0.33	—	0.04	22
23	0.42	0.02	—	—	0.15	0.05	0.11	—	0.01	—	—	0.01	23
24	—	0.13	—	—	—	—	0.02	0.16	0.44	—	0.36	0.57	24
25	—	—	—	—	0.36	—	0.33	0.81	0.02	0.07	0.31	0.02	25
26	0.24	0.02	—	—	—	—	—	0.03	0.02	0.09	0.06	0.11	26
27	0.06	0.05	0.35	—	—	—	—	0.22	0.02	0.05	0.42	0.02	27
28	—	0.27	0.31	—	—	—	—	—	0.02	0.08	0.20	—	28
29	—		0.43	—	—	—	—	—	0.16	0.04	—	—	29
30	—	×	0.30	—	—	—	—	—	0.08	0.02	0.27	0.14	30
31	—	×	0.62	×	—	×	—	—	×	0.65	×	0.15	31
Total	4.84	2.97	2.50	2.09	1.46	1.37	4.53	3.61	8.11	5.05	4.34	7.81	YEAR'S TOTAL 48.68
Rain Days.	18	21	12	13	8	8	18	15	27	27	16	28	211

W. 6,500, VII. 18. w w c

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Bangeston

in the County of Pembroke

by Commander P.C. Pearson R.N.

Lat. 51° 41½′ N Long 4° 54½′ W
Time of Observation 9 AM
Nearest Railway Station Pembroke S. 1′
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·61	—	0·10	0·02	0·06	—	—	—	0·30	0·12	—	0·69	1
2	0·53	—	0·15	—	—	—	—	—	0·02	—	—	0·24	2
3	0·02	0·05	0·03	—	0·11	—	—	—	0·08	—	—	0·30	3
4	—	0·56	0·31	—	—	0·06	0·01	0·02	0·12	—	—	0·10	4
5	0·34	0·32	—	—	0·07	—	—	—	0·03	—	—	0·21	5
6	0·33	0·07	0·48	—	—	—	—	—	0·04	—	—	0·21	6
7	0·08	—	0·03	0·38	—	—	—	—	—	—	0·02	0·06	7
8	0·40	—	0·17	—	—	0·05	—	—	0·02	—	0·24	0·01	8
9	0·13	—	0·04	0·13	0·12	—	—	—	—	0·07	—	0·12	9
10	0·27	—	0·79	—	0·02	0·01	—	—	—	0·07	0·32	[illegible]·18	10
11	0·22	—	0·77	0·09	0·26	0·05	0·07	—	—	0·05	0·28	0·23	11
12	0·29	0·02	0·08	0·08	0·03	1·04	—	—	0·16	0·01	0·04	0·04	12
13	0·80	0·02	0·11	0·35	—	—	—	—	0·07	0·03	—	0·66	13
14	0·22	0·07	—	0·16	0·23	—	—	—	—	—	—	0·31	14
15	0·22	0·07	—	0·02	—	—	—	—	—	0·01	—	0·36	15
16	0·07	0·76	—	—	0·02	0·03	—	0·21	—	—	0·45	0·12	16
17	—	0·45	0·03	—	—	0·09	0·07	0·05	—	—	0·30	0·05	17
18	0·16	0·24	1·00	—	—	—	0·41	0·40	0·05	—	0·28	0·03	18
19	0·59	0·42	0·25	—	—	0·37	—	0·11	0·05	—	0·05	0·10	19
20	0·37	0·05	0·14	—	0·20	—	0·01	—	0·07	—	0·07	0·08	20
21	0·08	0·72	—	—	0·33	—	0·05	—	0·34	—	0·01	0·02	21
22	—	0·02	—	—	—	0·02	—	—	0·40	0·04	—	0·07	22
23	—	—	—	—	—	—	—	—	—	0·67	0·03	—	23
24	0·11	—	—	—	0·02	0·32	—	—	0·02	0·31	0·06	0·14	24
25	0·27	—	—	—	0·01	0·02	—	0·68	0·08	—	0·04	0·04	25
26	0·06	0·13	0·08	0·31	—	—	—	0·02	—	0·01	0·08	0·73	26
27	0·05	0·20	~~0·20~~	0·29	—	—	—	0·25	0·04	0·09	—	0·01	27
28	—	0·01	0·31	0·26	—	—	—	0·31	—	0·24	0·01	0·54	28
29	—	×	0·02	—	—	—	—	0·15	—	0·04	0·03	0·06	29
30	—	×	0·04	0·19	—	0·14	—	0·78	—	—	0·44	0·35	30
31	—	×	0·07	×	—	×	—	—	×	—	×	0·11	31
TOTAL	6·22	4·18	5·00	2·28 2·58	1·48	2·20	0·62	2·98	1·89	1·76	2·75	7·17	YEAR'S TOTAL ~~38·83~~ 38.53
Days with ·01 in. or more	23	18	21	12	13	12	6	11	17	14	18	30	195

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

9

FORM A.
BRITISH RAINFALL

1. 2. 19

PEMBROKE

—

RAF STATION.

PEMBROKESHIRE

1918

REG

Kept at Milton Ge… …75 …gam

in the County of P… …mbroke

by Ra…

…Gauge 8 in.

…Ground 1 ft. 0 in.

…Sea Level 107 ft.

IMPORTANT NO… …the result entered to the previous day. If an O… …rsal rule, he is earnestly requested to add the rea… …in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	6·2	–	4·4	3·3	–	–	25·5	–	0·2	24·7	–	1
2	0·7	5·7	–	–	–	–	–	3·5	–	0·8	1·5	17·0	2
3	–	3·6	–	6·5	2·5	–	–	1·0	17·3	4·7	4·8	3·1	3
4	–	1·9	–	–	–	–	–	6·8	11·1	8·6	14·0	12·4	4
5	–	0·2	–	10·0	–	–	–	5·7	5·7	16·9	0·2	3·7	5
6	1·9	0·0	0·9	–	0·2	4·5	–	–	1·7	12·0	–	1·1	6
7	10·0	4·8	–	1·9	–	–	0·3	2·0	17·1	2·0	9·0	9·0	7
8	6·5	2·8	–	–	–	3·7	2·5	–	4·1	13·9	–	0·4	8
9	0·5	0·3	–	1·5	–	3·9	13·0	0·1	12·1	2·0	0·6	12·5	9
10	–	0·2	–	1·2	–	–	6·6	–	2·0	3·9	4·6	13·0	10
11	0·9	0·3	1·1	0·4	–	–	7·3	–	4·5	0·9	0·7	4·7	11
12	–	2·1	–	–	5·9	–	·5	–	0·9	0·9	–	19·0	12
13	–	–	–	–	–	0·5	1·5	–	22·1	7·0	–	3·7	13
14	0·9	–	–	–	0·3	–	5·0	–	4·7	1·7	–	20·5	14
15	0·3	–	–	–	–	–	18·5	–	21·0	0·7	–	–	15
16	3·5	1·6	0·3	19·9	–	–	1·7	4·7	5·2	3·0	–	0·4	16
17	6·9	–	–	2·6	0·1	1·9	5·4	0·4	2·4	1·2	–	9·5	17
18	12·3	4·6	2·3	–	0·1	13·5	–	0·9	7·7	–	–	8·4	18
19	5·2	0·9	4·3	4·8	–	–	10·2	0·2	0·8	–	–	1·1	19
20	5·8	–	0·3	–	–	0·2	0·9	0·3	8·6	–	–	–	20
21	9·4	5·5	–	–	–	0·2	18·2	–	14·9	2·6	–	10·4	21
22	0·8	0·9	–	–	5·2	–	13·3	–	4·8	0·6	1·8	5·6	22
23	10·7	0·3	–	–	3·8	1·5	1·0	–	0·1	–	–	1·1	23
24	0·2	3·0	–	–	–	–	0·5	11·0	8·1	–	6·8	–	24
25	–	–	–	0·2	5·2	–	4·7	4·7	0·9	1·5	7·8	–	25
26	3·7	0·4	–	4·5	–	–	–	1·6	0·7	1·4	1·5	12·1	26
27	0·3	1·9	18·0	–	–	–	–	5·4	0·9	1·4	9·1	0·7	27
28	–	3·9	0·2	–	–	–	–	–	1·3	2·1	4·1	1·9	28
29	–	X	12·1	–	–	–	–	–	1·32 33·5	0·3	–	0·4	29
30	–	X	9·8	–	–	–	–	–	2·4	0·2	7·5	1·1	30
31	–	X	9·3	X	–	X	–	–	X	12·1	X	4·5	31
Total	80·5	51·1	58·6	57·9	26·6	29·9	111·1	73·8	216·6	102·6	98·7	177·3	YEAR'S TOTAL 1084·7
Rain Days.	19	22	11	12	10	9	18	16	~~28~~ 27	26	16	26	~~213~~ 212

4273in.

W, 6,500, VII. 18. W W C

9

FORM A.
BRITISH RAINFALL.

1.2.19

REG

Kept at Milton-Pem
Met Office
in the County of Pembroke
by RAF.

75
9am
Nearest Railway Station Pembroke
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 107 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	6.2	–	4.4	3.3	–	–	25.5	–	0.2	24.7	–	1
2	0.7	5.7	–	–	–	–	–	3.5	–	0.8	1.5	17.0	2
3	–	3.6	–	6.5	2.5	–	–	1.0	17.3	4.7	4.8	3.1	3
4	–	1.9	–	–	–	–	–	6.8	11.1	8.6	14.0	12.4	4
5	–	0.9	–	10.0	–	–	–	5.7	5.7	16.9	0.2	3.7	5
6	1.9	0.0	0.9	–	0.2	4.5	–	–	1.7	12.0	–	1.1	6
7	10.0	4.8	–	1.9	–	–	0.3	2.0	17.1	2.0	9.0	9.0	7
8	6.5	2.8	–	–	–	3.7	2.5	–	4.1	13.9	–	0.4	8
9	0.5	0.3	–	1.5	–	3.9	13.0	0.1	12.1	2.0	0.6	12.5	9
10	–	0.2	–	1.2	–	–	6.6	–	2.0	3.9	4.6	13.0	10
11	0.9	0.3	1.1	0.4	–	–	7.3	–	4.5	0.9	0.7	4.7	11
12	–	2.1	–	–	5.9	–	.5	–	0.9	0.9	–	19.0	12
13	–	–	–	–	–	0.5	1.5	–	22.1	7.0	–	3.7	13
14	0.9	–	–	–	0.3	–	5.0	–	4.7	1.7	–	20.5	14
15	0.3	–	–	–	–	–	18.5	–	21.0	0.7	–	–	15
16	3.5	1.6	0.3	19.9	–	–	1.7	4.7	5.2	3.0	–	0.4	16
17	6.9	–	–	2.6	0.1	1.9	5.4	0.4	2.4	1.2	–	9.5	17
18	12.3	4.6	2.3	–	0.1	13.5	–	0.9	7.7	–	–	8.4	18
19	5.2	0.9	4.3	4.8	–	–	10.2	0.2	0.8	–	–	1.1	19
20	5.8	–	0.3	–	–	0.2	0.9	0.3	8.6	–	–	–	20
21	9.4	5.5	–	–	–	0.2	18.2	–	14.9	2.6	–	10.4	21
22	0.8	0.9	–	–	5.2	–	13.3	–	4.8	0.6	1.8	5.6	22
23	10.7	0.3	–	–	3.8	1.5	1.0	–	0.1	–	–	1.1	23
24	0.2	3.0	–	–	–	–	0.5	11.0	8.1	–	6.8	–	24
25	–	–	–	0.2	5.2	–	4.7	4.7	0.9	1.5	7.8	–	25
26	3.7	0.4	–	4.5	–	–	–	1.6	0.7	1.4	1.5	12.1	26
27	0.3	1.9	18.0	–	–	–	–	5.4	0.9	1.4	9.1	0.7	27
28	–	3.9	0.2	–	–	–	–	–	1.3	2.1	4.1	1.9	28
29	–		12.1	–	–	–	–	–	1.32 33.5	0.3	–	0.4	29
30	–		9.8	–	–	–	–	–	2.4	0.2	7.5	1.1	30
31	–		9.3		–		–	–		12.1		4.5	31
Total	80.5	51.1	58.6	57.9	26.6	29.9	111.1	73.8	216.6	102.6	98.7	177.3	YEAR'S TOTAL 1084.7
Rain Days.	19	22	11	12	10	9	18	16	~~28~~ 27	26	16	26	~~213~~

42.73 in.
212

W, 6,500, VII. 18. w w c

written 30/4/65

RE

PENFFORD COUNTY SCHOOL

PEMBROKESHIRE

1914, 1917

FORM A. BRITISH RAINFALL.

5 - JAN 1915

Kept at Penffor (approx)

in the County of ycefn

in.

by Thomas H.D und 1 ft. in.

Level 310 ft.

IMPORTANT N result entered to the previous day. If an rule, he is earnestly requested to add the the space provided for it at the end of this paragraph. of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·17		·02		·34	·66	·47			1·06	·18	1
2		·01	·22				·12	·09		·01	·01	·54	2
3	·12		·34		·71						·02	·26	3
4	·35		·05	·4			·93	·05			·03		4
5	·01	·03	·17		·02						·11		5
6				·06	·[illegible]			·13				·42	6
7	·18			·1	·41	·19	·6	·54				·14	7
8	·22	·31	·49	·1		·07		·7			·14	·07	8
9		·16	·02	·02		·32		·1	·47		·06	·01	9
10		·38	·01	·24	·92	·08		·01	·48			·01	10
11	·46	·35	·68	·01		·22					·17		11
12	·02	·47	·23		·06				·42		·3		12
13				·06			·22		·84	·42		·85	13
14							·02	·56	·01			·01	14
15		·86	·77						·45		1·4	·16	15
16		·01					·08	·05	·1		·01	·03	16
17		·5	·31				·45					·92	17
18		·02	·17				·26		·09				18
19		·16	·06				1·13		·07				19
20								·13				·85	20
21						·1				·27			21
22		1·	·22	·04		·01		·58		·41	·06		22
23		·07	·14				·04	·09			·02		23
24		·01	·23				·09	·49			·22		24
25	·3		·34				·12	·8		·76	·16	·94	25
26	·01	·03	·01				·18			·45	·34	·69	26
27	·29						·01			·32		1·08	27
28	·03				·05		·06	·05		·11		·58	28
29	·32		·56					·13		·02	1·08	·01	29
30		X	·14					·05			·31	·65	30
31		X	·09	X		X	·59		X		X	·45	31
Total	2·31	4·54	5·25	1·05	2·27	1·33	5·56	5·02	2·93	2·77	5·50	8·85 8.85	YEAR'S TOTAL 46·38 (47·38)
Rain Days.	12	17	21	10	7	8	17	18	9	9	18	21	

W. 8,000. X. 14.

written
30/4/65

RE

(approx)

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Penffordd Cl School Clynderwen

in the County of Pembroke 4

by Thomas H Davies

Time of Observation 9 a.m
Nearest Railway Station Llanycefn
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·17		·02		·34	·66	·47			1·06	·18	1
2		·01	·22				·12	·09		·01	·01	·54	2
3	·12		·34		·71						·02	·26	3
4	·35		·05	·4			·93	·05			·03		4
5	·01	·03	·17		·02						·11		5
6				·06	·1			·13				·42	6
7	·18			·1	·41	·19	·6	·54				·14	7
8	·22	·31	·49	·1		·07		·7			·14	·07	8
9		·16	·02	·02		·32		·1	·47		·06	·01	9
10		·38	·01	·24	·92	·08		·01	·48			·01	10
11	·46	·35	·68	·01		·22					·17		11
12	·02	·47	·23		·06				·42		·3		12
13				·06			·22		·84	·42		·85	13
14							·02	·56	·01		}	·01	14
15		·86	·77						·45		1·4	·16	15
16		·01					·08	·05	·1		·01	·03	16
17		·5	·31				·45					·92	17
18		·02	·17				·26		·09				18
19		·16	·06				1·13		·07				19
20								·13				·85	20
21						·1				·27			21
22		1·	·22	·04		·01		·58		·41	·06		22
23		·07	·14				·04	·09			·02		23
24		·01	·23				·09	·49			·22		24
25	·3		·34				·12	·8		·76	·16	·94	25
26	·01	·03	·01				·18			·45	·34	·69	26
27	·29						·01			·32		1·08	27
28	·03				·05		·06	·05		·11		·58	28
29	·32		·56					·13		·02	1·08	·01	29
30		×	·14					·05			·31	·65	30
31		×	·09	×		×	·59		×		×	·45	31
Total	2·31	4·54	5·25	1·05	2·2	1·33	5·56	5·02	2·93	2·77	5·50	8·85 8.85	YEAR'S TOTAL 46·38 (47·38)
Rain Days.	12	17	21	10	7	8	17	18	9	9	18	21	

W. 8,000. X. 14.

~~W. C. S. R.~~ cwd for auth

3849

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Penffordd Cl. School

in the County of Pembroke

by Thomas H. Davies

Lat. 51·5 N Long. 4·45

Time of Observation 9.30 am

Nearest Railway Station Llanycefn

Diameter of Funnel of Rain Gauge 5 ins

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 317 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·24	·18				—	—	—	·17		1
2			—					—	—	—		·09	2
3	·06		—	·19		·71		—	·19	·50	1·04	·1	3
4			·39	·04		·02		—		—	—	—	4
5		·21	·23			·41	·6	—	·1	—	·2	—	5
6			·07			·15	·02	—	·31	—	·22	·18	6
7	·75					·07		·65	—	·9	·19	—	7
8	·02			·35			·49	—	—	·59	·56	—	8
9	·32			·01	·14			·86	·11	·19	—	·29	9
10				·32				·40	—	·01	—	—	10
11	·02		·91	·21				·23	—	—	·6	—	11
12			·07	·21				·22	·04	—	·01	·02	12
13			·09		·52	·06	[illegible]	·30	·34	—	·09	·02	13
14	·2						·11	—		·84	—		14
15	·03		—	·19			—	—		·39	—		15
16			—	·04			—	·04	·32	·05	—	·5	16
17		·05		·65	·05		·94	1·54		·01	—	·01	17
18		—	·13	·04		·02	·24	—	·9	·01	·17		18
19		·86	·03			·29	—	—	·3	—	·09		19
20		·04			·61	·43	—	·22	(·18)		·15		20
21		—	·04			·01	·01	·02		·11	·05		21
22		·31			·02		—	·97		·13	—		22
23		·03			·17		·02	·30	·01	·06	—	·01	23
24		·12				·13	1·49		·5	·2	—		24
25		·14	·03				·02	[illegible]	·2	·03	·08		25
26		—	·01			·14	·02	·89	·21		·43		26
27		·06	·06			1	·57	[illegible]					27
28		·09	·07			·03	·4	·15		·08	·03		28
29			·02		·50		—	·10		·79	·04		29
30		X					—	·14	—	·02	—		30
31		X		X		X	·01		X	·06	X		31
Total	1·50	1·91	2·30	2·45	2·01	3·25	4·97	8·99	3·99	4·97	4·12	1·22	YEAR'S TOTAL ~~[illegible]~~ 41·95
Rain Days.	7	10	15	12	7	14	17	17	16	18	17	9	155

W. 8,000, VIII. 16

3645

4114

4114

ST. ANN'S HEAD

1919-1920

AB
23, 24

78 08 09

FORM A. 2. METEOROLOGICAL OFFIC … ORGANIZATION.

REGISTER OF … 1919.

Kept at St Ann's Head

in the County of Pembroke

by W. Havery, + E. J. Upton,

…ong

7h

…ion

Diameter of Funnel of Rain Gauge ………in.

Height of top of Gauge above Ground ……ft. 10 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10·4	-	1·0	0·9	0·7	-	-	-	7·1	2·8	-	14·7	1
2	7·0	-	2·5	-	0·2	-	-	-	0·2	-	-	3·1	2
3	-	0·5	-	-	1·2	-	-	-	-	-	-	5·2	3
4	0·8	6·7	7·9	-	-	2·0	-	0·9	6·9	-	-	2·2	4
5	0·9	8·0	-	-	0·4	0·1	-	-	1·8	-	-	2·6	5
6	11·0	1·9	6·7	-	-	-	-	0·2	0·3	-	-	5·9	6
7	1·5	-	1·3	7·2	-	0·3	-	-	0·2	-	4·0	0·6	7
8	8·8	-	2·7	-	-	0·7	-	-	0·3	-	0·3	2·4	8
9	6·0	-	0·6	2·1	2·2	-	-	-	0·6	-	0·4	1·0	9
10	3·2	-	16·4	-	-	1·1	-	-	-	2·3	1·2	16·4	10
11	3·8	-	17·2	1·8	5·8	0·8	1·7	-	0·2	4·1	4·0	9·2	11
12	9·2	-	4·4	0·5	0·2	22·3	-	-	2·8	1·3	1·0	-	12
13	12·4	0·3	4·9	3·4	-	-	0·4	-	1·0	-	-	6·3	13
14	4·2	3·7	-	3·4	5·0	-	0·3	0·9	-	0·3	-	6·7	14
15	2·3	1·1	-	0·2	0·1	-	0·1	-	-	0·2	-	7·7	15
16	1·6	5·2	0·3	-	0·7	0·5	-	0·6	-	-	11·6	0·4	16
17	-	15·6	-	-	-	3·3	0·7	2·6	-	-	8·0	0·3	17
18	4·3	1·6	17·5	0·3	-	-	8·6	5·9	2·0	-	5·3	0·2	18
19	6·4	16·0	5·3	-	-	5·3	-	3·7	1·4	-	1·5	1·7	19
20	5·7	0·8	2·9	-	5·1	0·3	0·1	0·2	5·0	-	1·0	1·1	20
21	0·6	12·3	-	-	7·3	-	0·2	0·9	6·2	-	0·2	2·4	21
22	-	0·4	-	-	0·2	-	1·6	-	8·1	-	-	1·9	22
23	-	-	-	-	-	-	-	-	-	15·1	0·4	0·3	23
24	0·2	-	-	1·2	0·2	6·1	-	0·3	0·3	5·4	1·5	3·2	24
25	5·8	1·5	-	-	0·3	5·2	-	10·0	0·3	-	1·4	1·6	25
26	0·2	4·2	1·3	5·0	-	-	-	2·0	1·9	0·2	0·6	11·1	26
27	1·6	-	0·3	6·8	-	-	-	3·2	0·5	5·0	-	2·0	27
28	0·9	-	7·0	8·5	-	-	-	12·5	0·5	4·9	-	9·2	28
29	-		0·4	0·8	-	-	-	1·0	-	0·5	1·6	5·9	29
30	-		0·5	3·0	-	2·2	-	18·6	-	-	8·9	5·2	30
31	-		-		-		0·4	-		-		4·1	31
TOTAL	108·8 ✓	79·8 ✓	101·1 ✓	45·1 ✓	29·6 ✓	50·2 ✓	14·1 ✓	63·5 ✓	47·6 ✓	42·1 ✓	52·9 ✓	134·6 ✓	YEAR'S TOTAL 769·4
Days with 0·2 mm. or more	24 ✓	16 ✓	20 ✓	15 ✓	14 ✓	13 ✓	8 ✓	16 ✓	21 ✓	12 ✓	18 ✓	30 ✓	207

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

3645

4114

FORM A. 2. METEOROLOGICAL OFFIC [illegible] AINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at St Ann's Head

in the County of Pembroke

by W. Havery, + E. J. Upton.

Lat. Long.

Time of Observation 7h

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10·4	-	1·0	0·9	0·7	-	-	-	7·1	2·8	-	14·7	1
2	7·0	-	2·5	-	0·2	-	-	-	0·2	-	-	3·1	2
3	-	0·5	-	-	1·2	-	-	-	-	-	-	5·2	3
4	0·8	6·7	7·9	-	-	2·0	-	0·9	6·9	-	-	2·2	4
5	0·9	8·0	-	-	0·4	0·1	-	-	1·8	-	-	2·6	5
6	11·0	1·9	6·7	-	-	-	-	0·2	0·3	-	-	5·9	6
7	1·5	-	1·3	7·2	-	0·3	-	-	0·2	-	4·0	0·6	7
8	8·8	-	2·7	-	-	0·7	-	-	0·3	-	0·3	2·4	8
9	6·0	-	0·6	2·1	2·2	-	-	-	0·6	-	0·4	1·0	9
10	3·2	-	16·4	-	-	1·1	-	-	-	2·3	1·2	16·4	10
11	3·8	-	17·2	1·8	5·8	0·8	1·7	-	0·2	4·1	4·0	9·2	11
12	9·2	-	4·4	0·5	0·2	22·3	-	-	2·8	1·3	1·0	-	12
13	12·4	0·3	4·9	3·4	-	-	0·4	-	1·0	-	-	6·3	13
14	4·2	3·7	-	3·4	5·0	-	0·3	0·9	-	0·3	-	6·7	14
15	2·3	1·1	-	0·2	0·1	-	0·1	-	-	0·2	-	7·7	15
16	1·6	5·2	0·3	-	0·7	0·5	-	0·6	-	-	11·6	0·4	16
17	-	15·6	-	-	-	3·3	0·7	2·6	-	-	8·0	0·3	17
18	4·3	1·6	17·5	0·3	-	-	8·6	5·9	2·0	-	5·3	0·2	18
19	6·4	16·0	5·3	-	-	5·3	-	3·7	1·4	-	1·5	1·7	19
20	5·7	0·8	2·9	-	5·1	0·3	0·1	0·2	5·0	-	1·0	1·1	20
21	0·6	12·3	-	-	7·3	-	0·2	0·9	6·2	-	0·2	2·4	21
22	-	0·4	-	-	0·2	-	1·6	-	8·1	-	-	1·9	22
23	-	-	-	-	-	-	-	-	-	15·1	0·4	0·3	23
24	0·2	-	-	1·2	0·2	6·1	-	0·3	0·3	5·4	1·5	3·2	24
25	5·8	1·5	-	-	0·3	5·2	-	10·0	0·3	-	1·4	1·6	25
26	0·2	4·2	1·3	5·0	-	-	-	2·0	1·9	0·2	0·6	11·1	26
27	1·6	-	0·3	6·8	-	-	-	3·2	0·5	5·0	-	2·0	27
28	0·9	-	7·0	8·5	-	-	-	12·5	0·5	4·9	-	9·2	28
29	-		0·4	0·8	-	-	-	1·0	-	0·5	1·6	5·9	29
30	-		0·5	3·0	-	2·2	-	18·6	-	-	8·9	5·2	30
31	-		-		-		0·4	-		-		4·1	31
TOTAL	108·8	79·8	101·1	45·1	29·6	50·2	14·1	63·5	47·6	42·1	52·9	134·6	YEAR'S TOTAL 769·4
Days with 0·2 mm. or more	24	16	20	15	14	13	8	16	21	12	18	30	207

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

3537

4114

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at St. Ann's Head (M.O)

in the County of Pembroke

by Lightkeepers for M.O.

Lat. 51°41' Long. 5° 11' W

Time of Observation 7h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground – ft. 10 in.

" " " Sea Level 149 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1·2	-	1·8	1·1	11·0	-	3·8	-	3·2	5·0	-	10·3	1
2	6·5	-	0·3	2·6	-	-	2·1	-	5·1	3·3	-	3·4	2
3	3·9	1·7	-	0·7	-	-	1·9	-	0·2	25·4	-	1·0	3
4	-	-	0·2	-	1·7	-	-	30·2	-	3·3	0·1	0·3	4
5	-	-	2·4	-	22·0	-	12·7	0·2	-	14·2	-	-	5
6	-	-	3·1	1·7	8·1	-	2·4	-	-	8·9	-	-	6
7	1·3	3·4	2·1	1·5	0·2	-	11·5	1·2	-	0·2	-	-	7
8	0·4	2·2	-	9·0	2·6	-	2·2	6·0	-	-	-	0·7	8
9	9·4	1·4	1·0	14·5	-	-	2·3	-	0·9	-	-	-	9
10	13·4	4·7	2·3	1·1	-	7·0	5·1	-	-	-	1·7	1·0	10
11	7·4	0·8	2·8	7·4	5·1	0·3	2·1	-	-	-	0·6	0·5	11
12	4·2	1·3	-	5·6	-	1·5	0·6	-	1·5	0·8	3·8	-	12
13	0·8	0·4	13·8	3·3	-	5·8	-	-	-	10·0	-	-	13
14	4·7	0·8	12·4	7·3	-	-	1·3	-	21·3	11·9	9·6	-	14
15	1·7	3·2	-	6·6	1·4	-	-	-	0·2	1·8	2·2	-	15
16	0·3	0·4	1·6	2·7	2·0	4·0	12·0	-	10·0	19·3	0·7	-	16
17	1·4	-	1·1	-	8·7	-	-	7·8	9·0	17·0	-	-	17
18	2·7	0·7	-	3·1	0·6	1·9	-	7·0	3·8	-	0·1	-	18
19	1·6	10·2	-	9·4	0·2	5·2	0·2	0·2	-	-	-	-	19
20	0·2	-	-	2·3	-	0·2	0·9	-	1·7	2·2	-	7·6	20
21	-	0·3	-	2·1	-	-	4·1	-	0·8	2·0	-	3·1	21
22	0·4	-	-	2·2	-	0·2	1·9	0·3	-	0·1	-	9·1	22
23	0·3	-	1·2	0·1	-	-	6·4	5·3	-	-	-	10·9	23
24	1·3	-	12·2	-	-	0·2	1·0	1·2	0·2	-	1·2	6·4	24
25	1·1	-	3·1	-	0·3	-	21·4	-	0·1	-	0·8	-	25
26	5·6	-	17·6	-	0·2	1·9	1·0	-	0·7	-	2·2	1·6	26
27	15·2	2·1	11·5	2·1	-	16·2	4·2	-	-	-	46·5	18·3	27
28	9·2	0·9	2·8	-	0·5	0·1	0·6	-	-	-	-	2·7	28
29	10·3	0·6	3·7	0·2	-	1·0	1·8	-	-	-	6·1	6·1	29
30	4·8		1·4	9·7	-	6·3	2·1	-	13·1	11·3	7·7	7·4	30
31	3·2		18·6		-		1·6	-		25·2		2·0	31
TOTAL	112·5	35·1	117·0	96·3	64·6	51·8	107·2	59·4	71·8	161·9	83·3	92·4	YEAR'S TOTAL 1053·3
Days with 0·2 mm. or more	27	17	22	22	15	14	26	10	15	17	12	18	215
Days with 1·0 mm. or more	21	9	20	20	9	10	22	7	9	15	9	15	166

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Copied from 101 5200.

WD 28.11.13

FORM A.
BRITISH RAINFALL.

10 JAN 1913

ST BRIDES

LITTLE HAVEN

PEMBROKESHIRE

1912-14

RI

The Garde

Kept at St Bri ... A.M.

in the County of P ... Haverfordwest ... 5 inches

by Head Gardener to ... ove Ground ... ft. 11 inch

Sea Level 100 ft.

IMPORTANT ... d the result entered to the previous day. If an ... niversal rule, he is earnestly requested to add the reading at 9 a.m. on ... ear in the space provided for it at the end of this paragraph. Full instructions for the ... rement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·22

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·09	·64	·07	—	—	·80	·10	-	·10	·42	1
2	-	-	·21	—	·13	·45	—	-	·03	·53	—	·36	2
3	·15	-	·05	—	-	·46	·13	-	—		·05	—	3
4	·09	-	·40	-	-	·19	—	·85	—	-	·01	·12	4
5	·77	-	·69	-	·10	—	-	·14	·03	-	·59	·02	5
6	·07	·04	·07	-	·08	-	—	·42	—	-	·04	·04	6
7	·02	·17	—	-	·23	—	-	·08	—	-	·02	—	7
8	·06	·44	·24	-	·13	-	·08	—	—	—	·05	·05	8
9	·62	·21	-	-	—	·30	-	·02	—	—	·01	·02	9
10	·05	·14	·09	—	—	·21	·10	·72	-	—	·03	·34	10
11	·32	·05	·10	-	—	·02	·17	—	—	—	·02	·07	11
12	-	·01	-	-	—	—	·15	-	-	-	·72	·65	12
13	·08	-	·29	—	·13	—	·36	—	—	-	·12	·01	13
14	·40	-	·04	-	—	—	—	—	-	·80	·04	·37	14
15	·08	·25	·27	-	-	—	-	·23	—	-	—	·05	15
16	·77	·05	-	-	-	·22	-	·09	-	-	·12	·12	16
17	·36	·01	·64	-	-	·07	-	·30	—	·26	·16	—	17
18	-	-	·13	-	-	·27	-	·33	-	—	—	·72	18
19	-	·18	·04	-	-	·02	-	·34	-	—	—	—	19
20	-	·02	—	-	·05	·08	·02	·13	-	·18	—	·12	20
21	-	·03	·34	-	-	—	—	—	-	·25	—	·05	21
22	-	·23	·17	·03	·16	·02	·15	·12	-	·13	·06	·33	22
23	·24	·37	·20	-	-	·62	·14	·52	-	·18	·31	·16	23
24	-	·01	·26	-	-	·17	·14	·32	-	·52	-	·17	24
25	—	·05	·10	-	-	·49	·12	-	-	·57	·43	·22	25
26	—	—	—	-	-	·16	·09	·58	—	·09	·25	·50	26
27	-	·15	·14	-	-	·37	·04	·08	-	·92	—	·11	27
28	-	·10	·06	—	-	·97	·42	-	-	·44	·95	·01	28
29	-	·10	-	-	-	·13	·44	·46	-	·61	-	—	29
30	-		-	—	·34	·10	·03	·04	·22	·37	-	-	30
31	—		·14	-	·11	-	·14	-		·23	-	—	31
Total	4·08 4·08	·09 2·61 2·70	·64 4·76 5·31	·07 ·67 ·10	1·53 1·46	5·32 5·32	·80 2·72 3·52	·10 6·57 5·87	·38 ·28	·10 6·08 6·18	·42 4·08 4·40	·22 5·03 4·83	YEAR'S TOTAL 43·84 44·05
Rain Days.	15	~~20~~ 21	23	2	~~11~~ 10	20	~~17~~ 18	20	~~4~~ 3	~~15~~ ~~16~~	20	24	~~187~~ 192

28.N.13

FORM A.
BRITISH RAINFALL.

10 JAN 1913

REGISTER OF

The Gardens

Kept at St Brides Little Haven S.O.

in the County of Pembroke 3

by Head Gardener to The Right Honble Lord Kensington D.S.O.

Lat. Long.

Time of Observation 9-A.M.

Nearest Railway Station Haverfordwest

Diameter of Rain Gauge 5 inches

Height of top of Gauge above Ground ft. 11 inch

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·22

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·09	·64	·07	–	–	·80	·10	–	·10	·42	1
2	–	–	·21	–	·13	·45	–	–	·03	·53	–	·36	2
3	·15	–	·05	–	–	·46	·13	–	–		·05	–	3
4	·09	–	·40	–	–	·19	–	·85	–	–	·01	·12	4
5	·77	–	·69	–	·10	–	–	·14	·03	–	·59	·02	5
6	·07	·04	·07	–	·08	–	–	·42	–	–	·04	·04	6
7	·02	·17	–	–	·23	–	–	·08	–	–	·02	–	7
8	·06	·44	·24	–	·13	–	·08	–	–	–	·05	·05	8
9	·62	·21	–	–	–	·30	–	·02	–	–	·01	·02	9
10	·05	·14	·09	–	–	·21	·10	·72	–	–	·03	·34	10
11	·32	·05	·10	–	–	·02	·17	–	–	–	·02	·07	11
12	–	·01	–	–	–	–	·15	–	–	–	·72	·65	12
13	·08	–	·29	–	·13	–	·36	–	–	–	·12	·01	13
14	·40	–	·04	–	–	–	–	–	–	·80	·04	·37	14
15	·08	·25	·27	–	–	–	–	·23	–	–	–	·05	15
16	·77	·05	–	–	–	·22	–	·09	–	–	·12	·12	16
17	·36	·01	·64	–	–	·07	–	·30	–	·26	·16	–	17
18	–	–	·13	–	–	·27	–	·33	–	–	–	·72	18
19	–	·18	·04	–	–	·02	–	·34	–	–	–	–	19
20	–	·02	–	–	·05	·08	·02	·13	–	·18	–	·12	20
21	–	·03	·34	–	–	–	–	–	–	·25	–	·05	21
22	–	·23	·17	·03	·16	·02	·15	·12	–	·13	·06	·33	22
23	·24	·37	·20	–	–	·62	·14	·52	–	·18	·31	·16	23
24	–	·01	·26	–	–	·17	·14	·32	–	·52	–	·17	24
25	–	·05	·10	–	–	·49	·12	–	–	·57	·43	·22	25
26	–	–	–	–	–	·16	·09	·58	–	·09	·25	·50	26
27	–	·15	·14	–	–	·37	·04	·08	–	·92	–	·11	27
28	–	·10	·06	–	–	·97	·42	–	–	·44	·95	·01	28
29	–	·10	–	–	–	·13	·44	·46	–	·61	–	–	29
30	–		–	–	·34	·10	·03	·04	·22	·37	–	–	30
31	–		·14	–	·11	–	·14	–		·23	–	–	31
Total	– 4·08 4·08	·09 2·61 2·70	·64 4·76 5·31	·07 ·67 ·10	1·53 1·46	5·32 5·32	·80 2·72 3·52	·10 6·57 5·87	·38 ·28	·10 6·08 6·18	·42 4·08 4·40	·22 5·03 4·83	YEAR'S TOTAL 43·84 44·05
Rain Days.	15	~~20~~	23	2	~~11~~	20	~~17~~	20	~~4~~	~~15~~	20	24	~~187~~
		21			10		18		3	~~16~~			192

W. 7,500, XI. ·12

THE GARDENS,
ST. BRIDES,
LITTLE HAVEN, R.S.O.,
S. WALES.

23-5-13

Hugh Robert Mill Esq.

Dear Sir:

Thanks very much for drawing my attention to the omission re register of Rainfall

The quantity of rain for January 1st was ·22

I shall guard

against a recurrence
of this mistake.

Your Faithfully
John Young.

Cor. for WD. 28·IV·14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

10 JAN 1914

3

Kept at St Brides Little Haven R.S.O.

in the County of Pembroke

by Head Gardener. (J. Young)

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Haverfordwest.

Diameter of Rain Gauge 5 inch in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 100 feet. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·13	—	·15	·02	—	—	—	—	·10	·10	·03	1
2	·03	·11	—	·16	—	—	—	—	—	—	·25	·15	2
3	·18	·27	·50	·03	·32	·18	—	—	—	·05	·21	·07	3
4	·13	—	·12	—	·30	—	—	—	·50	—	—	·22	4
5	·17	·03	—	—	—	·15	—	—	·18	—	·12	·02	5
6	·16	·13	—	—	—	·42	—	—	—	·01	·55	·21	6
7	·20	·10	·25	—	·65	·32	—	—	—	—	·03	·38	7
8	·08	—	—	—	·85	·36	—	—	—	·37	·02	·10	8
9	·27	·25	—	—	·11	—	·10	—	—	—	·03	·05	9
10	·06	·48	—	—	·18	·23	—	—	—	—	·75	—	10
11	·93	—	·18	·41	·06	—	—	·49	·05	180	·15	—	11
12	·40	—	—	·03	·12	·03	—	·08	—	100	·11	·19	12
13	—	—	—	—	·14	·11	—	—	145	—	·30	—	13
14	·24	—	·12	—	·03	—	—	·22	180	—	·18	—	14
15	·70	—	—	—	—	—	—	—	·23	·20	·18	·04	15
16	·25	—	·95	105	—	—	—	—	·06	·10	—	—	16
17	·96	—	·80	·05	—	—	—	—	—	·44	—	—	17
18	·19	—	·40	·07	—	—	—	—	—	·11	·06	—	18
19	·03	—	·35	·11	—	·07	·18	—	—	·27	—	—	19
20	·88	—	·20	—	—	·02	—	—	·62	—	·06	—	20
21	·08	—	·67	·27	·08	—	—	—	·18	—	·54	—	21
22	·03	—	·10	·08	·12	—	·12	—	—	—	—	—	22
23	·04	—	·15	—	—	·38	—	·61	160	—	—	·05	23
24	·07	—	—	—	—	—	—	—	·38	·13	·43	—	24
25	·04	·33	—	—	—	—	—	—	—	·20	·14	·03	25
26	—	—	—	·28	—	—	—	—	·08	·60	·02	·06	26
27	·88	—	—	·70	—	—	—	—	·12	·76	—	—	27
28	·33	—	·09	·11	—	—	—	—	—	·17	—	—	28
29	·33	—	·07	—	·36	—	—	—	—	·11	—	·34	29
30	—		·28	·56	·03	—	—	—	—	—	·03	—	30
31	·41		—		·30	—	—	—		—		—	31
Total	·13 ~~8·29~~	~~1·83~~	·15 ~~5·23~~	·02 ~~4·06~~	~~3·67~~	~~2·27~~	~~·40~~	~~1·40~~	·10 ~~6·85~~	·10 ~~6·32~~	·03 ~~4·25~~	~~1·94~~	YEAR'S TOTAL ~~46·51~~
Rain Days.	28	~~9~~ 8	~~16~~ 17	15	~~16~~ 15	11	3	4	~~13~~ 14	17	21	~~15~~ 14	~~168~~ 167
	8·20	1·70	5·38	3·93	3·65	2·27	·40	1·40	6·95	6·32	4·18	1·91	46·29

W.7,000, XI. 13

and months WD } 23.IV.15 W D

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 25 JAN 1915

Kept at St Brides Little Haven S.O.

in the County of Pembroke 3

by

Lat. Long.

Time of Observation 9-A.M daily

Nearest Railway Station Haverfordwest

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground on ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. NIL

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	✓		35	09		04		58			10	19	1
2	✓			04		40	60	56			17	18	2
3	✓		35				63					60	3
4	✓		·02	19	48							40	4
5	31		17	26			105				10	50	5
6			·09	04							19		6
7	19	30	·30		06			12			09	33	7
8	03			12	46		57	38	13			28	8
9		15	·03	07	07	30		48			06	04	9
10	10	42	·07	19	42	36		08			04	08	10
11		22	50	18	05				56			76	11
12	31	60	18		15	32					11	14	12
13	✓	37	50								12		13
14	✓	41	30				25				28	11	14
15	✓							26			48		15
16								32	22		58		16
17		53	17				06		15				17
18		·05	11				03					95	18
19		10	05				08					10	19
20		40	·				80				03		20
21		40	·			17		22				100	21
22			·							46			22
23			16			02		45		30			23
24			57					22		05			24
25			20								43		25
26			04				08	88		72	04	90	26
27	29		·				13			12	33	}	27
28			21							09	32	200	28
29			40		03			08		06		60	29
30	30		09		02						50	110	30
31	13							07				40	31
Total	1·66 1·66	·35 3·97 4·32	·09 4·86 4·60	1·13 1·04	·04 1·84 1·78	1·61 1·57	·58 4·30 4·88	4·70 4·12	1·06 1·06	·10 1·80 1·90	·19 3·87 4·06	10·66 10·47	YEAR'S TOTAL 41·46 41·46
Rain Days.	8	13 12	22	9	9	7	11	14	4	7	18	20.	141

W. 8,000. X. 14.

ST DAVIDS
PEMBROKESHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

R

Kept at St Da ... ondon ... in.
... round 1 ft. in.
in the County of ... ea Level 216 ft.
by D. Doi ... m Local
... Name H'west - 16 miles SE
Letterston 11 do E.
Distance Direction

IMPORTANT NO ... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·030		0·010	0·010	0·350			0·470		0·010		0·270	1
2	0·030		0·010		0·300			0·030		0·290	0·270	0·290	2
3			0·030		0·520		0·020	1·310	0·030	0·020	0·060		3
4				0·050	0·010			0·020		0·090	0·270	0·825	4
5	0·740		0·110					0·090			0·020	0·060	5
6			0·010								0·120	1·145	6
7	0·220										0·390	0·030	7
8	0·380		0·110								0·190	0885	8
9	0·020	0·020	0·020								1·290	0·400	9
10	0·240	0·260	0·615								0·010	0·355	10
11	0·290		0·110		0·020				0·250	0·010		0·080	11
12	0·010	0·020	0·480						0·860		0·360	0·120	12
13					0·020						0·280	0·150	13
14	0·030	0·080	0·090		0·025				0·030	0·600	0·160	1·140	14
15		0·120	0·260									0·010	15
16	0·030					0·320					0·330	0·250	16
17		0·010		0·090		0·050					0·160	0·430	17
18		0·160	0·040	0·270						0·270	0·110	0·220	18
19				0·200					0·260	0·310	0·030	0700	19
20		0·130		0·290			0·030	0·010	0·100	0·470	0·140	0·240	20
21		0·130	0·120	0·120		0·150	0·100		0·370	0·270	0·070	0·020	21
22	0·260	0·080		0·090		0·125	0·010		0·430	0·040		0·440	22
23	0·030					0·140		0760	0·060	0·130		0·240	23
24	0010	0·220		0·045		0·450	0·010	0·170		0·060		0·180	24
25	0·010					0·015	0·015		0·125	0·300		0·120	25
26	0·010	0·360		0·480			0·035	0·070		0·150	0·020	0·190	26
27		0·360	0010				0·080	1·140		0·060	0·060	0·140	27
28		0·090	0·010	0·050				0·020		0070	0010	0·015	28
29			0·030			0·210	0·060		0·200	0·515		0·040	29
30			0010							0·270	0·460	0·015	30
31							0·150		0·040	0·060		0·040	31
Total	2·340	2040	2075	1·695	1·245	1·460	0·510	4090	2755	3995	4810	9040	TOTAL for Year 36·055
No. of Rain Days.	16	14	18	11	7	8	10	11	12	20	22	30	179

W. 8,000, X. '11.

✓

R

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at St. David's

in the County of Pembroke

by D. J. Williams 3

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. ~~in.~~
" " " Sea Level 216 ft.

Time of Observation 9 am Local

Nearest Railway Station
Name H'west - 16 miles SE
Letterston 11 do E.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·030		0·010	0·010	0·350			0·470		0·010		0·270	1
2	0·030		0·010		0·300			0·030		0·290	0·270	0·290	2
3			0·030		0·520		0·020	1·310	0·030	0·020	0·060		3
4				0·050	0·010			0·020		0·090	0·270	0·825	4
5	0·740		0·110					0·090			0·020	0·060	5
6			0·010								0·120	1·145	6
7	0·220										0·390	0·030	7
8	0·380		0·110								0·190	0·885	8
9	0·020	0·020	0·020								1·290	0·400	9
10	0·240	0·260	0·615								0·010	0·355	10
11	0·290		0·110		0·020				0·250	0·010		0·080	11
12	0·010	0·020	0·480						0·860		0·360	0·120	12
13					0·020						0·280	0·150	13
14	0·030	0·080	0·090		0·025				0·030	0·600	0·160	1·140	14
15		0·120	0·260									0·010	15
16	0·030					0·320					0·330	0·250	16
17		0·010		0·090		0·050					0·160	0·430	17
18		0·160	0·040	0·270						0·270	0·110	0·220	18
19				0·200					0·260	0·310	0·030	0700	19
20		0·130		0·290			0·030	0·010	0·100	0·470	0·140	0·240	20
21		0·130	0·120	0·120		0·150	0·100		0·370	0·270	0·070	0·020	21
22	0·260	0·080		0·090		0·125	0·010		0·430	0·040		0·440	22
23	0·030					0·140		0760	0·060	0·130		0·240	23
24	0010	0·220		0·045		0·450	0·010	0·170		0·060		0·180	24
25	0·010					0·015	0·015		0·125	0·300		0·120	25
26	0·010	0·360		0·480			0·035	0·070		0·150	0·020	0·190	26
27		0·360	0·010				0·080	1·140		0·060	0·060	0·140	27
28		0·090	0·010	0·050				0·020		0·070	0·010	0·015	28
29			0·030			0·210	0·060		0·200	0·515		0·040	29
30			0·010							0·270	0·460	0·015	30
31							0·150		0·040	0·060		0·040	31
Total	2·340	2·040	2·075	1·695	1·245	1·460	0·510	4·090	2·755	3·995	4·810	9·040	TOTAL for Year 36·055
No. of Rain Days.	16	14	18	11	7	8	10	11	12	20	22	30	179

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
17 JAN 1913

Kept at St Davids

in the County of Pembroke 3

by D. J. Williams

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. ~~in.~~
" " " Sea Level 216 ft.

Time of Observation 9 am. Local time

Nearest Railway Station
Name Letterston & Haverfordwest
Distance 14 & 16 Direction E & SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·240			0·430			0·010	0·300		0·250	1
2			0·450	0·020		0·800		0·150	0·020		0·030		2
3	0·100		0·560		0·010	0·130		1·000			0·010	0·165	3
4	0·175	snow 0·180	0·475		0·080			0·180			0·520	0·020	4
5	0·650	0·020	0·120		0·085			0·380			0·050	0·015	5
6	0·100	0·410			0·350			0·290			0·080	0·010	6
7	0·090	0·370	0·165		0·040	0·085	0·030	0·050			0·030	0·600	7
8	0·480	0·130	0·030		0·010	0·110		0·030	0·010				8
9		0·080	0·100	0·020		0·125	0·090	0·450				0·280	9
10	0·400	0·020	0·090				0·120				0·020	0·040	10
11	0·010				0·010		0·200					0·450	11
12	0·060		0·270	0·040	0·040	0·010	0·410				1·250		12
13	0·450		0·060							0·620	0·105	0·280	13
14	0·020		0·190					0·200			0·020	0·040	14
15	0·630	0·190	0·020		0·010	0·280		0·070				0·110	15
16	0·300	0·030	0·530			0·100		0·170		0·260			16
17		0720	0·330			0·320		0·210			0·090	0·705	17
18		0·130	0·015			0·010		0·280		0·010		0·030	18
19		0·010			0·120	0·060		0·180		0·080		0·070	19
20	0·040	0·010	0·300					0·210		0·080		0·030	20
21	0·010	0·220	0·270	0·030	0·170		0·180	0·250		0·230		0·430	21
22	0·090	0·230	0·150			0·520	0·230	0·620		0·320	0·010	0·120	22
23			0·190			0·060	0·130	0·450		0·420	0·370	0·090	23
24	0·010	0·040	0·080			0·430	0·020			0·200		0·095	24
25		0·020				0·040		0·620		0·300	0·420	0·450	25
26		0·115	0·120			0·170	0·020	0·220		0·430	0·300	0·280	26
27		0·160	0·070			0·970	0·410			0·300		0·160	27
28		0·100				0·170	0·370	0·410	0·020	0·210	0·920	0·030	28
29		0·085			0·200	0·010	0·040	0·210	0·140	0·260			29
30			0·100	0·100	0·020	0·150	0·200			0·280			30
31			0·450		0020		0·660			0·150		0·110	31
Total	3615	3270	5375	0210	1165	4980	3110	6630	0200	4450	4225	4860	TOTAL for year 42·090
No. of Rain Days.	17	21	25	5	14	21	15	22	5	17	16	25	203

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

2002

FORM A.
BRITISH RAINFALL.
22 JAN 1914

3

Kept at St. David's
in the County of Pembroke
by D. Williams

Lat. Long.
Time of Observation 9 Am
Nearest Railway Stations Haverfordwest & Letterston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ~~in.~~
" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·150	0·160	0·320	0·055							0·180	0·015	1
2	0·200	0·210	0·140	0·015	0·290	0·120					0·350	0·010	2
3	0·120		0·070		0·140		0·010			0·150		0·220	3
4	0·275	0·030	0·030			0·140			0·170	0·075	0·095	0·070	4
5	0·090	0·130	0·010		0·310	0·330	0·060		0·160	0·035	0·300	0·300	5
6	0·225	0·390	0·165		0·260	0·350				0·110	0·055	0·350	6
7	0·070	0·180	0·030		0·775	0·750	0·030			0·065	0·300	0·030	7
8	0·290	0·190	0·020		0·500		0·110				0·020	0·090	8
9	0·055	0·510	0·065		0·110	0·230			0·035		0·635	0·020	9
10	1·080		0·055	0·130	0·045			0·270	0·025	0·360	0·250		10
11	0·165	0·020		0·030	0·085					0·185	0·205	0·090	11
12			0·035		0·210		0·165	0·025	1·000		0·350		12
13	Snow 0·350		0·500	0·030			0·010	0·290	1·530	0·015	0·170		13
14	0·365		0·320	0·010	0·020		0·020		0·310	0·250	0·085	0·050	14
15	0·160		0·320	0·900								0·010	15
16	0·540		0·255				0·015	0·010					16
17	0·080		0·165	0·090			0·040				0·100		17
18	0·080		0·280	0·095		0·170							18
19	0·840		0·175			0·030			0·460	0·310			19
20	0·130		0·095	0·420	0·020					0·355	0·800		20
21	0·010		0·210	0·025	0·110	0·030	0·010			0·135			21
22	0·860		0·680		0·020	0·290		0·830	1·330				22
23	0·105		0·015						0·170		0·320	0·030	23
24	0·085	0·340		0·140							0·150		24
25				0·335					0·070	0·070	0·010		25
26				0·605					0·115	0·030		0·260	26
27	0·140		0·085	0·030						0·110			27
28	0·180		0·015		0·275					0·890		0·290	28
29			0·175	0·700	0·065					0·500	0·015	0·015	29
30	0·375				0·065					0·115	0·040		30
31	0·100		0·070							0·125			31
Total	7·120	2·160	4·300	3·610	3·300	2·440	0·470	1·425	5·375	3·885	4·430	1·950	YEAR'S TOTAL 40·465
Rain Days.	27	10	26	16	17	10	10	5	12	19	20	16	188

W. 7,500, XI. 12

Exc D L

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
20 JAN

Kept at St David's
in the County of Pembroke 3
by D. J. Williams

Lat. 51° 53° Long. 5° 16' W
Time of Observation 9 am
Nearest Railway Station Haverfordwest 15½ ml & Letterston – 14 ml
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ~~in.~~
" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·025			0·460	0·280	0·510			0·030	0·170	1
2					0·070		0·860	0·030			0·010	0·325	2
3			0·100	0·170	0·390							0·640	3
4	0·220		0·010	0·200			0·130				0·180	0·075	4
5		0·015	0·170	0·020							0·410		5
6		0·170	0·090	0·055	0·080							0·350	6
7	0·190	0·310	0·235	0·045	0·150	0·400	0·395	0·540	0·070		0·065	0·200	7
8	0·130			0·070	0·030	0·190		0·545		0·080		0·055	8
9	0·390	0·090	0·020	0·070	0·520	0·480		0·040	0·030		0·050	0·110	9
10	0·040	0·460	0·060	0·130		0·030			0·470			0·030	10
11		0·290	0·450	0·010	0·040	0·220					0·045	0·540	11
12		0·500	0·175				0·020		0·410		0·170		12
13		0·290	0·400				0·310		0·600	0·210	0·030	0·180	13
14		0·520	0·160				0·035	0·240			0·530		14
15		0·010	0·030				0·120	0·200	0·150		0·560		15
16							0·040		0·265				16
17		0·560	0·140				0·060					0·325	17
18		0·055	0·080				0·090		0·015			0·430	18
19		0·070					0·560			0·010	0·030	0·060	19
20		0·440				0·165		0·230					20
21		0·560				0·040				0·220			21
22		0·050	0·100	0·010		0·030		0·410		0·500			22
23		0·075	0·230					0·270		0·060			23
24	0·040		0·175				0·030				0·210		24
25	0·160	0·030	0·240					0·780		0·620	0·080	0·930	25
26		0·020					0·105			0·330	0·240	0·370	26
27	0·160	0·070								0·030	0·560	1·070	27
28	0·010	0·115	0·630		0·035			0·040		0·150	0·090	0·370	28
29	0·235		0·160		0·040			0·030		0·050	0·370	0·020	29
30	0·010		0·100					0·030			0·210	0·630	30
31	0·190		0·050				0·620			0·210		0·430	31
													YEAR'S TOTAL
Total	1·775	4·700	3·830	0·780	1·355	2·015	3·655	3·895	2·010	2·470	3·870	7·310	37·665
Rain Days.	12	21	23	10	9	9	15	14	8	12	19	21	173

W.7,000, XI. 13

corr for WD 25.0.16

4073

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at St. David's

in the County of Pembroke

by D. J. Williams

Lat. 51° 53′ Long. 5° 16′ W.

Time of Observation 9. 20 am Local

Nearest Railway Station Haverfordwest & Letterston

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ~~in.~~

" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·270

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·430	0·010	0·050		0·360			0·115	0·200	0·060	0·030	0·545	1
2	0·760				0·480		0·050	0·420	0·260	0·270		0·110	2
3	0·210	0·605	0·225			0·305	0·030	0·150	0·070		0·040	0·120	3
4	0·010	0·180	0·150	0·010	0·170		0·035		0·030			0·500	4
5	0·065		0·015		0·130	0·020						0·530	5
6	0·010	0·320		0·120		0·020		0·120				1·670	6
7	0·350	0·100		0·215			0·350	0·270				0·120	7
8	0·240	0·285					0·560			0·750	0·020	0·100	8
9	0·135	0·555					0·010	0·120		0·150	0·260	0·070	9
10	0·220	0·280		0·130				0·090				0·515	10
11	0·390	1·130	0·110	0·790		0·050		0·170		0·150			11
12			0·010		0·060	0·190		0·050			1·160	0·010	12
13	0·250	0·565		0·075	0·140						0·410	0·050	13
14	0·025	0·150	0·010		0·190			0·030	0·340	0·055	0·050	0·300	14
15	0·040												15
16	0·190				0·365		0·520		0·075			0·100	16
17		1·080			0·100		0·420		0·015			0·670	17
18		0·510			0·160							0·070	18
19		0·200					0·010			0·015			19
20		0·060		0·125	0·370		0·260						20
21	0·440	SNOW 0·150							0·070	0·500		0·200	21
22	0·015	0·045					0·270					0·120	22
23	0·100	SLEET 0·260	0·150			0·730	0·400		0·220	0·040		0·360	23
24		0·110				0·800	0·020			0·290		0·310	24
25	0·020			0·060					0·410	0·150		0·170	25
26						0·500					0·190	0·150	26
27		0·400				0·400	0·320		0·120	0·660		0·420	27
28		0·065				0·140	0·310		0·060		0·035	0·160	28
29						0·760		0·110	0·360	Hail 0·245		0·130	29
30									0·600	0·090	0·605	0·300	30
31										0·550		0·250	31
	·01	·05	—	·36	—	—	·115	·20	·06	·03	·545	·270	YEAR'S TOTAL
Total	~~3·600~~ 3·480	~~7·060~~ 7·10	~~0·720~~ ·67	~~0·925~~ 1·285	~~2·525~~ 2·165	~~3·015~~ 3·915	~~3·565~~ 3·680	~~1·645~~ 1·73	~~2·830~~ 2·690	~~3·975~~ 3·945	~~2·800~~ 3·315	~~8·050~~ 7·776	~~41·910~~ 41·75 ✓
Rain Days.	19	21	~~8~~ 7	~~8~~ 9	~~11~~ 10	11	~~15~~ 16	11	14	15	10	27	170 ✓

W.7,000, XI. 13

4003

REGISTER OF RAINFALL IN 1916

FORM A
BRITISH RAINFALL.

Kept at St. David's
in the County of Pembroke
by D J Williams

Lat. 51° 53' Long. 5° 16' W
Time of Observation 9 20 am Local
Nearest Railway Station Haverfordwest
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·400	0·185	0·105		0·060		0·040			1·720	0·065		1
2	0·120	0·290	0·400				0·040	~~1·000~~	1·000	1·140	0·550		2
3	0·020	0·950	0·020	0·110	0·070	0·275		~~0·330~~	0·330	0·310	0·055		3
4	0·110	0·330	0·030	0·070	0·240	0·180		~~0·070~~	0·070		0·240	0·220	4
5	0·090	0·180	0·030		0·240		0·110			0·450			5
6	0·090	0·085	0·050		0·120		0·660	~~0·070~~	0·070	0·110	0·520		6
7		0·020	0·050		0·420					0·015	0·230	0·220	7
8	0·020	0·020			0·330					0·060		0·100	8
9											0·080	0·580	9
10		0·500		0·120	0·105						0·040	0·020	10
11				0·150	0·190		0·370				0·015		11
12		0·050			0·200			0·085		0·070	0·030		12
13		0·330	0·045		0·020			0·200		0·010	0·015		13
14	0·025	0·510	0·040	0·030	0·080					0·060		0·370	14
15	0·015	0·140	0·090	0·500	0·260			0·020				0·050	15
16	0·110	0·055		0·200	0·020		0·080			0·220			16
17	0·340	0·190		0·040					0·540	0·195	0·710		17
18	0·140	0·010	0·230	0·025					0·030	0·060	0·060	0·660	18
19	0·110	0·150	0·180	0·260							0·280	0·240	19
20	0·310	0·560	0·200								0·025	0·105	20
21	0·040		0·180		0·050	0·580				0·200			21
22		0·040				0·330		0·020				0·360	22
23	0·070		Snow 0·190	0·240		0·015		0·610			0·280	0·200	23
24		Snow 0·055	0·065	0·090	0·100	0·140		0·800		0·370			24
25		Snow 0·020	0·220		0·140			0·160			0·120	0·100	25
26	0·075	Snow 0·010						0·035	0·420	0·710	0·150		26
27	0·010	0·140	0·600			0·035			0·530	0·480	0·035	0·350	27
28		0·040							0·030	0·830	0·060		28
29		0·150	0·010			0·350			0·180	0·700	0·040	0·050	29
30		X				0·280				0·310	0·070		30
31		X		X	0·250	X		0·150	X	0·090	X		31
Total	2·095	5·010	2·735	1·835	2·895	2·185	1·240	2·080	3·200	7·510	3·670	3·625	YEAR'S TOTAL 38·080
Rain Days.	18	25	19	12	18	9	6	9	10	21	22	15	184

W. 8,000. X. 15.

cnd in WD

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

6 FEB 1918

Kept at St David's
in the County of Pembroke
by Mr D. P. Williams

Lat. .... Long. ....
Time of Observation 9.20 a.m
Nearest Railway Station 14 miles
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				hail ·6		·20			·16		·6		1
2			·13	snow ·45							·18		2
3				snow ·7		·22					·33		3
4		·24					·68			·40	·20		4
5		·5	·57						·17	·9	·2	·4	5
6	·26		·31	·16		·30			·15	·17	·18		6
7			·26	·6		·65				·50		·8	7
8	27					·24	·12	1·27		·7	·16		8
9	7		snow ·31	·5				·37	·15	·40	·16	·16	9
10	·5				·75			·8	·4	·9	·5		10
11	·42		·92	·18				·16		·35			11
12				snow ·8				9		·27	·55		12
13	·4		·2		·36			·41	·9	·36			13
14	19		·7	·6		·2		·22	·16	·50	·2		14
15	·3						·2			·8			15
16				·6					·15	·24		·27	16
17		·5						·18	·23	·2	·10	·23	17
18		·15	·10	·40	·7		1·00	·76	·10				18
19		1·15	·6		·12		·4		·79				19
20			·4			·6					·5		20
21		·7		·1	·39	·33		·3	·7	·3	·7		21
22			·2					·10		·9			22
23		·32			·9			·70		·6			23
24		·74			·9		·15	·18					24
25		·2	·8			·16	·21		·7	·18		·1	25
26		·8	·12				·3	·20	·38	·10			26
27					1·63	·6		·13	·26	·5	·17		27
28			·15		·11	·87	·49	1·19					28
29					·5	·6		·7			·1		29
30			·5		–			·10		·51			30
31			hail ·6					·49					31
Total	1·33 ~~1·24~~	2·27	·06 ~~3·27~~ 3·33	– ~~1·64~~ 1·58	·20 ~~3·66~~ 3·86	– ~~3·17~~ 2·97	– 2·74	·16 ~~6·73~~ 6·89	– ~~2·97~~ 2·81	·06 ~~4·50~~ 4·56	~~2·31~~ ~~·79~~ 2·25	(–) ·79	YEAR'S TOTAL 35·38
Rain Days.	8	10	11	12	10	12	9	19	15	21	16	6	155

W.7,000, XI. 13

3

FORM A. BRITISH RAINFALL

6 . 1 .

REGISTER OF RAINFALL IN 1918

Kept at St Davids Pembrokeshire
in the County of Pembroke
by John Morgan Williams

Lat. Long.
Time of Observation 9·20 a.m.
Nearest Railway Station 14 miles. Clarbeston Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·65		·6	·2					·14	1·20	·15	1
2				·8			~~1·27~~	1·27			·89	·3	2
3					·14			·37			·13	·71	3
4		·7							·66	·40	·25	·35	4
5		·5			·6			·28	·2	·30	·45	·10	5
6	·3	·51		·5		·26		·18		·42	·6	·15	6
7	·4	·7							·50	·27		·12	7
8		·33		·7				·4		·3	·26	·26	8
9	·9	·5		·25		·19	·12			·39	·2		9
10			·15				·27	·1	·50	·6	·7	·63	10
11		·1	·6				·15		·11		·15	·41	11
12		·7			·29				·17	·24	·10	·13	12
13		·1			·15		·8		·2	·11		·2	13
14		·1							·51	·33	Frost	·7	14
15	·6				·1		·20	·2	·64	·10	Frost	·49	15
16		·19		·48			·57		·57	·4	Frost	·61	16
17	·7		·5	·5			·6		·22	·31	Frost		17
18	·44	·25	·26			·6	·30	·35	·41	·52		·26	18
19	·36	·15	·5	·14		·30	·30	·5	·11			·27	19
20		·5	·2	·14	·7	·05	·57	·2				·4	20
21	·38	·5				·1	·3	·25	·25				21
22	·43	·23	·15		·4		·74		·44			·11	22
23	·23				·36		·15		·14	·13	·9	·18	23
24	·05				·1	·14	·7				·8		24
25	·17	·7		·5				·76	·19		·23		25
26	·11	·5					·9	·71		·6	·25		26
27	·15	·23	·77					·05	·2		·2	·37	27
28			·66					·22	·11	·5	·32		28
29			·9								·12	·15	29
30		✕	·3						1·20				30
31		✕	·22	✕		✕			✕	·3	✕	·10	31
Total	2·61	3·10	2·51	1·37	1·15	1·01	~~4·97~~ 3·70	4·58	6·79	3·93	4·69	5·71	YEAR'S TOTAL ~~42·42~~ 41·15
Rain Days	14	20	12	10	11	7	15	15	20	19	18	23	183 mos

W, 6,500. VII. 18. W W C

Pembs 3

20 JAN 1919

Spring Gardens
St. David's
Jany. 18th. 1919

Dear Sir,

I regret to say that there is an error in the a/c of rainfall which I sent ~~you~~ the Secretary on the 4 inst. July 2. 1918 There was no rain fall ~~that~~, whereas, in my account I have ~~to~~ inserted 1·27 for that day. Please excuse the error.

Your obedient Servant
J. Morgan Williams

Dr. Mill
62 Camden Square
London N.W.1.

3641

corrected for WD

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at St Davids
in the County of Pembroke
by John Morgan Williams Solicitor

Lat. 52½° N Long.
Time of Observation 9.20 AM
Nearest Railway Station 14 miles
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·12

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·02	·15			·02	·01			·42	1
2	·36		·06		·03				·25	·13		·41	2
3	·28		·145		·01				·01			·14	3
4	·14	·12			·10				·07			·09	4
5		·38	·14					·02	·15			·09	5
6	·09	·35					·06					·07	6
7	·48	·14	·30	·01					·13			·05	7
8	·12		·02	·19					·02		·05	·24	8
9	·50		·11									·16	9
10	·09		·03	·10					·01			·23	10
11	·17		·71	·02	·01					·09	·10	·60	11
12	·11		1·20	·08	·23	·16	·14			·10		·51	12
13	·52		·06	·06	·01	·78			·06		·35	·14	13
14	·53	·02	·16	·17	·18		·07					·31	14
15	·20	·10		·03	·01		·01	·02				·37	15
16	·15	·08								·07	·18	·34	16
17	·02	·325	·04		·04	·10	·01	·54			·39	·05	17
18	·22	·82	·05			·15		·25			·17	·02	18
19	·24	·12	·80				·35	·39		·01	·22	·04	19
20	·27	·89	·16		·01	·29		·06	·07		·035	·08	20
21	·22	·03	·13		·27		·08	·06	·12		·07	·15	21
22		·46			·15		·10		·21		·01	·06	22
23									·64	·09		·04	23
24										·75	·02		24
25					·06	·50					·11	·12	25
26	·24							·52	·08		·07	·02	26
27	·15	·23	·07	·34				·04		·02	·05	·63	27
28	·03			·15				·43	·10	·48			28
29			·40	·51				·84				·40	29
30		☒	·02	·05				·06			·31	·08	30
31		☒		☒ ·10		☒		·46	☒		☒	·38	31
TOTAL	– ~~5·25~~ 5·13	– 4·065	·02 ~~4·605~~ 4·625	~~1·73~~ ~~1·72~~ 1·86	~~1·26~~ ~~1·16~~ 1·11	1·98 ~~1·78~~	·02 ~~·82~~ ·84	·01 ~~3·70~~ 3·69	– ~~1·93~~ 1·92	1·74	·42 ~~2·135~~ 2·555	·12 ~~6·24~~ 5·94	35·455 YEAR'S TOTAL ~~35·245~~
Days with ·01 in. or more	23 22	14	~~19~~ 20	13	~~14~~ 13	6	~~8~~ 9	14	~~15~~ 14	9	~~15~~ 16	29	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3533

31 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at St Davids

in the County of Pembroke

by J Morgan Williams

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~45~~		·21	·03	·65		·48		·20	·02		·40	1
2	·21			·10			·05		·22	·28		Storm ·20	2
3	·11 ~~21~~	·06		·04			·12	·03	(·90)			Storm ·02	3
4	~~21~~		·02		·07		·01	1·60		·45	·01	gale	4
5	~~44~~		·12		1·76		·22	·01		·48			5
6			·30	·16	·14		·15			·31	·03		6
7	·04	·24	Frost ·02	·07			·40	·41		·02	·01		7
8	Storm		Frost	·44	·04		·18	·06				·16	8
9	storm ·42	·10	·09	·44			·25		·02		·08		9
10	Storm ·63	·07	·10	·09		·26	·06				·07	·05	10
11	·22		·16	·23	·13		·07				·01	·10	11
12	·17	·09	·11	·26		·10	·03		·10	·03	·32		12
13	storm ·03		·43	·24		·02			·01	·70	·01	Frost & a little snow	13
14	·24	·02	·71	·43			·09		1·50	·10	·39	Hard frost	14
15	·09	·13		·21	·14		·01		·06	·05	·12	Hard frost	15
16	·06	·01	·11	·16	·05	·07	·50	·03	·60	1·04	·02	Hard frost	16
17	·10		·08	·05	·35		·10	·56	·15	·68		Hard frost	17
18	·29	·01		·15	storm & hail ·11	·05		·75	·06			Thawing	18
19	·08	·47		·26		·21	·05	·07		·05		·01	19
20				·12			·06		·16	·35		·21	20
21				·12			·38		·05	·20		·09	21
22	·09			·13		·01	·11	·04		·02		·19	22
23	·15		·14	·02			·18	·36	·01			·48	23
24	·01		·71			·02	·14	·02	·02			·21	24
25	·40	·02	·18			·03	·75				·01	·01	25
26	·16		·62		·02	·38			·05		·26	·01	26
27	·38	·09	·41	·14	~~·02~~	·38	·32				1·13	·72	27
28	·40	·03	·07	·09	·01	·02	·10				·01	·19	28
29	·36	·06	·23	·02	·23	·12	·22				·36	·42	29
30	·19	X	·27	·48		·41	·04		·58	·91	·40	·52	30
31		X	·77	X	·03	X	·06		X	·76	X	·02	31
TOTAL	4·83	1·40	5·86	4·48	3·13	2·28	~~3·34~~ 5·13	3·34	3·79	7·35	3·18	4·01	YEAR'S TOTAL 48·78
Days with ·01 in. or more	23	14	22	25	14	14	28	12	16	19	17	19	255
Days with ·04 in. or more	21	9	20	22	11	9	25	8	12	15	9	14	175

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ST. DAVIDS

Y FAGWR

PEMBROKESHIRE

1920

20.

FORM A.
BRITISH RAINFALL

14 FEB 1921

Kept at Y. Fag

in the County of

by Frank D.

g. 9 Am.

n Haverfordwest.

Rain Gauge five in.

above Ground one ft. — in.

„ Sea Level — ft.

IMPORTANT and the result entered to the previous day. If universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
/

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·21	·01	·67		·50		·20	·08		·44	1
2	·25			·09			·04		·22	·23		·20	2
3	·11	·05		·03			·08		·03	1·07			3
4			·01		·06			1·85		·18			4
5			·12		1·04		·48			·77			5
6			·39	·16	·26		·15			·30			6
7	·04	·23		·07			·36	·39			·03		7
8				·45	·03		·16	·24				·14	8
9	·42	·12		·37			·25		·02				9
10	·63	·07	·07	·08	·14	·27	·06				·07	·06	10
11	·17		·10	·24			·05				·06		11
12	·16	·08	·16	·30		·09	·08			·03	·34	Snow ·01	12
13	·03		·04	·18		·02			·08	·49			13
14	·26	·04	·53	·45			·10		1·56	·17	·39		14
15	·06	·14	·63	·28	·13				·03	·05	·11		15
16	·05	·01		·08	·05	·05	·53	·04	·46	1·05	·03		16
17	·10		·10	·07	·34	·05		·48	·14	·72			17
18	·24	·02	·06	·15	·12	·10		·15					18
19	·07	·43		·36		·21	·05	·04	·04				19
20	·01			·06			·08		·19	·45		·28	20
21				·10			·36		·04	·12		·10	21
22	·08			·12			·10	·03				·19	22
23	·14		·14	·01			·16	·33				·53	23
24	·01		·68			·03	·08				·07	·19	24
25	·39	·01	·15		·01	·02	·78						25
26	·10		·65		·01	·10	·09		·06		·19	·07	26
27	·44	·11	·43	·13		·81	·29				·98	·65	27
28	·38	·02	·06	·07		·01	·03					·31	28
29	·41	·04	·20	·02	·21	·12	·18				·34	·43	29
30	·17	✕	·32	·45		·41	·05		·49	·85	·36	·56	30
31	·18	✕	·73	✕	·02	✕	·05		✕	·72	✕	·03	31
Total	4·90	1·37	5·78	4·33	3·09	2·29	5·12	3·55	3·56	7·28	2·97	4·19	YEAR'S TOTAL 48·43
Rain Days.	25	14	21	25	14	14	26	9	14	16	12	16	206
~~1·04~~	22	10	20	21	10	10	25	7	11	15	10	14	175

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL
14 FEB 1921

REGISTER OF RAINFALL IN 1920.

Kept at Y. Fagwr, St Davids
in the County of Pembrokeshire
by Frank D. Llewellyn

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Haverfordwest. Jcn.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. /

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·21	·01	·67		·50		·20	·08		·44	1
2	·25			·09			·04		·22	·23		·20	2
3	·11	·05		·03			·08		·03	1·07			3
4			·01		·06			1·85		·18			4
5			·12		1·04		·48			·77			5
6			·39	·16	·26		·15			·30			6
7	·04	·23		·07			·36	·39			·03		7
8				·45	·03		·16	·24				·14	8
9	·42	·12		·37			·25		·02				9
10	·63	·07	·07	·08	·14	·27	·06				·07	·06	10
11	·17		·10	·24			·05				·06		11
12	·16	·08	·16	·30		·09	·08			·03	·34	Snow ·01	12
13	·03		·04	·18		·02			·08	·49			13
14	·26	·04	·53	·45			·10		1·56	·17	·39		14
15	·06	·14	·63	·28	·13				·03	·05	·11		15
16	·05	·01		·08	·05	·05	·53	·04	·46	1·05	·03		16
17	·10		·10	·07	·34	·05		·48	·14	·72			17
18	·24	·02	·06	·15	·12	·10		·15					18
19	·07	·43		·36		·21	·05	·04	·04				19
20	·01			·06			·08		·19	·45		·28	20
21				·10			·36		·04	·12		·10	21
22	·08			·12			·10	·03				·19	22
23	·14		·14	·01			·16	·33				·53	23
24	·01		·68			·03	·08				·07	·19	24
25	·39	·01	·15		·01	·02	·78						25
26	·10		·65		·01	·10	·09		·06		·19	·07	26
27	·44	·11	·43	·13		·81	·29				·98	·65	27
28	·38	·02	·06	·07		·01	·03					·31	28
29	·41	·04	·20	·02	·21	·12	·18				·34	·43	29
30	·17	✗	·32	·45		·41	·06		·49	·85	·36	·56	30
31	·18	✗	·73	✗	·02	✗	·05		✗	·72	✗	·03	31
Total	4·90	1·37	5·78	4·33	3·09	2·29	5·12	3·55	3·56	7·28	2·97	4·19	YEAR'S TOTAL 48·43
Rain Days.	25	14	21	25	14	14	26	9	14	16	12	16	206
~~·04~~	22	10	20	21	10	10	25	7	11	15	10	14	175

W. 8,000, VIII. 16

√

REGISTER

1

SAUNDERSFOOT
HEAN CASTLE
PEMBROKESHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

Kept at Hean Castle, Sau

5 in.

e Ground 1 ft. 10½ in.

in the County of Pembroke

Sea Level 206 ft.

30

by The Hon. H. C. Lewi

Name Saundersfoot.

Distance 1½ M Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	-	·04	-	·21	-	-	·12	-	·01	·24	·15	1
2	-	-	-	-	·22	-	-	·11	-	·29	·04	·15	2
3	-	-	·04	-	·66	-	-	·02	·05	-	·20	·49	3
4	-	-	·30	-	·01	-	-	·73	-	-	24	·16	4
5	·62	-	·06	-	-	-	-	·09	-	·03	·10	-	5
6	·10	-	·12	-	-	-	-	·02	-	-	·23	·58	6
7	·16	-	-	-	-	-	-	-	-	-	·33	·01	7
8	·22	-	·08	-	-	-	-	-	-	-	·43	·72	8
9	·02	·13	-	-	-	-	-	-	-	-	·26	·20	9
10	·22	·07	·69	-	·03	-	-	-	-	·06	·05	·39	10
11	·20	-	·09	-	·08	-	-	·01	-	·05	·14	·12	11
12	-	·02	·50	-	-	-	-	-	·13	-	·50	·27	12
13	-	-	·04	-	·04	-	-	-	·70	-	·17	·13	13
14	-	·08	·11	-	-	-	-	-	-	·40	·18	·25	14
15	-	·11	·14	-	-	·06	-	-	-	-	·26	·28	15
16	·02	·12	-	-	-	·47	-	-	-	-	·24	·18	16
17	-	·04	·08	·05	-	·66	-	-	-	-	·37	·25	17
18	-	·32	-	·13	-	·06	-	-	-	-	·33	·17	18
19	-	-	-	·11	-	·16	-	·01	·76	·31	·25	·72	19
20	-	·15	-	·26	-	-	-	-	·16	·54	-	·28	20
21	·02	·18	-	·09	-	-	·07	-	·18	·73	-	·06	21
22	·30	·12	-	·13	-	·11	-	-	·40	·13	-	·42	22
23	·06	·02	·06	-	-	-	-	·16	·13	·23	-	·25	23
24	·08	·38	-	·01	-	·24	·02	-	·01	·09	-	·23~~48~~	24
25	·05	-	-	·11	-	·02	·09	-	·10	·18	-	·13	25
26	-	·36	-	·41	-	-	-	·17	-	·09	-	·16	26
27	-	·30	-	-	-	-	-	1·00	·13	·40	·08	·21	27
28	-	·12	-	·13	-	-	-	·03	-	·07	·01	·01	28
29	-		·06	-	-	·34	·20	-	·16	·39	·01	-	29
30	-		·04	-	-	-	·07	-	·01	·18	·26	·02	30
31	-		·10		-		·16	-		·05		·04	31
Total	2·09	2·52	2·55	1·43	1·25	2·12	0·61	2·47	2·92	4·23	4·92	7·03	TOTAL for year 34·14 √
No. of Rain Days.	14	16	17	19	7	9	6	12	13	19	23	29	175 √

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Hean Castle, Saundersfoot
in the County of Pembroke 4
by The Hon. H. C. Lewis

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 10½ in.
" " " Sea Level 206 ft.

Time of Observation 9.30

Nearest Railway Station
Name Saundersfoot
Distance 1½ M Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	-	·04	-	·21	-	-	·12	-	·01	·24	·15	1
2	-	-	-	-	·22	-	-	·11	-	·29	·04	·15	2
3	-	-	·04	-	·66	-	-	·02	·05	-	·20	·49	3
4	-	-	·30	-	·01	-	-	·73	-	-	24	·16	4
5	·62	-	·06	-	-	-	-	·09	-	·03	·10	-	5
6	·10	-	·12	-	-	-	-	·02	-	-	·23	·58	6
7	·16	-	-	-	-	-	-	-	-	-	·33	·01	7
8	22	-	·08	-	-	-	-	-	-	-	·43	·72	8
9	02	·13	-	-	-	-	-	-	-	-	·26	·20	9
10	·22	·07	·69	-	·03	-	-	-	-	·06	·05	·39	10
11	·20	-	·09	-	·08	-	-	·01	-	·05	·14	·12	11
12	-	·02	·50	-	-	-	-	-	·13	-	·50	·27	12
13	-	-	·04	-	·04	-	-	-	·70	-	·17	·13	13
14	-	·08	·11	-	-	-	-	-	-	·40	·18	·25	14
15	-	·11	·14	-	-	·06	-	-	-	-	·26	·28	15
16	·02	·12	-	-	-	·47	-	-	-	-	·24	·18	16
17	-	·04	·08	·05	-	·66	-	-	-	-	·37	·25	17
18	-	·32	-	·13	-	·06	-	-	-	-	·33	17	18
19	-	-	-	·11	-	·16	-	·01	·76	31	·25	·72	19
20	-	·15	-	·26	-	-	-	-	·16	·54	-	·28	20
21	·02	·18	-	·09	-	-	·07	-	·18	·73	-	·06	21
22	·30	·12	-	·13	-	·11	-	-	·40	·13	-	·42	22
23	·06	·02	·06	-	-	-	-	·16	·13	·23	-	·25	23
24	·08	38	-	·01	-	·24	·02	-	·01	·09	-	·23~~48~~	24
25	·05	-	-	·11	-	·02	·09	-	10	·18	-	·13	25
26	-	·36	-	·41	-	-	-	·17	-	·09	-	·16	26
27	-	·30	-	-	-	-	-	1·00	·13	·40	·08	·21	27
28	-	·12	-	·13	-	-	-	·03	-	·07	·01	·01	28
29	-		·06	-	-	·34	·20	-	·16	·39	·01	-	29
30	-		·04	-	-	-	·07	-	·01	·18	·26	·02	30
31	-		·10		-		·16	-		·05		·04	31
Total	2·09	2·52	2·55	1·43	1·25	2·12	0·61	2·47	2·92	4·23	4·92	7·03	TOTAL for year 34·14
No. of Rain Days.	14	16	17	19	7	9	6	12	13	19	23	29	175

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

20 JAN 1913

Kept at Hean Castle, Saundersfoot

in the County of Pembroke. 4

by Hon. H. C. Lewis

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station: Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·10	-	-	·56	-	·03	·05	·57	·03	·23	1
2	-	-	·16	-	-	·25	-	-	-	·01	·04	-	2
3	·13	-	·36	·02	·01	·12	-	·41	·05	-	·03	·08	3
4	·16	-	·48	-	-	-	-	·35	-	-	·44	-	4
5	1·07	-	·10	-	·03	-	-	·62	-	-	-	05	5
6	·05	·13 (pt snow)	·02	-	·25	-	·44	·05	-	-	·03	-	6
7	·18	·19	·22	-	·15	·43	·11	-	-	-	·04	·26	7
8	·61	·21	·25	-	-	-	-	·11	-	-	·01	·02	8
9	·06	·34	·04	·02	-	-	·08	·28	-	-	·05	·61	9
10	·33	·01	·06	·01	-	·03	·17	-	-	-	·05	·05	10
11	·01	-	-	-	-	-	·15	-	-	-	·37	·65	11
12	·05	-	·33	-	·05	·08	·29	·02	-	-	·55	-	12
13	·51	-	·09	-	-	·01	-	·02	-	·26	·07	·35	13
14	·07	·16	·33	-	-	-	-	·08	-	-	·03	·11	14
15	·27	·21	·11	-	-	·30	-	·07	-	-	·02	·13	15
16	·18	·08	·51	-	·01	·05	-	·28	-	·15	·06	-	16
17	-	·09	·21	-	-	·30	-	·35	-	-	-	·43	17
18	·11	·11	·11	-	-	·02	-	·22	-	·05	·07	·06	18
19	·05	·13	·01	-	-	·02	-	·45	-	·04	·01	·02	19
20	·06	·05	·42	-	·02	-	-	·02	-	·22	-	·09	20
21	-	·36	·48	-	·11	·01	·02	·14	-	·26	-	·12	21
22	·16	·21	·22	-	·75	·15	·16	·55	-	·15	02	·16	22
23	·04	·01	·15	-	-	·10	·19	·18	-	·12	·25	-	23
24	-	-	·13	-	-	·39	-	·13	-	·18	-	-	24
25	-	·06	·01	-	-	·40	·11	·41	-	·17	·51	·21	25
26	-	·05	·11	-	-	-	-	·02	-	·98	·26	·58	26
27	-	·06	·06	-	-	·78	·38	-	-	·71	·02	·23	27
28	-	·05	-	-	-	·26	·66	·39	·22	·39	·66	·29	28
29	-	·08	·14	-	·18	-	·06	·06	·55	·24	-	·02	29
30	-		·30	·05	-	·03	·07	-	-	·16	·03	-	30
31	-		-		-		·51	·06		·08		·11	31
Total	4·10	2·59	5·51	0·10	1·56	4·35	3·40	5·30	·87	4·74	3·65	4·86	TOTAL for year 41·03
No. of Rain Days.	19	20	28	4	10	20	15	25	4	18	24	23	210

W. 8,000, X. '11.

Ex Df

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
23 JAN 1914

Kept at HEAN CASTLE, SAUNDERSFOOT
in the County of PEMBROKE
by THE HON. H. C. LEWIS

4

Lat. 51° 43½' N Long. 4° 40' W
Time of Observation 10 a.m.
Nearest Railway Station SAUNDERSFOOT
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10½ in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·28	·36	·07	-	-	-	-	-	-	·18	·04	1
2	·04	·17	·09	-	·30	·11	-	-	-	·27	·19	·16	2
3	·05	-	·06	-	·07	-	-	-	-	·23	·12	·18	3
4	·31	·09	·05	-	-	·11	-	-	31	·16	·14	·08	4
5	·17	·08	·01	·06	·39	·48	-	-	·07	-	·13	·20	5
6	·21	·32	·13	·05	·09	·33	·03	-	-	-	·15	·22	6
7	·08	·33	-	-	·75	·23	·08	-	-	·46	·03	·13	7
8	·09	·17	·05	-	·17	-	·03	·01	-	-	-	·04	8
9	·05	·36	·10	-	·22	·13	·03	-	-	-	1·07	·03	9
10	·61	-	-	·07	-	-	·04	·41	·03	·42	·04	-	10
11	·31	-	-	·18	·06	-	-	·05	-	·31	·39	·02	11
12	-	-	·08	-	·05	·03	·04	·08	·57	-	·30	·03	12
13	·13	-	·34	·03	·21	-	-	·14	·86	-	·15	-	13
14	·12	-	·18	·10	·05	-	·02	-	·56	·13	·19	·08	14
15	·05	-	·63	·78	-	-	-	-	·01	-	-	-	15
16	·65	-	·37	·07	-	-	·03	-	-	-	·02	-	16
17	·15	-	·17	·04	-	-	·08	-	-	-	·05	-	17
18	·11	-	·20	·11	-	-	·04	-	-	-	·06	-	18
19	·20	-	·17	-	·02	·08	-	-	·32	·38	·13	-	19
20	·12	-	·10	·23	·03	-	-	-	-	·12	·55	-	20
21	·07	-	·10	·02	·13	-	·13	·04	-	·10	-	-	21
22	1·18	-	·94	·04	·01	·22	·07	·50	·23	-	-	·03	22
23	·02	-	·07	·12	-	-	-	-	·54	-	·07	·06	23
24	·08	·10	-	·07	-	-	-	-	·16	-	·31	-	24
25	-	-	-	·22	-	-	-	-	·22	-	-	·21	25
26	-	-	-	·72	-	-	-	-	·24	·08	-	·18	26
27	·07	-	·06	·20	-	-	-	-	-	·16	-	-	27
28	·12	-	·11	·09	·20	-	-	-	-	·33	·02	·11 pt. snow	28
29	-		·22	·72	·16	-	-	-	-	·27	-	-	29
30	·31		·06	·08	·04	-	-	-	-	·12	·03	-	30
31	·10		·07		-		-	-		·09	-	-	31
Total	5·47	1·90	4·72	4·07	2·95	1·72	0·62	1·23	4·12	3·63	4·32	1·80	YEAR'S TOTAL 36·55
Rain Days.	27	9	25	22	18	9	12	7	13	16	22	17	197

Exe DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at HEAN · CASTLE, SAUNDERSFOOT.

in the County of PEMBROKE.

by LORD MERTHYR

4

Lat. 51° 43½′ N Long. 4° 40′ W.

Time of Observation 10 a.m.

Nearest Railway Station Saundersfoot

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10½ in.

" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	~~Sept.~~ OCT.	~~Oct.~~ SEPT.	Nov.	Dec.	*Date.*
1	-	.	·06	-	-	·18	·45	·34	-	-	·92	·08	1
2	-	.	.	-	-	-	·11	·43	-	-	·07	·22	2
3	-	.	·02	·14	·50	-	-	-	-	-	·06	·08	3
4	·27	.	·23	·16	·06	-	·69	-	-	-	·04	·38	4
5	·06	.	·15	·10	-	-	-	-	-	-	·02	-	5
6	-	.	·15	·04	·09	-	·06	·06	-	-	·34	·27	6
7	·14	·14	·07	·08	·47	·08	·46	·46	·06	·03	·02	·53	7
8	·14	·06	·06	·07	·14	·08	-	·18	-	-	-	·06	8
9	·21	·23	·06	·15	·24	·41	-	·09	-	·16	·05	·01	9
10	-	·19	·12 (pt snow)	·26	·09	-	-	-	-	·20	-	-	10
11	.	·31	·50	-	·03	·27	-	-	·04	·12	·21	·46	11
12	.	·23	·23	-	-	-	-	-	-	·28	·27	·04	12
13	-	·42	·31	·01	-	-	·13	-	·03	·54	·20	·40	13
14	.	·11	·18	-	-	-	·02	·10	-	·15	-	·05	14
15	.	·12	·13	-	-	-	·01	·50	-	·17	·58	·21	15
16	.	·06	·04	-	-	-	·06	-	-	-	-	·47	16
17	-	·40	·31	-	-	-	·07	-	-	·06	-	·34	17
18	-	·13	·17	-	-	-	·07	.	-	·06	-	·37	18
19	-	·09	·11	-	-	-	1·08	-	-	-	·07	·16	19
20	-	·18	-	-	-	·13	-	·13	-	-	-	·37	20
21	-	·17	·06	-	-	-	·01	-	·06	-	-	-	21
22	-	·18	·11	-	·01	·02	-	·11	·70	-	-	-	22
23	-	-	·16	-	-	-	·03	·22	·12	-	-	-	23
24	-	-	·15	-	-	-	·03	-	·06	-	·18	-	24
25	·21	-	·35	-	-	-	·03	·46	·49	-	·04	·52	25
26	·02	·02	·08	-	-	-	·03	-	·17	-	·35	·43	26
27	·13	·02	-	-	-	-	·02	-	·19	-	·24	·75	27
28	·04	·06	·28	-	·06	-	·14	-	·07	-	·17	·54	28
29	·17	-	·07	-	·04	-	-	·17	·11	-	·27	·02	29
30	-	X	-	-	-	-	·39	·13	·09	-	·19	·37	30
31	-	X	·06	X	·01	X	-		X ·12		X	·31	31
Total	1·39	3·12	4·22	1·01	1·74	1·17	3·89	3·38	2·31	1·77	4·29	7·44	YEAR'S TOTAL 35·73
Rain Days.	10	19	27	9	12	7	20	14	14	10	20	25	187

W. 8,000. X. 14.

14 JAN 1915
14 JAN 1915

Please note that by an error particulars of the Sept. rainfall has been entered in Oct. column & vice versa.

4080

FORM A.
BRITISH RAINFALL.
8. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hean Castle, Saundersfoot.
in the County of Pembroke
by Lord Merthyr.

Lat. 51·43½ N Long. 4·40W.
Time of Observation 9.30 a.m.
Nearest Railway Station Saundersfoot
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12½ in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

13

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41	·27	-	-	·16	-	·03	·16	·09	-	-	·15	1
2	·31	·29	·24	·24	-	·04	·03	·49	·04	·38	-	·26	2
3	-	·01	·20	-	·13	-	·02	-	·02	-	-	·52	3
4	·03	·01	·06	·17	·03	·12	-	-	·04	-	-	1·05	4
5	·07	·30	-	·24	-	-	-	·10	-	-	-	·65	5
6	·35	-	-	-	-	-	·34	-	-	-	-	·10	6
7	·27	·45	-	-	-	-	·14	·05	-	·67	·02	·30	7
8	·17	·39	-	-	-	-	-	·06	-	·16	·42	·03	8
9	·09	·34	-	·23	-	-	-	·10	-	-	-	·95	9
10	·38	·22	·12	-	-	·04	-	·09	-	·27	-	·04	10
11	-	·33	-	-	-	-	-	·10	-	·06	1·68	·09	11
12	·27	·44	-	-	·21	-	-	·06	-	·06	·78	·18 (snow)	12
13	·02	·31	-	-	·46	-	-	·03	·20	·01	·06	·34	13
14	·04	-	-	-	-	-	-	-	·05	-	·02	·58	14
15	·23	-	-	-	·25	-	·26	-	·08	-	-	·28	15
16	-	·82	-	-	·36	-	·56	-	·01	-	-	·45	16
17	·17	·49	·01	-	·15	-	-	-	-	-	-	-	17
18	-	·38	-	-	-	-	·04	-	-	-	-	-	18
19	·06	-	-	·15	·66	-	·46	-	-	-	-	-	19
20	·51	·03	-	-	-	-	·06	-	-	·10	-	·22	20
21	·19	·07	-	·03	·04	-	·31	-	·02	·03	-	·29	21
22	·08	·15	·25	-	-	·33	·13	-	·12	·06	-	·38	22
23	-	-	·18	·05	-	·58	-	-	·04	·52	-	·43	23
24	-	-	-	·02	-	-	-	-	·09	·62	-	·15	24
25	-	-	-	-	-	·37	·08	-	·01	-	·14	·11	25
26	-	·32	-	-	-	-	·37	-	·07	-	-	·50	26
27	-	·10	-	-	-	·16	·23	-	·01	·83	-	·05	27
28	-	·09	-	-	-	·04	-	-	·36	·12	-	·08	28
29	-	-	-	-	-	·97	-	·01	·27	·06	·27	·30	29
30	·13	×	-	·28	-	-	-	-	·05	·79	·25	·18	30
31	-	×	-	×	-	×	·27	·25	×	·19	×	·18	31
Total	3·78	5·81	1·06	1·41	2·45	2·65	3·33	1·50	1·57	4·93	3·64	8·84	YEAR'S TOTAL 40.97
Rain Days.	19	21	7	9	10	9	16	12	18	17	9	28	175

W. 8,000. X. 15.

[illegible] 6010

FORM A.
BRITISH RAINFALL.
18. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Hean Castle, Saundersfoot.

in the County of Pembroke.

by Lord Merthyr

Lat. 51·43½ Long. 4·40W.

Time of Observation 9·30

Nearest Railway Station Saundersfoot

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·06	·03	-	-	·16	24	-	-	2·16	·46	-	1
2	·17	·37	19(pt snow)	-	·01	-	-	·01	·52	·93	·19	·03	2
3	·01	·51	-	·01	·02	·09	-	-	·24	·81	·07	·08	3
4	·21	·22	·05	·09	·15	·46	·03	-	·08	·03	·15	-	4
5	·07	·08	·05	-	·27	·09	·06	-	-	·20	·13	-	5
6	·14	·19	-	-	·24	-	·65	-	-	·27	·50	·05	6
7	-	·03	-	-	·24	·05	·01	-	-	·09	·25	·16	7
8	·13	·12	-	-	·31	·45	-	-	-	·11	·01	·12	8
9	-	·20	-	-	·01	·06	·06	-	-	-	·09	·18	9
10	-	·49	-	·18	·06	-	-	-	-	·04	·04	49	10
11	-	-	-	·29	·44	-	·01	·02	-	·01	·01	-	11
12	·04	·16	-	-	·31	-	·27	·35	-	·12	-	-	12
13	-	·22	·12	-	·03	-	-	·19	-	·09	-	·02	13
14	·03	·41	·07	-	·11	-	-	·04	-	·06	-	-	14
15	-	·22	·12	26	·14	-	-	·01	-	·07	-	-	15
16	·06	·12	-	·33	-	-	·27	·11	-	·25	·01	-	16
17	·42	·22	·02	·01	-	-	-	-	·58	·43	·20	·17	17
18	-	·08	-	·12	-	-	-	-	·15	·01	-	·65	18
19	·31	·16	·31	·29	-	-	-	-	-	-	-	·07	19
20	·24	·23	·22	·28	-	-	-	-	-	-	-	·09	20
21	·06	-	·07	-	·05	·10	-	-	-	·04	·06	·11	21
22	·02	-	-	-	-	·36	-	·11	-	·18	·02	·03	22
23	·03	-	·04	·09	·03	-	-	·48	-	·15	·17	·27	23
24	-	·03(snow)	·03	·12	·15	·01	-	·22	-	·28	·06	·19	24
25	·03	-	·06	-	-	·35	-	·80	-	·03	·27	·14	25
26	·08	-	·10	-	-	·08	-	·21	·56	·22	·25	·10	26
27	·01	-	·50(pt snow)	-	-	-	-	·10	·45	·84	-	·08	27
28	-	·01	-	-	-	-	-	-	-	·66	·08	·04	28
29	-	·33	-	-	-	·75	-	·04	-	·98	·04	·14	29
30	-	X	-	-	-	·07	-	-	-	·21	-	-	30
31	-	X	-	X	·04	X	-	·10	X	·45	X	·06	31
Total	2·43	4·46	1·98	2·07	2·61	3·08	1·60	2·79	2·58	9·72	3·06	3·27	YEAR'S TOTAL 39·65
Rain Days.	19	23	16	12	18	14	9	15	~~8~~ 7	28	21	22	20~~5~~ 4

W. 8,000, VIII. 16

3542

FORM A.
BRITISH RAINFALL.

1918

REGISTER OF RAINFALL IN 1917

Kept at Hean Castle, Saundersfoot

in the County of Pembroke

by Lord Merthyr

Lat. 51·43½ Long. 4·40 W
Time of Observation 9·30 a m
Nearest Railway Station Saundersfoot
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	-	-	·09 (pt snow)	-	-	-	-	-	-	·45	-	1
2	·04	-	-	snow ·16	-	-	-	-	-	·16	·15	-	2
3	·06	·06	·08	-	-	-	·86	-	-	·58	·34	·06	3
4	-	snow ·19	·80	·07	-	-	-	-	-	·02	·26	·06	4
5	·23	-	·29	-	-	·51	-	-	·23	·23	·27	·03	5
6	-	-	·19	·17	-	·15	-	-	-	·14	·14	·10	6
7	·21	-	-	·27	-	·09	·31	·61	-	·12	·23	-	7
8	·23	-	snow ·09	·07	-	-	·09	1·36	·04	·41	·17	·37	8
9	·06	-	·02	·14	·13	-	-	·19	·23	·12	·24	-	9
10	·27	-	·75	·16	-	-	-	·41	-	·05	·16	-	10
11	·18	-	·01	pt. snow ·33	-	-	-	·25	-	·31	·21	-	11
12	·17	-	·07	·15	·35	-	-	·40	-	·50	-	-	12
13	·16	-	·22	·03	·03	-	[illegible]	·56	·23	-	·06	-	13
14	-	-	-	-	-	-	12	·08	-	-	-	·04	14
15	-	-	-	-	-	-	-	-	·09	·64	-	·25	15
16	-	·11	-	·08	-	-	-	-	·06	·06	·05	·24	16
17	-	·07	-	·44	·12	-	·83	·92	·27	-	-	-	17
18	-	-	·06	-	·25	-	·12	-	·68	-	·04	-	18
19	-	1·30	·11	-	-	·31	-	-	·04	-	-	-	19
20	-	-	-	-	·57	·49	-	·19	·08	·10	·03	-	20
21	-	-	-	-	-	-	-	·01	-	-	·09	-	21
22	-	·19	-	-	·12	-	-	·81	-	·07	-	-	22
23	-	·14	-	-	·05	·06	-	·12	-	·16	-	-	23
24	-	-	-	-	-	·09	·25	·08	·02	·06	-	-	24
25	-	·07	-	-	-	-	·03	·37	·27	-	·22	-	25
26	-	-	·04	-	·86	·18	-	·08	·09	·20	·28	·06	26
27	-	-	·05	-	·12	1·02	·75	·93	-	-	-	-	27
28	-	-	·06	-	·09	·05	-	·17	-	·12	-	-	28
29	-	-	·09	-	-	-	-	-	-	·17	-	·09	29
30	-	X	·07	-	·08	-	-	·33	-	·21	-	-	30
31	-	X	·16	X	·11	X	-	·23	X	·05	X	-	31
Total	1·70	2·13	2·86	2·16	2·88	2·95	3·36	8·10	2·33	4·48	3·39	1·30	YEAR'S TOTAL 37·64
Rain Days.	11	8	18	13	13	10	9	20	13	22	18	10	165

W. 8,000, IX. 17.

Ex. M.O.S.

12

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

18.1.19

Kept at Hean Castle, Saundersfoot
in the County of Pembroke
by Lord Merthyr

Lat. 51·43½ Long. 4·40 W.
Time of Observation 9.30 A.M.
Nearest Railway Station Saundersfoot
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·30	-	·18	·06	-	-	1·25	-	·12	·69	-	1
2	-	·18	-	-	-	-	-	-	-	·01	·06	·41	2
3	-	·23	-	·19	·10	·07	-	·37	·71	·12	·26	·10	3
4	-	-	-	-	-	-	-	-	·09	·37	·46	·39	4
5	-	-	-	·32	·08	-	-	·37	·21	·62	·02	·09	5
6	·25	·52	-	-	-	·14	-	·03	·02	·43	-	·08	6
7	Snow ·46	·16	-	·09	-	-	-	-	·54	·13	·27	·16	7
8	Snow ·16	·11	-	-	-	·18	·07	-	·07	·42	·05	-	8
9	·10	-	-	·10	-	·14	·34	-	·41	·06	-	·51	9
10	-	·02	·04	-	-	-	·46	-	·08	·14	·27	·46	10
11	·08	·03	·18	-	-	-	·16	-	·32	·01	·06	·19	11
12	-	·09	-	-	·19	-	·02	-	·12	-	-	·03	12
13	·66	-	-	-	-	·05	-	-	·71	·27	-	·05	13
14	-	-	-	-	·01	-	·31	-	·32	·06	-	·95	14
15	pt. snow 1·01	-	-	-	-	-	·71	-	·77	·14	-	·43	15
16	·22	·05	-	1·20	-	-	·09	-	·09	·16	-	-	16
17	·24	-	·02	·12	-	·16	·41	·20	·25	·15	-	·43	17
18	·45	·17	·06	-	-	·61	·01	-	·36	·12	-	·32	18
19	·08	·14	·13	·23	-	-	·42	·04	·35	·01	-	·04	19
20	·30	·07	-	·12	·04	-	·05	-	-	-	-	-	20
21	·28	-	-	-	-	-	·57	-	·59	·10	-	·25	21
22	·10	-	-	-	·35	-	·30	-	·25	·06	·04	·28	22
23	·22	-	-	-	·19	·06	·08	-	·24	·17	-	·05	23
24	-	·17	-	-	-	-	·15	·56	-	·02	·25	-	24
25	-	-	-	·01	·20	-	·23	-	·13	·01	·21	·06	25
26	-	-	-	-	-	-	-	-	-	·05	·18	·32	26
27	·05	-	·57	-	-	-	-	·34	·20	·16	·32	·26	27
28	-	pt snow ·25	·09	-	-	-	-	-	·56	·09	·28	·11	28
29	-	-	·49	-	-	-	-	-	·54	-	-	·07	29
30	-	X	·34	-	-	-	-	-	·10	-	·24	-	30
31	-	X	·31	X	-	X	-	-	X	·33	X	·20	31
Total	4·66	2·49	2·23	2·56	1·22	1·41	4·38	3·16	8·03	4·33	3·66	6·24	YEAR'S TOTAL 44·37
Rain Days.	16	15	10	10	9	8	17	8	25	27	16	25	186

3·16

W. 8.000, IX. 17.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. Sent

MB

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Hean Castle, Saundersfoot,
in the County of Pembrokeshire
by The Lord Merthyr.

Lat. 51·43½ Long. 4.40 W
Time of Observation 9.30 a.m.
Nearest Railway Station Saundersfoot
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	-	-	·06	·07	-	·02	-	·25	·05	-	·41	1
2	·80	-	·29	Snow ·12	·01	-	·54	-	·10	-	-	·23	2
3	-	-	·21	-	·12	-	-	-	·05	-	-	·33	3
4	-	·30	·13	-	·05	·07	-	·04	·10	-	-	·16	4
5	·23	·34	-	-	-	-	-	-	·04	-	-	·20	5
6	·14	·15	·51	-	-	-	-	-	·03	-	-	·22	6
7	·03	-	·02	·30	-	-	-	-	·03	-	-	·23	7
8	·24	-	-	-	-	·14	-	-	·01	-	-	-	8
9	·18	-	·17	·19	·08	-	-	-	-	-	·38	·04	9
10	·28	-	·75	-	·12	-	-	-	-	·06	Snow ·25	·79	10
11	·18	-	·91	·03	·13	·07	·07	-	-	-	-	·31	11
12	·09		·07	·11	-	1·35	-	-	·13	·09	-	·02	12
13	·52		·06	·14	-	-	·02	-	·10	·03	-	·37	13
14	·21	·06	-	·24	·41	-	·02	-	-	·03	-	·11	14
15	·27	·32	-	·04	·02	-	-	-	-	·04	·46	·45	15
16	·13	·80	-	-	·06	·07	·02	-	-	-	·27	·06	16
17	-	·69	·01	-	-	·10	·11	·47		-	·41	·02	17
18	·21	·15	·80	-	-	-	·26	·32	·06	-	·32	·04	18
19	·33	·45	·18	-	-	·28	-	·19	·09	-	·10	·10	19
20	·34	·16	·09	-	·21	-	·02	-	·13	-	·04	·14	20
21	-	·35	-	-	·19	-	·01	-	·06	-	·03	·12	21
22	-	·09	-	-	-	-	-	-	·31		-	·18	22
23	-	-	-	-	-	-	-	-	-	·44	·05	·02	23
24	·10	-	-	-	-	·24	-		·01	·46	·17	·25	24
25	·13	-	-	-	-	-	-	·70	·07	-	·09	·32	25
26	·27	·04	·08	-	-	-	-	·05	-	·20	·02	·40	26
27	-	-	-	Part snow ·81	-	-	-	·38	-	-	·09	·03	27
28	-	-	·36	·14	-	-	-	·45	-	-	-	·56	28
29	-	-	-	·08	-	-	-	·02	-	-	·23	·06	29
30	-		·03	·16	-	-	-	·87	-	-	·28	·27	30
31	-		-		-		~~·02~~	·02		-		·07	31
Total	4·74 ✓	3·90 ✓	4·67 ✓	2·42 ✓	1·47 ✓	2·32 ✓	1·09 ✓	3·51 ✓	1·57 ✓	1·40 ✓	3·19 ✓	6·51 ✓	Year's Total 36·79 ✓
Days with ·01 in. or more	20 ✓	13	17 ✓	13 ✓	12 ✓	8 ✓	10 ✓	11 ✓	17 ✓	9 ✓	16 ✓	30 ✓	176 ✓

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

max Daily Fall 1.35 in on June 12.

3541
11 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hean Castle, Saundersfoot
in the County of Pembroke
by Lord Merthyr

Lat. 51·43½ N. Long. 4·40 W.
Time of Observation 9·30 a.m.
Nearest Railway Station Saundersfoot.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·06	-	·09	·45	-	·78	·02	·25	·07	·02	·08	1
2	-	-	-	·11	·10	-	·04	·01	·21	·31	-	·21	2
3	·28	-	-	-	-	-	·09	-	·04	·36	-	·20	3
4	-	-	·04	·04	-	-	·04	1·13	·02	·56	-	-	4
5	-	-	·06	·05	·81	-	·28	·04	-	·31	-	-	5
6	-	-	·10	-	·56	-	·10	-	-	·41	-	·03	6
7	·08	·15	·11 pt. snow	·08	·01	-	·35	-	-	-	·06	·15	7
8	-	·06	-	·16	·27	-	-	·58	-	-	-	·05	8
9	·51	·20	·05	2·33	-	·01	·20	-	·02	-	-	·04	9
10	·75	·11	·10	-	-	·21	·24	-	-	-	·07	-	10
11	·08	-	·13	·22	·41	-	·21	-	-	-	-	-	11
12	·20	·06	·02	·28	-	·14	·05	·03	·02	·08	·21	-	12
13	·06	-	·30	·14	-	·09	-	-	-	·09	-	-	13
14	·08	·06	·63	·57	-	-	·15	-	·81	·16	·47	-	14
15	·09	·10	-	·24	·04	·01	-	-	·02	·21	·11	-	15
16	·02	-	·11	·14	·02	·09	·71	-	·32	·84	-	-	16
17	·13	-	·02	-	·25	·03	-	·48	·26	·21	-	-	17
18	·14	·06	-	·29	·15	·14	-	·06	·72	-	-	-	18
19	·09	·39	-	·45	-	·43	·08	-	-	-	-	-	19
20	·06	-	-	·13	-	-	·11	-	·15	·11	-	·22	20
21	·01	-	-	·07	-	-	·13	-	·05	·08	-	·12	21
22	·16	-	·01	·13	-	-	·14	·05	-	-	-	·29	22
23	·09	-	·08	-	-	-	·31	·09	-	-	-	·86	23
24	·05	-	·56	-	-	·02	·09	-	-	-	·14	·29	24
25	·30	·07	·33	-	-	-	·88	-	-	-	-	-	25
26	·10	-	·42	·08	-	·36	-	-	·06	-	·18	-	26
27	·13	·05	·38	·13	-	·37	·28	-	-	-	1·40	1·15	27
28	·53	·09	·15	·04	-	·06	-	-	-	-	·03	·05	28
29	·07	·06	·26	·02	-	·26	·41	-	-	-	·21	·52	29
30	·16	×	·09	·26	·02	·62	·06	-	1·24	-	·40	·61	30
31	·22	×	·33	×	·02	×	·06	·05	×	·86	×	·07	31
													YEAR'S TOTAL
TOTAL	4·52 ✓	1·52 ✓	4·28 ✓	6·05 ✓	3·11 ✓	2·84 ✓	5·79 ✓	2·54 ✓	4·19 ✓	4·66 ✓	3·30 ✓	4·94 ✓	47·74 ✓
Days with ·01 in. or more	26 ✓	14 ✓	22 ✓	23 ✓	13 ✓	15 ✓	24 ✓	11 ✓	15 ✓	15 ✓	12 ✓	17 ✓	207 ✓
Days with ·04 in. or more	24 ✓	14 ✓	19 ✓	22 ✓	9 ✓	11 ✓	24	8 ✓	11 ✓	15 ✓	10 ✓	16 ✓	183 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

TEMPLETON —

HILL

PEMBROKESHIRE

1914-1919

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

Kept at Hill ... m
... mpleton
in the County of ... in. in.
... Ground 1 ft. in.
by Eleanor ... Sea Level 550 ft.

IMPORTANT ... he result entered to the previous day. If ... sal rule, he is earnestly requested to add th ... in the space provided for it at the end ... the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·01	·09	·03	·00	·20	·53	·73	·00	·00	·96	50	1
2	·00	·00	·00	·01	·10	00	·16	·08	·00	·00	·04	·15	2
3	·35	·00	·28	·16	·78	03	·01	·02	·00	Rain	·10	·37	3
4	·32	·00	·11	·41	·25	·00	1·22	·04	·00	·00	·15	·21	4
5	·00	·05	·36	·09	·01	·00	·00	·04	·00	·01	·02	·00	5
6	·00	·05	·13	·03	·29	·00	·18	·14	·00	·00	·11	·38	6
7	·35	·48	·49	·11	·53	·12	·66	·70	·01	Rain ×	·03	·29	7
8	·00	·01	·06	·16	·29	·10	·00	·66	·24 (·12)	·13 ×	·03	·05	8
9	·80	·30	·19	·14	·49	·50	·00	·16	·75	·01	·07	·00	9
10	·26	·51	·06	·39	·05	·02	·00	·14	·15	·00	·15	·02	10
11	·00	·36	·74	·01	·06	·24	·00	·00	·39	·00	·36	·63	11
12	·00	·48	·33	·04	·04	·00	·02	·00	·05	·00	·18	·15	12
13	·00	·60	·51	00	·00	·00	·31	·00	·05 ·06	·00	·30	·27	13
14	·00	·50	·28	00	·00	·00	·04	·23	·45	·06	·35	00	14
15	·00	·02	·15	00	·00	·00	·00	·30	·01	·01	·00	08	15
16	·00	·04	·02	00	·00	·00	·11	·00	·07 (2 days)	·00	·00	·27	16
17	·00	·72	·37	00	·00	·00	·11	·00	·00	·00	·00	1·25	17
18	·00	·04	·13	00	·00	·00	·15	·00	·00	·40	00	·38	18
19	·00	·24	·00	00	·00	·08	·32	·00	·00	·79	·05	·12	19
20	·00	·45	·27	00	00	·00	·00	·07	·00	·10	·00	·47	20
21	·00	·48	·09	00	·00	·07	·00	·01	·00	·40	·00	·00	21
22	·00	·19	·08 (·18)	08	·00	·00	·00	·63	·00	·00	16	·00	22
23	·00	·11	·23	00	·00	·00	·06	·20	·00	·00	00	·00	23
24	Rain	·22	·16	00	·00	·00	·02	·01	·00	·01	59	·00	24
25	·35 ×	·01	·43	00	·00	·00	·06	1·14	·00	·95	75	1·07	25
26	·01	·17	·01	00	·00	·00	·08	·01	·00 ·00	·20	25	·10	26
27	·17	·27	·61	00	·00	·01	·06	·01	·01	·11	13	1·04	27
28	·04	·65	·25	00	·04	·00	·05	·10	·00	·18	(35) 35	·05	28
29	·37		·20	00	·07	·00	·00	·00	00	·03	47	·02	29
30	·04		·01	00	·00	·00	·00	·03	·00	·36	30	·83	30
31	·30		·02		·13	~~·00~~	·73					·33	31
Total	3·26	6·38	6·76	1·66 1·66	3·13	1·37	5·94	5·45	1·97	3·77 3·77	5·90 5·90	~~8·98~~ 8·98	YEAR'S TOTAL 54·54
Rain Days.	13 12	25	29	13	14	10	20	20	11	19	23	24	220 ~~215~~

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

Kept at Hill ~~Wince~~

in the County of Pembroke

by Eleanor C. Allen

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Templeton

Diameter of Rain Gauge 5 in. in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·01	·09	·03	·00	·20	·53	·73	·00	·00	·96	50	1
2	·00	·00	·00	·01	·10	00	·16	·08	·00	·01	·04	·15	2
3	·35	·00	·28	·16	·78	03	·01	·02	·00	Rain	·10	·37	3
4	·32	·00	·11	·41	·25	·00	1·22	·04	·00	·00	·15	·21	4
5	·00	·05	·36	·09	·01	·00	·00	·04	·00	·01	·02	·00	5
6	·00	·05	·13	·03	·29	·00	·18	·14	·00	·00	·11	·38	6
7	·35	·48	·49	·11	·53	·12	·66	·70	·11	Rain ×	·03	·29	7
8	·00	·01	·06	·16	·29	·10	·00	·66	·72 (·11)	·13 ×	·03	·05	8
9	·80	·30	·19	·14	·49	·50	·00	·15	·75	·01	·07	·00	9
10	·26	·51	·06	·39	·05	·02	·00	·14	·05	·00	·15	·02	10
11	·00	·36	·74	·01	·06	·24	·00	·00	·39	·00	·36	·63	11
12	·00	·48	·33	·04	·04	·00	·02	·00	·05	·00	·18	·15	12
13	·00	·60	·51	00	·00	·00	·37	·00	·05 .06	·00	·30	·27	13
14	·00	·50	·28	00	·00	·00	·04	·23	·45	·06	·35	00	14
15	·00	·02	·15	00	·00	·00	·00	·30	·01	·01	·00	03	15
16	·00	·04	·02	00	·00	·00	·11	·00	·07	·00	·00	·27	16
17	·00	·72	·37	00	·00	·00	·11	·00	·00	·00	·00	1·25 ×	17
18	·00	·04	·13	00	·00	[illegible]	·15	·00	·00	·40	·00	·38	18
19	·00	·24	·00	00	·00	[illegible]	·32	·00	·00	·79	·05	·12	19
20	·00	·45	·27	00	·00	·00	·00	·07	·00	·10	·00	·47	20
21	·00	·48	·09	00	·00	·07	·00	·01	·00	·40	·00	·00	21
22	·00	·19	~~·18~~	(·18) 08	·00	·01	·00	·63	·00	·00	·16	·00	22
23	·00	·11	·23	00	·00	·00	·01	[illegible]	·00	·00	00	·00	23
24	Rain	·22	·16	00	·00	·00	·02	·00	·00	·01	·30	·00	24
25	·35	·01	·43	00	·00	·00	·06	[illegible]	·00	·95	·75	1·07	25
26	·01	·17	·01	00	·00	·00	·08	·01	·00 ·00	·20	·25	·10	26
27	·17	·27	·61	00	·00	·01	·06	·01	·01	·11	·13	1·04	27
28	·04	·65	·25	00	·84	·00	·05	·10	·00	·18	(35) ·35	·05	28
29	·37		·20	00	·07	·00	·00	·00	·00	·03	·47	·02	29
30	·04		·01	00	·00	·00	·00	·00	·00	·36	·30	·83	30
31	·30		·02		·13	~~·00~~	·73					·33	31
Total	3·26	6·38	6·76	1·66 1·66	3·13	1·37	5·94	5·45	1·97	3·77 3·77	5·90 5·90	8·98 8·98	YEAR'S TOTAL 54·54
Rain Days.	13 ~~12~~	25.	29	13	14.	10	20	20	11	18	23	24.	220 ~~215~~

cond p auth 16.V.16

4081

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Hill

in the County of Pembroke

by Eleanor C. Allen

Lat. 52 . 15 min Long. 4 W. 45 min

Time of Observation 9 a.m.

Nearest Railway Station Templeton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level 545 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48.	·63	·02	·00	·35	·00	·06	·77	·20	·48	·07	29	1
2	·36	·30	·44	·40	·02	·25	·06	·09	·10	·09	·00	21	2
3	·01	·36	·38	·04	·10	·08	·03	·07	·02	·62	·00	·55	3
4	·05	·12	·02	·02	·15	·09	·01	·00	·00	·00	00	·77	4
5	·16	·37	·02	·28	·00	·10	·00	·28	00	·00	00	1·58	5
6	·42	·17	·00	·38	·07	·02	·36	·00	00	·00	00	·07	6
7	·30	·75	·00	·02	·00	·00	·24	·14	00	1·15	00	·30	7
8	·15	·63	·00	·00	·00	·00	·02	·15	00	·21	00	·07	8
9	·12	·34	·00	·26	·00	·00	·00	·10	·00	·10	Thaw	1·03	9
10	·55	·32	·15	·18	·00	·00	·50	·00	·00	·32	1·02	·16	10
11	·04	·82	·00	·02	·00	·03	·07	·00	·00	·02	1.50	Snow	11
12	·40	·02	·00	·07	·17	·00	·00	·00	·01	·19	0·65	Snow	12
13	·07	·55	·00	·02	·50	·00	·00	·00	·25	·00	0·4	82	13
14	·16	·30	·00	·00	·00	·00	·00	·02	·20	·00	·07	·79	14
15	·26	·02	·00	·00	·40	·00	·70	·00	·15	·00	00	·30	15
16	·04	·00	·00	·04	·32	·00	·54	·00	·05	·00	00	·33	16
17	·14	1·72	·00	·00	·12	·00	·00	·00	·00	·00	00	·00	17
18	·07	·32	·08	·02	·11	·00	·09	·15	·00	·20	00	·00	18
19	·02	·76	·00	·20	1·19	·00	·60	·00	·00	·21	00	·02	19
20	70	·00	·00	·01	·03	·00	·46	·01	·07	·16	00	·29	20
21	30	·02	·00	·11	·03	·00	·20	·00	00	·70	00	·26	21
22	02	·20	·18	·11	00	·47	·00	·01	·18	·48	·00	·78	22
23	·00	·11	·30	·03	·00	·50	·00	·00	·10	00	·00	·37	23
24	·00	·00	·00	·01	·00	·00	·00	·00	·02	·00	00	·35	24
25	02	·00	·00	·00	00	·33	·06	·00	·52	00	·18	·15	25
26	00	·58	·00	·00	·00	·05	·36	·00	·00	·50	·00	·71	26
27	00	·10	·00	·00	·00	·14	·15	·00	·05	1·23	·00	·13	27
28	00	·14	·00	·00	·01	·02	·04	·02	·31	·09	·00	·12	28
29	00	--	·00	·00	·00	1·42	·00	·02	·21	·21	·39	·50	29
30	·10	X	·00	30	·00	·00	·63	·00	·05	1·04	·32	·37	30
31	·00	X	·01	X	·00	X	·00	·26	X	·21	X	·40	31
Total	1·94	9·66	1·60	2·52	3·41	3·42	4·61	2·19	1·93	7·05	4·42	11·64	YEAR'S TOTAL 57·39
Rain Days.	24	24	10	20	15	12	18	15	17	19	9	27	210

7·05

W. 8,000. X. 14.

cord franks ~~H~~ Lily

4011

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Hill

in the County of Pembroke

by Eleanor C. Allen

Lat. 52 dg. 15 min. Long. 4 dg.-45 min.

Time of Observation 9 a.m

Nearest Railway Station Templeton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level 545 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·31	·10	·01	·00	·00	·23	·18	·06	·00	1·75	·25	00	1
2	·82	·60	·18	·00	·03	·15	·12	·00	·92	·64	·41	03	2
3	·05	1·05	·00	·03	·01	·60	·13	·00	·22	·65	·26	04	3
4	·36	·28	·00	·06	·20	·13	·10	·00	·10	·02	·35	03	4
5	·18	·30	·07	·00	·35	·07	·73	·00	·00	·48	·04	00	5
6	·30	·09	·01	·00	·50	·00	·00	·00	·03	·22	1·00	06	6
7	·01	·10	·00	·00	·27	·22	·02	·00	·00	·00	·37	26	7
8	·09	·03	·00	·01	·40	·00	·02	·00	·00	·10	·06	26	8
9	·00	·21	·00	·00	·00	·01	00	·00	·00	·01	·20	80	9
10	·01	·43	·01	·17	·09	00	·01	·00	·03	·02	·05	03	10
11	·00	·00	·03	·37	·55	·00	·30	·08	·01	00	·03	00	11
12	·03	·15	·00	00	·38	·00	·33	·65	·00	·38	·00	·00	12
13	·00	·40	·08	00	·02	·01	·00	·46	·00	·12	·00	00	13
14	·03	·70	·10	01	·16	·00	·00	·02	·01	·09	00	·00	14
15	·06	·24	·12	·41	·25	·00	·00	·16	·01	·08	03	·00	15
16	·19	·04	·00	·34	·03	·00	·40	·02	·01	·41	·00	·00	16
17	·75	·30	·04	·02	·00	·00	·00	·02	80	·55	·14	·00	17
18	·03	·00	·22	·32	·00	·00	·00	·32	21	·8	·00	·71	18
19	·45	·30	·18	·02	·00	·00	·00	·01	·00	·9	·08	·10	19
20	·37	·50	·28	·04	·00	·06	·00	·00	·00	·00	·10	·08	20
21	·23	·00	·20	·31	·08	·23	·00	·00	·00	·00	·07	·12	21
22	·07	·02	·07	00	00	·60	·00	·15	·00	·24	·08	·25	22
23	·06	·00	·09	·38	00	·03	·00	·57	·00	·84	·63	·18	23
24	·01	00	·08	·25	16	·02	·00	·46	·54	·47	·01	·06	24
25	·18	·01	·21	·01	11	·33	·00	·47	·03	·02	·26	·03	25
26	·02	·00	·02	·00	·00	·70	·00	·07	·45	·78	·33	·00	26
27	·01	·00	·23	·00	·01	·02	·00	·04	·06	1·00	·00	·00	27
28	·00	·01	·01	·00	00	·01	·00	·00	00	1·21	10	·92	28
29	00	·12	·01	·00	00	·65	·00	·07	04	·70	20	·13	29
30	·00	X	·00	·00	00	29	·00	·06	00	49	·09	·02	30
31	00	X		X	·18	X	·00	·25	X	37	X	·02	31
Total	4·63	5·98	2·19	2·78	3·78	4·26	2·40	3·53	3·44	2·50	~~5·14~~ 5·05	4·03	YEAR'S TOTAL 54·57
Rain Days.	24	22	22	16	19	17	11	19	~~15~~ 16	28	23	20	237

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

and quantity

FORM A.
BRITISH RAINFALL.

Kept at Hill
in the County of Pembroke
by Eleanor C. Allen

Lat. 52° 15 Long. 4 - 45
Time of Observation 9-a.m.
Nearest Railway Station Templeton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 545 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	00	23	·20 snow	00	·00	00	00	00	00	25	2	1
2	·03	00	00	snow	00	·06	00	00	00	5	28	07 snow	2
3	·12	snow	00	·39	00	·20	105	00	00	71	1.10	08	3
4	·00	snow	37	·06	00	·00	·01	00	16	11	00	01	4
5	·37	00	39	·10	00	43	00	00	10	24	35	10	5
6	·02	00	21	·07	00	18	00	00	00	30	27	16	6
7	·53	00	00	22	00	16	89	02	00	11	5	00	7
8	·04	00	Snow	08	00	·01	03	1·25	9	14	62	10	8
9	·04	00	49	snow 2	17	·00	08	·20	58	57	14	00	9
10	35	00	1·25	25	00	·00	00	·67	00	6	20	00	10
11	·10	00	·00	Snow ·48	·58	50	·00	·30	02	40	21	00	11
12	·30	00	·00	·06	·00	00	50	·70	58	22	00	00	12
13	·30	00	22	·07	·00	·03	·00	56	35	30	06	00	13
14	·01	00	00	05	·00	00	·10	·02	00	·4	02	06	14
15	·00	00	00	09	·02	00	04	·00	19	42	00	24	15
16	·00	00	00	·02	·00	00	02	07	74	9	00	21	16
17	00	00 snow	·11	·48	·15	10	106	1·10	56	00	12	00	17
18	00	00	·07	·02	·29	57	·36	00	70	3	02	00	18
19	00	1·75	·08	00	·00	35	·00	00	7	00	07	00	19
20	00	·05	·00	00	·62	67	04	00	16	01	00	01	20
21	00	01	·09	00	·00	00	00	·10	32	15	07	00	21
22	00	·11	00	00	·05	00	02	1·21	00	16	00	00	22
23	00	36	·00	00	·30	11	00	·30	00	5	04	02	23
24	00	·02	·02	00	·01	10	34	·9	05	23	·00	00	24
25	00	·11	·08	00	·00	00	03	42	48	2	10	02	25
26	00	·00	04	50	·90	24	88	1·32	18	16	40	03	26
27	00	00	00	00	·05	1·12	03	1·26	00	00	06	00	27
28	00	·11	12	00	·05	15	25	·20	00	12	04	03	28
29	00		18	00	·00	00	01	00	00	00	06	13	29
30	00	X	00	00	·00	00	00	45	01	55	12	00	30
31	00	X	snow ·15	X	·47	X	01	29	X	15	X	00	31
Total	~~2·05~~ 2·35	2·52	~~4·08~~ 4·10	2·67	3.66	3.85	4·44	~~4·85~~ 10·95	3·93	6·01	4·73	1·31	YEAR'S TOTAL 50·52 50·52
Rain Days.	~~11~~ 13	10	~~18~~ 17	~~19~~ 18	13.	15	18	20	17	27.	22	17	207

W. 8,000, VIII. 16

13

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Hill

in the County of Pembroke

by Eleanor C. Allen

Lat. 52 15 Long. 4 -45
Time of Observation 9 am.
Nearest Railway Station Templeton G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 545 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	00	57	00	·18	14	00	00	1·58	00	·01	1·19	·02	1
2	00	42	00	·00	00	00	00	·38	01	·05	·17	·94	2
3	00	37	00	·14	26	00	00	·05	·65	·31	·40	·23	3
4	00	8	[illegible]	·00	00	00	00	·24	27	·71	·90	70	4
5	00	1·03	04	·44	16	00	00	·51	11	·82	·00	·33	5
6		27	00	·05	11	00	00	·01	·09	40	·01	·11	6
7		06	00	·03	00	25	00	·11	·68	·04	·42	42	7
8	9	20	00	·00	00	00	00	·01	·02	·68	·04	9	8
9	14	7	00	·11	00	1·4	16	·00	·75	15	05	56	9
10	54	5	07	·05	00	26½	96	·00	·18	·19	43	04	10
11	[illegible]	[illegible]	27	·015	00	01	19	·01	·12	·02	·04	11	11
12	5	10	00	·00	8	00	23	·00	12	·5		42	12
13	45	5	02	·00	00	·02	·00	·00	·90	·66	·02	90	13
14	37	00	00	·00	45	03	05	·08	32	·06	·01	36	14
15	75	00	00	·00	12	00	·32	·00	1·13	·26	·00	1·31	15
16	12	06	38	60	00	01	·85	·16	·17	·13	·00	1·00	16
17	1·62	00	00	·00	00	00	·10	·16	·06	·12	·01	·04	17
18	75	52	20	·10	00	09	·39	·04	1·35	·27	00	52	18
19	65	[illegible]	10	20	58	81	·01	·00	·03	·01	00	46	19
20	35	7	08	16	02	·051	·52	·06	·52	·01	00	04	20
21	52	16	02	00	00	·002	·05	·00	·80	·08	00	35	21
22	8	05	00	00	40	·011	·80	·02	28	·21	05	28	22
23	38	62	00	00	33	00	·80	·00	·09	·00	17	7	23
24	00	21	00	00	00	·11	·05	·30	·42	·01	33	12	24
25	·03	00	00	04	38	00	·9	·22	·18	·09	36	1·0	25
26	·18	02	·82	37	00	00	·10	·10	·10	15	·04	1·31	26
27	05	00	·20	00	00	00	·08	·00	·10	·09	56	11	27
28	02	06	·63	00	00	00	·01	·25	19	·11	21	13	28
29	00	00	·15	00	00	00	·09	·01	1·12	·04	01	7	29
30	00	X	·04	00	00	00	·00	·01	·09	·08	26	14	30
31	00	X	·50	X	00	X	·07	00	X	·66	X	36	31
Total	~~[illegible]~~	~~[illegible]~~	~~3·52~~	~~2·38~~	1·95	~~1·81~~	5·26	~~4·10~~	~~9·75~~	6·27	~~6·30~~	~~4·29~~	YEAR'S TOTAL ~~63·80~~
Rain Days.	23.	22.	15	14	11	12	21	21	29	30	23	31	250
	6·22	4·72	3·53	2·48⁵	1·95	1·74²	5·26	4·11	9·85	6·47	6·31	11·36	64·007

W. 8,000, IX. 17.

3651

FORM A. BRITISH RAINFALL 10 JAN 20

REGISTER OF and quantity RAINFALL IN 1919

W 1808

Kept at Hill

in the County of Pembroke

by Mrs E. L. B. Allen

Lat. 52 15 Long. 4 - 45

Time of Observation 9

Nearest Railway Station Narberth GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level 545 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	5'												
1	·58	00	16	38	10	00	01	00	·70	00	00	55	1
2	57	00	20	00	00	00	00	00	30	15	07	26	2
3	·02	05	·06	00	00	00	00	00	15	02	00	25	3
4	03	50	30	00	02	08	02	00	20	05	00	15	4
5	24	37	00	00	04	·00	00	00	15	00	00	21	5
6	31	12	92	03	00	00	00	00	10	00	00	34	6
7	19	00	04	44	16	08	00	00	02	00	02	·2	7
8	62	00	24	00	00	05	00	00	02	00	00	16	8
9	14	00	·08	24	24	00	00	00	50	00	37	40	9
10	27	00	95	08	00	03	00	00	00	00	46	1·65	10
11	18	00	90	01	02	13	14	00	00	11	05	[illegible]	11
12	23	00	·05	09	95	1·52	08	00	15	18	00	11	12
13	90	02	·03	41	04	00	06	00	08	04	00	66	13
14	35	16	·03	21	01	00	02	00	01	·03	00	26	14
15	29	11	00	·08	30	00	03	00	00	07	00	47	15
16	04	1·22	00	01	00	·05	05	·09	00	00	43	16	16
17	00	·54	04	00	17	·20	11	43	00	00	40	04	17
18	07	24	90	00	04	03	41	37	12	03	42	8	18
19	72	50	24	00	10	46	00	12	10	01	12	11	19
20	60	9	12	00	00	00	07	24	12	00	02	23	20
21	01	95	00	00	02	00	15	00	21	00	03	17	21
22	00	·03	10	00	06	06	02	00	74	05	00	22	22
23	00	00	00	·01	55	00	00	00	00	67	08	4	23
24	26	00	00	00	00	25	00	00	03	35	09	27	24
25	30	00	00	00	02	00	00	53	22	[illegible]	11	11	25
26	15	06	13	44	01	02	00	04	00	11	00	59 ~~00~~	26
27	13	16	04	40 snow	00	02	00	41	00	02	00	07	27
28	00	01	35	21	00	00	00	39	00	00	00	60	28
29	02	X	02	08	00	00	00	10	00	02	10	30	29
30	00	X	04	16	00	11	00	60	00	00	67	48	30
31	00	X	16	X	00	X	08	00	X	00	X	09	31
Total	~~7.13~~ 7.23	5.22	6.10	3.08	~~2.55~~ 2.85	~~3.05~~ 3.04	1.17	~~3.12~~ 3.21	3.12	1.74	~~3.42~~ 3.41	~~8.86~~ 8.86	YEAR'S TOTAL 49.03 ~~47.76~~
Rain Days.	25	17	24	17	16	15	13	12	~~17~~ 18	15	16	30	~~218~~ 219

W, 6,500. VII. 18, w w c

4113.

TENBY
LEXDEN HOUSE.
1917 - 19

1923-24 A/B

REC

FORM A.
BRITISH RAINFALL.

Kept at Lexden Hou

in the County of Pemb

by Dr. C. M. R

Gauge 5 in.

ve Ground 1 ft. - in.

Sea Level ft.

IMPORTANT NO the result entered to the previous day. If an ersal rule, he is earnestly requested to add the re ar in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·20	·23		·04			·03		·20		1
2				·20		·01				·05	·12		2
3	·09	·14		·01		·02	1·06			·83	·95	·05	3
4		·01	·51				·01		·03	·06			4
5	·27		·36	·15		·48			·06	·21	·14		5
6			·56	·04		·15			·03	·10	·19	·15	6
7	·27					·04	·24	·67		·08	·02		7
8	·10			·03			·04	1·21		·47	·29	·45	8
9			·19		·05			·10	·07	·03	·16	·02	9
10	·24		1·08	·16				·50		·08	·09		10
11			·01	·50			·01	·35		·28	·28		11
12	·55		·03	·04	·37			·03		·54			12
13	·06		·32	·02				·43	·26	·13	·02		13
14							·11			·04			14
15				·05			·09		·08	·33		·31	15
16		·06	·02					·05	·03	·06	·09	·20	16
17		·01		·32	·08		1·46	1·16	·19	·01	·03		17
18			·01		·23		·14		·73				18
19		1·57	·02			·30			·04				19
20		·01			·83	·47		·03	·06		·02		20
21			·12					·03		·11			21
22		·08			·03			1·05		·06			22
23		·36			·20	·02		·22		·10			23
24						·05	·18	·05	·01	·13	·08		24
25		·04	·03				·01	1·07	·18	·06	·09		25
26					1·20	·14		·19	·12	·06	·28	·04	26
27			·01		·05	·89	·90	1·21					27
28		·10	·06			·03	·02	·13		·08			28
29			·07							·83	·02	·17	29
30		✕						·45		·04	·03		30
31		✕	·09	✕	·25	✕		·19	✕	·20	✕		31
Total	1·58 ✓	2·38 ✓	3·69 ✓	1·75 ✓	3·29 ✓	2·64 ✓	4·27 ✓	9·12 ✓	1·92 ✓	4·97 ✓	3·10 ✓	1·39 ✓	YEAR'S TOTAL 40·10 ✓
Rain Days.	7 ✓	10 ✓	18 ✓	12 ✓	10 ✓	13 ✓	13 ✓	20 ✓	15 ✓	26 ✓	19 ✓	8 ✓	171 ✓

W. 8,000, IX. 17.

RE

FORM A.
BRITISH RAINFALL.

Kept at Lexden House, Tenby,

in the County of Pembs.

by Dr. E. M. R. Bryant.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·20	·23		·04			·03		·20		1
2				·20		·01				·05	·12		2
3	·09	·14		·01		·02	1·06			·83	·95	·05	3
4		·01	·51				·01		·03	·06			4
5	·27		·36	·15		·48			·06	·21	·14		5
6			·56	·04		·15			·03	·10	·19	·15	6
7	·27					·04	·24	·67		·08	·02		7
8	·10			·03			·04	1·21		·47	·29	·45	8
9			·19		·05			·10	·07	·03	·16	·02	9
10	·24		1·08	·16				·50		·08	·09		10
11			·01	·50			·01	·35		·28	·28		11
12	·55		·03	·04	·37			·03		·54			12
13	·06		·32	·02				·43	·26	·13	·02		13
14							·11			·04			14
15				·05			·09		·08	·33		·31	15
16		·06	·02					·05	·03	·06	·09	·20	16
17		·01		·32	·08		1·46	1·16	·19	·01	·03		17
18			·01		·23		·14		·73				18
19		1·57	·02			·30			·04				19
20		·01			·83	·47		·03	·06		·02		20
21			·12					·03		·11			21
22		·08			·03			1·05		·06			22
23		·36			·20	·02		·22		·10			23
24						·05	·18	·05	·01	·13	·08		24
25		·04	·03				·01	1·07	·18	·06	·09		25
26					1·20	·14		·19	·12	·06	·28	·04	26
27			·01		·05	·89	·90	1·21					27
28		·10	·06			·03	·02	·13		·08			28
29			·07							·83	·02	·17	29
30		X						·45		·04	·03		30
31		X	·09	X	·25	X		·19	X	·20	X		31
Total	1·58	2·38	3·69	1·75	3·29	2·64	4·27	9·12	1·92	4·97	3·10	1·39	YEAR'S TOTAL 40·10
Rain Days.	7	10	18	12	10	13	13	20	15	26	19	8	171

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

[illegible]

FORM A.
BRITISH RAINFALL
7. 1. 19

Kept at Lexden House Tenby
in the County of Pembroke
by Edwd. M. R. Bryant

Lat. 51° 40′ 15″ Long. 4° 41′ 42″ W
Time of Observation 9·30 am
Nearest Railway Station Tenby 800 yds
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 76′ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
				~~08~~									
1		[illegible]		08	08			87		01	75		1
2	04	[illegible]						28	44		08	61	2
3		[illegible]		14	08	01			27	14	24	14	3
4		06						21		35	59	58	4
5				39	16			21	16	68	07	16	5
6	08	83		02		21				30		10	6
7		18		03			01	04	35	06	37	24	7
8	36	03					07		07	50	02	01	8
9	02					24	16		57	10		57	9
10			02	10			65		08	15	23	54	10
11	02	04	21				18		16		03	18	11
12		11			23		04		10			03	12
13	17			01			01		33	45		(45)	13
14	62				01	02	28		43	03		77	14
15	97						1·01		1·00	09		58	15
16	30	06		74			08	24	12	08		03	16
17	30		01	12		10	47	01	17	03		35	17
18	60	18	09			76	01	01	30	26		41	18
19	23	28	10	19			48	01	01			09	19
20	19	06	01	10	11	01	04	02	27				20
21	34	03				01	51		50	03		34	21
22	05				36		54		35	32	06	26	22
23	39				13	03	03		02			02	23
24	01	17					01	31	35		33	01	24
25					20		05	07	01	06	33		25
26	08	01					01	08	04	12	07	57	26
27	01	11	54					23	01	63	34	04	27
28		16	07						03	10	24	12	28
29		X	43						1·19			04	29
30		X	28						(05)	02	33	05	30
31		X	35	X		X			X	(45)	X	11	31
Total	4·78 ✓	3·27 ✓	2·11	1·92	1·36	1·39	4·64	2·59	7·38 ✓	4·36 ✓	4·08 ✓	7·40 ✓	YEAR'S TOTAL 45·28
Rain Days.	19 ✓	18 ✓	11	11 ✓	9	9	20 ✓	14	27	23 ✓	16 ✓	28	205 ✓

W, 6,500, VII. 18. W W & S

Pemb
LEXDEN HOUSE,
TEN
JAN 1919

1918

Readings of differential Guage

Taken once a month   Height above O.D. 121'

	NE quadrant	SE quadrant	SW quadrant	NW quadrant	Total
Jan	·9	1·4	1·4	1·0	4·7
Feb.	1·0	2·1	2·8	1·5	7·4
	·1	·7	1·4	·5	2·7
Mar	1·0	2·5	3·6	2·0	9·1
	0	·4	·8	·5	1·7
Apr	1·8	2·6	4·0	2·6	11·0
	·8	·1	·4	·6	1·9
May	1·8	2·8	4·6	2·9	12·0
	·0	·2	·6	·3	1·1
Jun	1·8	3·0	5·3	3·2	13·3
	0	·2	·7	·3	1·2
Jul	2·2	4·7	6·9	3·7	17·5
	·4	1·7	1·6	·5	4·2
Aug	2·5	5·2	7·7	4·0	19·4
	·3	·5	·8	·3	1·9
Sep	3·2	7·0	10·0	5·7	25·9
	·7	1·8	2·3	1·7	5·9
Oct.	3·6	8·2	11·7	6·5	30·0
	·4	1·2	1·7	·8	4·1
Nov	3·8	9·1	12·3	7·0	33·2
	·2	·9	·6	·5	2·2
Dec.	4·0	10·6	16·5	8·3	39·4
	·2	1·5	4·2	1·3	7·2

Percentage of rain in:–

NE quadrant	9%
SE "	27 %
SW "	44 %
NW "	20 %

E Bryant

W ML cnd fr auth. Obs. agrees 3643

12 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Tenby

in the County of Pembroke

by Edwd. M. R. Bryant

Lat. 51° 40′ 15″ Long. 4° 41′ 42″ W

Time of Observation 9 am

Nearest Railway Station Tenby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. above roof in.

" " " " Sea Level 76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	51		10	03	08		02		19	03		06	1
2	79		16		19				13			14	2
3			01			02						12	3
4		25	26		03	01	65	04	19			56	4
5	14	36			06							25	5
6	25	21	56									28	6
7	02		04	45					03		01	24	7
8	52		25			06							8
9	19		03	18							63		9
10	36		73	04						03	15	180	10
11	19		105	06	36	01	05		14	04	19	17	11
12	17		12	05		109					15		12
13	63	01	05	24	49				09			58	13
14	40	07		23			01		04	08		22	14
15	33	07		03						05		50	15
16	05	95			07	07		02			34	13	16
17		47				13	08	09			37	02	17
18	10	15	103				40	33	05		37	04	18
19	64	50	21		14	34		20	06		04	08	19
20	45	06	08						11		01	11	20
21	03	60			21		11		22		01	05	21
22						~~01~~			23			11	22
23		01								52	04		23
24	13					25		01		24	32	19	24
25	25					04		52	05	01	07		25
26	12	10	11	29	01			02	03	22	02	67	26
27	03	15		66				20			06		27
28	04		36	31				48		01	20	67	28
29			01	07							06	01	29
30		×	03	12		10		113			47	37	30
31		×	12	×		×	03		×		×	04	31
TOTAL	6·34 ~~6·45~~	3·96	5·31	2·76 ~~2·86~~	1·64 ~~1·64~~	2·16	1·35 ~~1·83~~	3·04 ~~3·01~~	1·56	1·23	3·51	7·41	YEAR'S TOTAL 40·27 ~~40·93~~
Days with ·01 in. or more	23	15	20	14	10	12	8	11	14	10	19	25	181 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3644

FORM A.
BRITISH RAINFALL.

TENBY MET. OFFICE
PEMBROKESHIRE
1919 - 1920

REGISTER … 9.

Kept at Tenby (M.O.) … [Lon]g. 4° 42' W.

… h & 18h G.M.T.

in the County of Pembrok…

by Dorothy Truscott

… Rain Gauge .... in.

… above Ground .... ft. .... in.

„ Sea Level .... ft.

IMPORTANT NOTE.—Rai… and the result entered to the previous day. If an Observer prefers not to conform … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	0·50	-	0·11	0·03	0·07	-	0·03	-	0·14	0·03	-	0·10	1
2	0·64	-	-	-	-	-	-	-	0·10	-	-	0·42	2
3	-	0·02	0·39	-	0·20	-	-	-	-	-	-	0·44	3
4	-	0·60	0·12	-	-	0·05	0·45	0·04	0·04	-	-	0·22	4
5	-	0·24	-	-	0·05	-	-	-	-	-	-	0·28	5
6	0·40	0·26	0·50	-	-	-	-	-	0·28	-	-	0·15	6
7	0·23	-	0·17	0·44	-	-	-	-	0·04	-	-	0·18	7
8	0·42	-	0·20	0·03	-	0·07	-	-	-	-	-	-	8
9	0·10	-	0·10	0·16	0·02	-	-	-	0·03	-	0·61	0·56	9
10	0·39	-	0·80	0·05	-	0·02	~~0·04~~	-	-	0·06	-	0·62	10
11	0·21	-	0·68	0·07	(·22) ~~0·05~~	-	0·04	-	-	0·06	0·34	0·29	11
12	-	-	0·04	0·06	-	0·44	-	-	0·10	0·04	0·17	0·03	12
13	0·10	0·03	0·09	0·23	-	0·12	0·01	-	0·14	-	-	0·40	13
14	0·99	0·09	-	0·25	0·42	-	0·01	-	0·04	0·05	-	0·14	14
15	0·34	0·10	-	0·03	-	-	-	-	-	0·06	-	0·46	15
16	0·05	1·14	-	-	0·06	0·09	0·02	-	-	-	0·03	-	16
17	-	0·43	0·03	-	-	0·11	0·09	-	-	-	0·67	0·03	17
18	0·10	0·24	0·50	-	-	-	-	0·35	0·08	-	0·36	0·17	18
19	0·40	0·54	0·55	-	-	0·33	-	0·22	0·08	-	-	0·07	19
20	0·55	0·06	0·10	-	0·35	-	0·35	0·08	0·07	-	-	0·13	20
21	0·05	0·50	0·03	-	0·08	-	0·08	-	-	-	-	0·08	21
22	-	0·02	-	-	-	-	0·01	-	0·45	-	-	0·10	22
23	-	0·02	-	-	0·02	-	-	0·35	-	0·30	0·42	0·16	23
24	0·20	-	-	-	-	0·28	-	0·29	-	0·38	-	0·04	24
25	0·18	-	-	-	-	0·05	-	0·59	0·07	0·06	0·10	0·22	25
26	0·06	0·17	0·10	0·29	-	-	-	0·04	0·03	0·04	-	0·33	26
27	0·02	-	-	0·53	-	-	-	0·50	-	0·03	-	0·06	27
28	-	-	0·42	0·22	-	-	-	0·26	-	-	-	0·37	28
29	-		0·04	0·08	-	-	-	-	-	-	0·07	0·24	29
30	-	X	-	0·15	-	0·08	-	1·03	-	-	0·34	0·05	30
31	-	X	0·19	X	-	X	0·02	-	X	-	X	0·07	31
Total	5·93 ✓	4·46	5·16 ✓	2·62 ✓	~~1·22~~ 1·49 ✓	1·64 ✓	~~1·15~~ 1·11 ✓	3·75 ✓	1·69 ✓	1·11 ✓	3·11 ✓	6·41 ✓	YEAR'S TOTAL 38·48
Rain Days.	20 ✓	17 16	20 ✓	15 ✓	10 ✓	11 ✓	12 ✓	11 ✓	15 ✓	11 ✓	10 ✓	29 ✓	180 ✓

Copied from M.O. Form 3203.

W, 6,500, VII. 18. w w c

3644

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Tenby (M.O.)
in the County of Pembroke.
by Dorothy Triscott

Lat. 51° 41' N Long. 4° 42' W.
Time of Observation 9h & 18h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	0·50	-	0·11	0·03	0·07	-	0·03	-	0·14	0·03	-	0·10	1
2	0·64	-	-	-	-	-	-	-	0·10	-	-	0·42	2
3	-	0·02	0·39	-	0·20	-	-	-	-	-	-	0·44	3
4	-	0·60	0·12	-	-	0·05	0·45	0·04	0·04	-	-	0·22	4
5	-	0·24	-	-	0·05	-	-	-	-	-	-	0·28	5
6	0·40	0·26	0·50	-	-	-	-	-	0·28	-	-	0·15	6
7	0·23	-	0·17	0·44	-	-	-	-	0·04	-	-	0·18	7
8	0·42	-	0·20	0·03	-	0·07	-	-	-	-	-	-	8
9	0·10	-	0·10	0·16	0·02	-	-	-	0·03	-	0·61	0·56	9
10	0·39	-	0·80	0·05	-	0·02	~~0·04~~	-	-	0·06	-	0·62	10
11	0·21	-	0·68	0·07	(·22) ~~0·05~~	-	0·04	-	-	0·06	0·34	0·29	11
12	-	-	0·04	0·06	-	0·44	-	-	0·10	0·04	0·17	0·03	12
13	0·10	0·03	0·09	0·23	-	0·12	0·01	-	0·14	-	-	0·40	13
14	0·99	0·09	-	0·25	0·42	-	0·01	-	0·04	0·05	-	0·14	14
15	0·34	0·10	-	0·03	-	-	-	-	-	0·06	-	0·46	15
16	0·05	1·14	-	-	0·06	0·09	0·02	-	-	-	0·03	-	16
17	-	0·43	0·03	-	-	0·11	0·09	-	-	-	0·67	0·03	17
18	0·10	0·24	0·50	-	-	-	-	0·35	0·08	-	0·36	0·17	18
19	0·40	0·54	0·55	-	-	0·33	-	0·22	0·08	-	-	0·07	19
20	0·55	0·06	0·10	-	0·35	-	0·35	0·08	0·07	-	-	0·13	20
21	0·05	0·50	0·03	-	0·08	-	0·08	-	-	-	-	0·08	21
22	-	0·02	-	-	-	-	0·01	-	0·45	-	-	0·10	22
23	-	0·02	-	-	0·02	-	-	0·35	-	0·30	0·42	0·16	23
24	0·20	-	-	-	-	0·28	-	0·29	-	0·38	-	0·04	24
25	0·18	-	-	-	-	0·05	-	0·59	0·07	0·06	0·10	0·22	25
26	0·06	0·17	0·10	0·29	-	-	-	0·04	0·03	0·04	-	0·33	26
27	0·02	-	-	0·53	-	-	-	0·50	-	0·03	-	0·06	27
28	-	-	0·42	0·22	-	-	-	0·26	-	-	-	0·37	28
29	-		0·04	0·08	-	-	-	-	-	-	0·07	0·24	29
30	-	X	-	0·15	-	0·08	-	1·03	-	-	0·34	0·05	30
31	-	X	0·19	X	-	X	0·02	-	X	-	X	0·07	31
Total	5·93	4·46	5·16	2·62	~~1·22~~ 1·49	1·64	~~1·15~~ 1·11	3·75	1·69	1·11	3·11	6·41	YEAR'S TOTAL 38·48
Rain Days.	20	17 16	20	15	10	11	12	11	15	11	10	29	180

Copied from M.O. Form 3203.

W, 6,500, VII. 18. w w c

W^o and for months ([illegible])

3626

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Tenby (M.O)
in the County of Pembroke
by Miss D. Truscott, for the Corporation

Lat. 51°41'N. Long. 4°42'W
Time of Observation 9h 18h G.M.T
Nearest Railway Station
Diameter of Funnel of Rain Gauge ... in.
Height of top of Gauge above Ground ... ft ... in.
" " " " Sea Level 64 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0·02	0·03	0·06	0·58	-	1·05	0·02	0·29	0·19	0·02	0·66	1
2	0·21	-	-	0·09	-	-	0·06	0·04	0·26	0·21	-	0·48	2
3	0·35	0·04	-	0·03	-	-	0·08	0·03	0·04	0·70	-	0·07	3
4	–	-	0·02	0·07	0·11	-	0·01	1·07	0·02	0·66	-	–	4
5	–	-	0·19	-	1·33	-	0·35	0·03	0·01	0·53	-	-	5
6	–	-	0·15	0·07	0·32	-	0·11	0·01	-	0·22	0·02	-	6
7	0·12	0·13	0·04	0·07	0·02	-	0·34	0·10	-	-	-	0·10	7
8	–	0·03	-	0·69	0·15	-	0·04	0·65	0·05	-	0·03	0·01	8
9	0·64	0·15	0·05	1·45	-	0·03	0·23	-	0·04	-	-	–	9
10	0·85	0·16	0·16	0·02	-	0·29	0·11	-	-	-	0·06	0·08	10
11	0·25	0·05	0·20	0·29	0·47	0·01	0·21	0·02	-	-	-	0·00	11
12	0·05	0·08	0·07	0·33	-	0·07	0·07	-	0·02	0·02	-	–	12
13	0·23	0·03	0·26	0·22	-	0·05	-	-	-	-	-	–	13
14	0·17	0·04	0·45	0·61	-	-	0·17	-	1·02	0·24	0·56	–	14
15	0·12	0·13	0·22	0·23	0·03	0·02	-	-	0·02	0·05	0·16	-	15
16	0·05	0·01	0·10	0·06	0·02	0·07	0·67	-	0·91	0·99	0·06	-	16
17	0·11	0·04	0·05	-	0·42	-	-	0·47	0·29	0·45	0·01	–	17
18	0·09	0·08	0·02	0·39	0·05	0·16	-	0·10	0·42	-	-	–	18
19	–	0·20	-	0·40	0·02	0·41	0·08	0·05	-	-	-	–	19
20	–	0·07	-	0·06	-	0·03	0·11	-	0·07	0·10	-	0·23	20
21	–	-	-	0·16	-	0·02	0·12	0·01	0·01	-	-	-	21
22	0·25	-	-	0·09	-	0·02	0·19	-	-	-	-	–	22
23	0·13	-	0·20	0·01	-	-	0·27	0·09	-	-	-	0·55	23
24	0·10	-	0·53	-	-	0·02	0·17	0·01	-	-	-	0·30	24
25	–	0·06	0·14	-	-	0·01	0·88	-	0·01	-	-	0·01	25
26	0·12	-	0·30	0·05	-	0·26	0·08	-	0·04	-	0·19	–	26
27	0·26	0·09	0·77	0·14	0·01	0·53	0·34	-	-	-	1·14	1·08	27
28	0·42	0·11	0·40	0·02	-	0·06	0·09	-	-	-	0·24	0·08	28
29	0·61	0·07	0·31	0·04	-	0·11	0·19	-	-	-	-	0·44	29
30	0·55	✕	0·06	0·29	0·01	0·63	0·06	-	1·68	0·49	0·50	0·70	30
31	0·04	✕	0·47	✕	0·02	✕	-	0·05	✕	0·10	✕	0·09	31
TOTAL	5·7~~1~~ 2	1·61	5·~~20~~ 19	~~4~~ 5·94	3·56	2·80	6·08	2·7~~6~~ 5	5·~~38~~ 20	4·95	2·99	4·83	YEAR'S TOTAL 51·62
Days with ·01 in. or more	22	20	24	26	15	19	26	16	18	14	12	15	227
			21	12	8	11	25	9	12	13	8	12	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

copied from M.O 3203

TREFGARNE HALL
PEMBROKESHIRE
1911 - 19

FORM A2.
BRITISH RAINFALL.

7 FEB 1912

…11

Kept at Treffgar… …Negretti & Zambra
…p 5 in.
…bove Ground 1 ft. 1 in.
in the County of … „ Sea Level 286 ft.
…9 a.m
by Col. R.O.C… …on { Name Haverfordwest
Distance 5 Direction S

IMPORTANT … and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	—	·045	·005	·53	·07	—	·01	—	·045	·455	·535	1
2	·005	—	—	—	·20	—	—	·305	—	·15	·10	·285	2
3	—	—	·075	—	·70	—	—	·03	·03	—	·14	·36	3
4	—	—	·295	—	·015	—	—	1·49	—	·005	·45	·48	4
5	·77	—	·265	—	—	—	—	·10	—	·28	·05	—	5
6	—	—	·14	—	—	—	—	·13	—	—	·19	·90	6
7	·365	—	—	—	—	—	—	—	—	—	·425	·11	7
8	·605	—	·155	—	—	—	—	—	—	—	·375	·88	8
9	·01	—	·015	—	—	—	—	—	—	—	·71	·485	9
10	·25	·21	·78	—	·065	—	—	—	—	—	·02	·465	10
11	·45	—	·175	—	—	—	—	—	·19	—	·27	·095	11
12	·01	·03	·59	—	—	—	—	—	·64	—	·70	·175	12
13	—	—	·12	—	·175	—	—	—	·005	—	·365	·125	13
14	·01	·12	·26	—	·035	—	—	—	·01	·42	·27	1·05	14
15	—	·185	·23	—	—	·05	—	—	—	—	·39	·10	15
16	·045	·02	—	—	·005	·37	—	—	—	—	·59	·30	16
17	·01	·065	—	·13	—	·185	—	—	—	—	·30	·51	17
18	—	·205	·04	·265	—	·075	—	—	—	·14	·485	·17	18
19	—	—	—	·32	—	·24	—	·02	·105	·225	·47	·44	19
20	—	·175	—	·455	—	—	—	·04	·42	·69	·04	·26	20
21	·04	·22	·03	·145	—	·13	·20	—	·30	·745	·07	·105	21
22	·23	·17	·015	·11	—	·015	—	—	·48	·41	—	·47	22
23	·005	·01	—	—	—	·91	·02	·51	·165	·78	—	·285	23
24	·05	·29	—	·08	—	·01	—	·075	·05	·19	—	·23	24
25	·07	—	—	·17	—	·01	—	—	·21	·31	—	·115	25
26	·04	·48	—	·47	—	—	—	·095	·02	·15	—	·265	26
27	—	·52	—	·02	—	—	·08	1·095	·225	·09	·255	·24	27
28	—	·145	—	·17	—	—	—	—	—	·09	—	·195	28
29	—		·02	—	—	·34	·135	·01	·305	·80	—	·125	29
30	—		·01	—	—	·01	·035	—	—	·20	·415	·025	30
31	—		·05		—		·12	—		·06		·075	31
Total	3·035	2·845	3·31	2·34	1·725	2·415	·59	3·91	3·155	5·78	7·535	9·855	TOTAL for year
No. of Rain Days.	~~16~~ 17	15	19	~~11~~ 12	7	13	6	13	~~14~~ 15	18	23	30	46·495 18~~5~~

18

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
7 FEB 1912

11

Negretti & Zambra

Kept at Treffgarne Hall

in the County of Pembroke 4

by Col. R. O. Lloyd late R E

Rain Gauge: Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 286 ft.

Time of Observation 9 a m

Nearest Railway Station: Name Haverfordwest
Distance 5 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	—	·045	·005	·53	·07	—	·01	—	·045	·455	·535	1
2	·005	—	—	—	·20	—	—	·305	—	·15	·10	·285	2
3	—	—	·075	—	·70	—	—	·03	·03	—	·14	·36	3
4	—	—	·295	—	·015	—	—	1·49	—	·005	·45	·48	4
5	·77	—	·265	—	—	—	—	·10	—	·28	·05	—	5
6	—	—	·14	—	—	—	—	·13	—	—	·19	·90	6
7	·365	—	—	—	—	—	—	—	—	—	·425	·11	7
8	·605	—	·155	—	—	—	—	—	—	—	·375	·88	8
9	·01	—	·015	—	—	—	—	—	—	—	·71	·485	9
10	·25	·21	·78	—	·065	—	—	—	—	—	·02	·465	10
11	·45	—	·175	—	—	—	—	—	·19	—	·27	·095	11
12	·01	·03	·59	—	—	—	—	—	·64	—	·70	·175	12
13	—	—	·12	—	·175	—	—	—	·005	—	·365	·125	13
14	·01	·12	·26	—	·035	—	—	—	·01	·42	·27	1·05	14
15	—	·185	·23	—	—	·05	—	—	—	—	·39	·10	15
16	·045	·02	—	—	·005	·37	—	—	—	—	·59	·30	16
17	·01	·065	—	·13	—	·185	—	—	—	—	·30	·51	17
18	—	·205	·04	·265	—	·075	—	—	—	·14	·485	·17	18
19	—	—	—	·32	—	·24	—	·02	·105	·225	·47	·44	19
20	—	·175	—	·455	—	—	—	·04	·42	·69	·04	·26	20
21	·04	·22	·03	·145	—	·13	·20	—	·30	·745	·07	·105	21
22	·23	·17	·015	·11	—	·015	—	—	·48	·41	—	·47	22
23	·005	·01	—	—	—	·91	·02	·51	·165	·78	—	·285	23
24	·05	·29	—	·08	—	·01	—	·075	·05	·19	—	·23	24
25	·07	—	—	·17	—	·01	—	—	·21	·31	—	·115	25
26	·04	·48	—	·47	—	—	—	·095	·02	·15	—	·265	26
27	—	·52	—	·02	—	—	·08	1·095	·225	·09	·255	·24	27
28	—	·145	—	·17	—	—	—	—	—	·09	—	·195	28
29	—	X	·02	—	—	·34	·135	·01	·305	·80	—	·125	29
30	—	X	·01	—	—	·01	·035	—	—	·20	·415	·025	30
31	—	X	·05	X	—	X	·12	—	X	·06	X	·075	31
Total	3·035	2·845	3·31	2·34	1·725	2·415	·59	3·91	3·155	5·78	7·535	9·855	TOTAL for year 46·495
No. of Rain Days.	~~16~~ 17	15	19	~~11~~ 12	7	13	6	13	~~14~~ 15	18	23	30	185

18

Ex.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 23 JAN 1913

Kept at Treffgarne Hall

in the County of Pembroke 4

by Col R.O. Lloyd late R.E

RAIN GAUGE Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 286 ft.

Time of Observation 9 a.m

Nearest Railway Station Name Haverfordwest
Distance 5 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·275	—	·04	·46	·12	—	·02	·32	·09	·32	1
2	—	·08	·44	·02	—	·47	—	—	·01	—	·115	—	2
3	·165	—	·78	·025	—	·16	—	·21	·11	—	·03	×	3
4	·325	—	·49	—	·04	·04	—	·44	—	—	·88	·43 ×	4
5	·785	·62	·135	—	·08	—	—	·54	—	·06	·05	×	5
6	·285	·17	—	—	·33	—	—	·20	—	·04	·08	—	6
7	·11	·455	·27	—	·10	·235	·055	·11	—	—	·055	·21	7
8	·53	·155	·05	—	·005	·16	—	·085	·035	—	·02	—	8
9	·085	·135	·11	·055	—	·065	·15	·67	—	—	·03	·31	9
10	·32	·02	·06	·05	—	·025	·24	—	—	—	·16	·055	10
11	·03	—	—	—	·01	—	·25	—	—	—	·09	·70	11
12	·15	·01	·49	·05	·12	·015	·26	—	—	—	·73	—	12
13	·62	·025	·07	—	—	·005	—	·02	—	·70	·10	·47	13
14	·025	·235	·35	—	—	—	—	·215	—	—	·03	·13	14
15	·80	·085	·035	—	—	·43	—	·105	—	·035	·06	·155	15
16	·29	·13	·65	—	·04	·20	—	·48	—	·35	—	·065	16
17	—	·25	·14	—	—	·445	—	·29	—	—	·135	·71	17
18	·02	·05	·11	—	—	·03	—	·27	—	·145	·06	·06	18
19	—	·04	—	—	·01	·10	—	·34	—	·175	—	·085	19
20	·04	—	·30	—	·01	—	—	·165	—	·185	·07	·055	20
21	—	·51	·38	—	·11	·03	·01	·31	—	·29	—	·44	21
22	·20	·215	·20	—	·01	·37	·205	·87	—	·46	·07	·17	22
23	·02	—	·31	—	—	·27	·21	·385	—	·19	·49	·16	23
24	—	·065	·13	—	—	·59	·03	—	—	·19	—	·195	24
25	—	—	·035	—	—	·065	—	·48	—	·15	·55	·53	25
26	—	·155	·18	—	—	·175	—	·065	—	·91	·33	·11	26
27	—	·175	·20	—	—	1·37	·465	—	—	·49	·01	·50	27
28	—	·125	—	—	—	·08	·37	·48	·115	·49	·94	·03	28
29	—	·73	—	—	·22	·11	·03	·085	·41	·50	—	—	29
30	—		·12	·065	·02	·08	·33	—	—	·34	—	·02	30
31	·04		·53		—		·55	·15		·17		·20	31
Total	4·84	3·235	6·84	·265	1·145	5·98	3·275	6·965	·70	6·19	5·175	6·11	TOTAL for year 50·72
No. of Rain Days.	19	22	26	6	15	~~25~~ 24	15	23	6	20	24	26	226

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Treffgarne Hall

in the County of Pembroke

by Col. R. O. Lloyd late R.E.

4

Lat. 51°22'20" Long. 4°58'W

Time of Observation 9 a m

Nearest Railway Station Haverfordwest

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·255	· away from home till 8th then measured what had fallen	·115	—	—	—	—	—	—	·34	·13	1
2	·23	·26		·02	·165	·26	—	—	—	—	·315	·18	2
3	·12	—		—	·255	—	—	—	—	·02	·01	·295	3
4	·335	·045		—	·015	·245	—	—	·40	·24	·145	·165	4
5	·17	·085		—	·30	·355	·04	—	·15	·035	·375	·29	5
6	·345	·09		—	·25	·415	·02	—	—	·29	·04	·54	6
7	·14	·44		—	·80	·69	·05	—	—	·17	·22	·04	7
8	·03	·24	·84	—	·265	—	·17	—	—	·02	—	·115	8
9	·28	~~·75~~	·18	·01	·23	·335	—	—	·02	—	·635	·115	9
10	·87	Away from home measured on 28th all that had fallen from 9th to 28th.	·125	·06	·04	—	·05	·385	·04	1·18	·04	—	10
11	·21		—	·20	·10	·01	—	—	·01	·225	·365	·185	11
12	·03		·03	—	·095	·04	·19	·18	1·32	—	·53	—	12
13	·13		·50	·025	·16	—	·05	·205	2·10	·005	·265	—	13
14	·465		·36	·105	—	—	·125	—	·265	·33	·24	·11	14
15	·41		·44	1·12	—	—	—	·005	·01	—	·05	·055	15
16	·24		·355	·08	—	—	·045	—	—	—	·03	—	16
17	·20		·14	·05	—	—	·075	—	—	—	·17	—	17
18	·28		·34	·13	—	—	·035	—	—	—	·025	—	18
19	·75		·16	—	·02	·14	—	—	·56	·52	·09	—	19
20	·28		·29	·40	·05	—	—	—	·125	·20	·73	—	20
21	—		·16	·075	·155	·01	·005	·055	·10	·16	—	—	21
22	·88		·79	—	·05	·33	—	·74	·96	—	—	·045	22
23	·13		·02	—	·01	·005	—	—	·295	—	·42	—	23
24	·14		—	·165	·02	—	—	—	—	—	·13	—	24
25	—		—	·165	—	—	—	—	·125	·10	·095	·13	25
26	—		—	·79	—	—	—	—	·24	·035	—	·32	26
27	·20		·10	·10	—	—	—	—	—	·46	—	·025	27
28	·135	·75	·04	·045	·335	—	—	·01	—	·61	·015	·13	28
29	·015		·29	·55	·085	—	—	—	—	·68	·065	·04	29
30	·385		·01	·04	·25	—	—	—	—	·145	·16	·02	30
31	·05		·225		—		—	—		·13	—	—	31
Total	7·510	2·165	5·395	4·245	3·65	2·835	·855	1·580	6·720	5·555	5·500	2·93	YEAR'S TOTAL 48·94 ✓
Rain Days.	28	?	?	20	21	12 11	12 11	~~7~~ 6	16	~~20~~ 19	25	19	

W.7,000, XI. 13

cndf anth 23.IV.15 W DL

FORM A.
BRITISH RAINFALL.

12 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Treffgarne Hall

in the County of Pembroke 4

by Colonel R O Lloyd R.E. Retired

Lat. 51° 52′ 20″ Long. 4° 58′ W

Time of Observation 9 a m

Nearest Railway Station Haverfordwest

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	}·07	·19	·10	—	·32	·62	·31	—	·01	·28	·07	1
2	—		·01	—	·04	—	·425	·03	—	·005	·35	·68	2
3	—	—	·23	·14	·64	—	—	·01	—	—	·005	·845	3
4	·30	—	·02	·28	—	—	1·07	—	—	—	·13	·10	4
5	·005	[illegible]	·22	·04	—	—	—	·085	—	~~·07~~	·97	·005	5
6	[illegible]	·05	·13	·03	·13	—	·015	·01	—	—	·22	·30	6
7	·235	·07	·31	}·295	·29	·24	·495	·45	·12	—	·055	·335	7
8	·24	·27	—		·165	·17	—	·46	—	·07	—	·065	8
9	·36	·07	—	·095	·56	·50	—	·07	·125	—	·06	·02	9
10	·05	·06	·025	·135	·03	·035	—	—	·365	~~·26~~	—	·04	10
11	—	·40	·525	—	·035	·33	—	—	·04	—	·105	·48	11
12	—	·25	·275	—	—	—	·01	—	·425	·26 ~~·01~~	·34	·02	12
13	—	·50	·425	·04	—	—	·155	—	·91	—	·09	·155	13
14	—	·41	·245	—	—	—	·025	·42	·01	~~·01~~	·59	·005	14
15	—	·37	·065	—	—	—	·02	·435	·175	·07	}·54	·10	15
16	—	·03	·01	—	—	—	·115	—	·25	—		·09	16
17	—	·50	·185	—	—	—	·105	—	·005	·01	·035	·96	17
18	—	·10	·225	—	—	—	·165	—	·01	·07 ~~·285~~	—	·29	18
19	—	·40	·02	—	—	—	·71	—	·04	~~·24~~	·035	·175	19
20	—	·10	·06	—	—	·23	—	·18	—	[illegible]	—	·51	20
21	—	·20	—	—	—	·05	—	·01	—	·285	—	·01	21
22	—	·50	·185	·035	—	·015	—	·45	—	·34	—	—	22
23	—	—	·195	—	—	—	·02	·12	—	·10	·02	·005	23
24	—	—	·235	—	—	—	·07	—	—	·01	}·41	}·76	24
25	·31	·03	·32	—	—	—	·04	·82	—	·62			25
26	·01	·03	—	—	—	—	·13	—	—	·42	·34	·385	26
27	·225	·13	—	—	—	—	·04	—	—	·195	·43	1·45	27
28	·045	[illegible]	·425	—	·05	—	·085	—	—	·09	·20	·64	28
29	·30		·155	—	·02	—	—	·105	·02	·035	·63	·03	29
30	—		·245	—	—	—	—	·05	—	}·44	·265	·54	30
31	·19		·08		·205		·50	·025				·39	31
Total	2·27	4·23	5·01	1·19	~~1·665~~ 2·165	1·89	4·815	4·04	2·495	2·97	6·10	9·455	YEAR'S TOTAL 46·63
Rain Days.	11	23	26	10	11	9	20	18	13	18	24	27	208

W. 8,000. X. 14.

4087

FORM A.
BRITISH RAINFALL.

13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Treffgarne Hall
in the County of Pembroke
by Col. R. O. Lloyd R.E. Retired

Lat. 51° 22′ 20″ Long. 4° 58′ W
Time of Observation 9 a.m.
Nearest Railway Station Haverfordwest
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	·36	—	—	·39	—	·07	·75	·385	·31	—	·315	1
2	·155	·365	·41	·36	—	·27	·065	·04	·02	·03	·05	·175	2
3	—	·12	·31	·025	·09	—	·02	·05	·005	—	—	·57	3
4	·085	—	·02	—	·145	·05	·09	·02	—	—	—	·635	4
5	·05	·34	·01	·21	·02	·02	—	·11	—	—	—	1·39	5
6	·56	·065	—	·275	—	—	·565	·26	—	—	—	·07	6
7	·32	·46	—	·01	—	—	·27	·015	—	·66	—	·14	7
8	·175	·525	—	—	—	—	·015	·195	—	·035	·395	·06	8
9	·25	·555	—	·325	—	—	—	·12	—	—	·01	·74	9
10	·44	·93	·19	·24	—	·03	—	·18	—	·365	—	—	10
11	—	·01	—	—	—	·06	·01	·045	—	·155	2·38	·095	11
12	·31	·47	—	·115	·18	—	—	—	—	—		·135	12
13	·04	·35	—	·095	·30	—	—	·035	·245	·085	·01	·285	13
14	·09	·065	—	—	—	—	—	·015	·09	—	·03	·40	14
15	·26	—	—	·01	·39	—	10 a.m ·435	—	·17	—	·105	·28	15
16	—	1·16	—	·03	·145	—	·69	—	·095	—	—	·39	16
17	·07	·425	·04	—	·33	—	—	—	·01	—	—	—	17
18	—	·30	·03	·01	—	—	·04	—	—	—	—	—	18
19	·025	—	—	·14	·56	—	·29	—	—	—	—	—	19
20	·68	·055	—	—	·07	—	—	—	·115	·21	—	·325	20
21	·195	·155	—	·055	·01	—	·285	—	—	·265	—	·32	21
22	·235	·11	·095	·11	—	2·33	·145	—	·230	·05	—	·535	22
23	—	·205	·05	·01	—		·015	—	·035	·625	—	·325	23
24	—	·01	—	·03	—	—	—	—	·21	·235	—	·255	24
25	—	—	—	—	—	·245	·045	—	—	—	·12	·265	25
26	—	·44	—	—	—	·97	·24	—	·19	—	—	·515	26
27	—	·145	—	—	—	·145	·265	—	·065	·75	—	·280	27
28	—	·09	—	—	—	—	·01	·035	·42	·045	—	·10	28
29	—		—	—	·015	·63	—	·015	·64	·03	·31	·18	29
30	·195		—	·35	—	—	—	—		·80	·37	·27	30
31	·005		—		—		·245	·180		·06		·345	31
Total	4·40	7·71	1·155	2·40	2·645	4·75	3·81	2·065	2·925	4·71	3·78	9·395	YEAR'S TOTAL 49·745
Rain Days.	20	24	9	18	13	11	20	16	17	17	11	27	203

W. 8,000. X. 14.

Ent. 4W

40·

FORM A.
BRITISH RAINFALL.

23. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Treffgarne Hall.

in the County of Pembroke

by Col R. O. Lloyd late R. E

Lat. 51° 23' 20" Long. Same 4°58

Time of Observation 9 a.m.

Nearest Railway Station Haverfordwest

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·325	·16	·15	—	·145	·05	·03	·01	—	·89	·16	—	1
2	·20	·385	·20	—	·01	·015	·32	—	·87	1·135	·42	—	2
3	·025	·81	—	·065	·055	·325	·04	—	·45	·42	·155	·12	3
4	·145	·16	·01	·07	·34	·325	—	—	·085	·01	·33		4
5	·15	·24	·065	—	·28	·105	·13	—	·05	·43	—	—	5
6	·195	·235	·03	—	·215	—	·335	—	—	·14	·835	·04	6
7	·015	·065	·02	—	·46	—	—	—	—	·025	·20	·245	7
8	·065	·01	·03	—	·42	·03	—	—	—	·10	·02	·135	8
9	—	·14	—	—	—	—	—	—	—	—	·10	·75	9
10	·015	·41	—	·165	·065	—	—	—	—	—	·04	—	10
11	·01	·04	·005	·315	·27	—	·375	—	·05	—	·025	—	11
12	—	·08	—	—	·125	—	·04	·55	—	·18	·015	·15	12
13	—	·545	·045	—	·025	—	—	·35	—	·08	—	·18	13
14	·065	·43	·095	·01	·14	—	—	—	—	·095	—	—	14
15	·015	·16	·08	·15	·345	—	—	·04	—	·095	—	—	15
16	·115	·13	—	·50	·015	—	·03	—	—	·26	—	—	16
17	·35	·30	·08	·04	—	—	·08	—	·83	·21	·30	—	17
18	·055	·05	·18	·055	—	—	—	—	·05	·085	·05	·38	18
19	·125	·115	·04	·385	—	—	—	—	—	—	·245	·26	19
20	·30	·345	·26	—	—	—	—	—	—	—	·07	·33	20
21	·115	—	·09	—	·07	·20	—	—	—	—	—	·115	21
22	—	—	—	—	—	·31	—	·12	—	·225	—	·28	22
23	·14	—	·205	·30	—	·015	—	·415	—	·07	·485	·115	23
24	—	—	·03	·15	·155	—	—	·53	—	·30	—	·20	24
25	·03	·04	·165	—	·175	·22	—	·085	—	·025	·11	—	25
26	·12	·01	·015	—	—	·085	—	·15	·425	·62	·285	—	26
27	·03	—	·575	—	—	·01	—	—	·285	·68	—	·01	27
28	—	·175	—	—	—	—	—	—	·02	·615	·265	·66	28
29	·015	·11	—	—	—	·47	—	—	·10	·60	·035	·05	29
30	—		—	—	—	·315	—	—	—	·525	·03	·015	30
31	—		—		·295		—	·175		·33		·01	31
Total	2·62	5·145	2·37	2·205	3·605	2·475	1·38	2·425	3·215	8·36	4·175	4·045	YEAR'S TOTAL 42·02
Rain Days.	23	24	21	12	19	14	9	10	11	25	21	19	208

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

19 JAN 1918

Kept at Treffgarne Hall
in the County of Pembroke
by Colonel R.O. Lloyd late R.E.

Lat. 51°22'20" Long. 4°58' W
Time of Observation 9 am
Nearest Railway Station Haverfordwest
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·225	·25		·01					·15	·015	1
2	—	—	—	·17		·11				·055	·275	·08	2
3	·10	·06	—	·035		·135	·605			·44	·85	·065	3
4	—	·495	·36	·045					·11	·18	·04	·015	4
5	·47	—	·31	·110		·49			·10	·34	·165		5
6	—		·32	·06		·25				·22	·17	·425	6
7	·43		—	·025		·185	·175	·58		·21	·15		7
8	·045		·19	·06		—		·445	·11	·50	·46	·165	8
9	·03		—	—	·055	—		·12	·10	·23	·05	·08	9
10	·35		·97	·255	—	—		·265		·255	—		10
11	·01		—	·47	—			·250		·36	·455		11
12	·305		·045	·06	·49			·29	·055	·385	—		12
13	·09		·06	·08	·02	·025		·21	·355	·71	·07	·015	13
14	—		—	·03	·025		·025			·13	—	·025	14
15	—	—	—	·135	—		·015		·13	·31	—	·29	15
16	—	·16	—	·015	—			·105	·25	·13	·18	·285	16
17	—	·03	·13	·475	·025		·97	1·25	·165	·015	·13		17
18	—	—	·085	·05	·15		·06		·15		—		18
19	—	1·12	·075	—	—	·24			·01		·06		19
20	—	·085	—	—	·39	·46		·225	·185		·12		20
21	—	·015	·20	—	—			·015		·175	·02		21
22	—	·26	—	—	·07			1·165		·20	—		22
23	—	·23	—	—	·125	·065		·23		·055	—		23
24	—	—	·075	—	—	·09	·59	·035	·05	·21	·03	·03	24
25	—	·12	·10	—	—	—	·035	·195	·285	·10	—	·025	25
26	—	—	·02	—	1·42	·205	·025	·19	·18	·04	·51	·07	26
27	—	—	·12	—	·045	·665	·46	1·16		·04	—		27
28	—	·185	·05	—	·03	·105	·03	·115		·04	·035		28
29	—		·09	—	—	—		·03		·63	—	·08	29
30	—	X	—	—	—	—		·365		·01	·09		30
31	—	X	·09	X	·37	X		·25	X	·045	X		31
Total	1·83	2·76	3·575	2·325	3·215	3·035	2·99	7·49	2·835	5·975	4·01	1·585	YEAR'S TOTAL 41·565
Rain Days.	9	11	19	17	13	14	11	21	15	26	20	14	190

W. 8,000, IX. 17.

19

FORM A.
BRITISH RAINFALL.
20 . 1 . 18

REGISTER OF RAINFALL IN 1918

Kept at Treffgarne Hall . Treffgarne Ross
in the County of Pembrokeshire
by Col. R. O. Lloyd C. B

Lat. 51° 22′ 20″ Long. 4° 58′
Time of Observation 9 a m
Nearest Railway Station Haverfordwest
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·285	[illegible]	·085	·10	—	—	·93	—	·04	·94	—	1
2	·025	·145	[illegible]	—	—	—	—	·30	—	·01	·21	·72	2
3	—	·155	[illegible]	·01	·17	—	—	—	·60	·23	·26	·085	3
4	—	·05	—	—	—	—	—	·22	·08	·49	·49	·32	4
5	—	—	—	·335	·10	—	—	·455	—	·41	·145	·185	5
6	·075	·67	—	—	—	·255	—	—	·04	·275	[illegible]	·10	6
7	·5	·14	—	—	—	—	—	·05	·58	·055	·44	·35	7
8	·03	·15	—	·05	—	·22	·135	—	·045	·515	·035	·035	8
9	—	·095	—	·135	—	·205	·155	—	·51	·10	·085	·50	9
10	—	[illegible]	·05	·09	—	—	·11	—	·24	·105	·34	·31	10
11	·075	·045	·225	—	—	—	·295	·015	·295	·51	·05	·19	11
12	·01	·16	—	·01	·30	—	·075	—	·085	·14	—	·05	12
13	·115	—	·03	—	—	·04	·035	—	·55	·31	—	·09	13
14	·64	—	—	—	—	—	·21	·025	·41	·105	—	·53	14
15	·77	·04	—	—	·01	—	·595	—	·56	·07	—	·53	15
16	·24	·075	·055	·41	—	—	·125	·015	·31	·15	—	—	16
17	·70	—	—	—	—	·04	·47	·045	·10	·22	—	·27	17
18	·495	·08	·225	—	—	·395	·015	·04	·15	·335	—	·365	18
19	·35	·30	·04	·21	—	—	·54	·03	·015	—	—	·18	19
20	·40	·06	·01	·145	—	—	·065	·015	·35	—	—	—	20
21	·40	·05	—	·025	—	·035	·80	—	·415	·01	—	·11	21
22	·07	—	—	—	·225	—	·36	·01	·33	·23	—	·435	22
23	·28	·02	—	—	·245	·10	·035	—	·015	—	·08	·01	23
24	·03	·29	—	—	—	—	—	·29	·385	—	·29	·145	24
25	—	—	—	·85	·23	—	·245	·67	·02	·08	·24	—	25
26	·20	·04	[illegible]	—	—	—	·02	·04	·03	·11	·015	·70	26
27	·025	·075	·66	—	—	—	—	·255	·245	·07	·545	·02	27
28	—	·425	·16	—	—	—	—	—	—	·02	·16	·09	28
29	—	X	·425	—	—	—	—	—	1·345	—	—	·07	29
30	—	X	} ·575	—	—	—	—	—	·085	·055	·36	·27	30
31	—	X		X	—	X	—	—	X	·64	X	·16	31
Total	5·43	3·29	2·455	2·355	1·38	1·29	4·285	3·405	7·79	5·285	4·685	6·82	YEAR'S TOTAL 48·47
Rain Days.	20	21	12	12	8	8	18	17	26	26	17	27	219

W. 6,500, VII. 18. W W C

3657

22 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Treffgarne Hall

in the County of Pembroke

by Col. R. O. Lloyd who is leaving in Feby

V. J. Higgon Esq is coming here & I will see if he will keep it

Lat 51° 22′ 20″ Long 4° 58′

Time of Observation 9 a.m.

Nearest Railway Station Haverfordwest

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46	—	·07	·015	·075	—	·02	—	·37	·085	~~·38~~	·75	1
2	·31	—	·10	—	·01	—	—	—	·05	—	—	·18	2
3	·12	·08	·04	·15	·195	·12	—	—	·08	—	—	·185	3
4	—	·485	·21	·325	·035	·02	—	·085	·245	—	—	·19	4
5	·60	·245	·02	—	·03	—	—	—	·09	—	—	·23	5
6	·33	·07	·53	·125	—	—	—	—	·075	—	—	·29	6
7	·11	—	·04	·04	—	·01	—	—	—	—	—	·07	7
8	·47	—	·15	·11	—	·06	—	—	·015	—	·115	—	8
9	·33	—	·035	·105	—	—	—	—	·010	—		·175	9
10	·29	—	·735	·165	·03	—	—	—	—	·25	·53	·81	10
11	·45	—	1·18	·16	·29	·06	·18	—	—	·17	—	·325	11
12		1·29	·02	·055	·01	1·59	—	—	·035	·015	·21	·10	12
13	·62		·08	—	—	—	·085	—	—	·04	—	·305	13
14	·205		—	—	·16	—	·06	·005	—	·05	—	·20	14
15	·385		—	—	·015	—	·01	—	—	·015	·04	·40	15
16	·055		·025	—	·015	·195	·01	·165	—	—	·56	·09	16
17	—		·09	—	—	·14	·03	·29	—	—	·37	·05	17
18	·135	·13	1·25	—	—	·015	·33	·315	·09	—	·37	·08	18
19	·345	·32	·255	—	·01	·36	—	·065	·135	—	·095	·13	19
20	·20	·07	·090	[illegible]	·14	—	·075	·02	·075	—	·09	·23	20
21	·06	·60	—	—	·31	—	·08	·03	·215	—	·02	·085	21
22	—	·015	—	—	—	·035	·03	—	·61	·07	—	·11	22
23	—	—	—	·02	—	—	—	—	—	1·06	·04	—	23
24	·05	—	—	·37	·065	·36	—	·015	—	·225	·265	·25	24
25	·39	—	—	·65	—	·01	—	·385	·18	—	·19		25
26	·32	·235	·165	·44	—	·02	—	·02	—	·055	·065	·63	26
27	·085	·17	—	·37	—	—	—	·36	·085	·11	—	—	27
28	—	—	·355	·65	—	—	—	·91	·015	·98	—	·355	28
29	—		·015	·115	—	—	—	·15	—	·07	·05	·11	29
30	—		—	·205	—	·23	—	·53	·02	—	·365	·48	30
31	—		·165		—		·015	·005		—		·03	31
TOTAL	6·32	3·71	5·62	3·050	1·39	3·135	·925	3·35	2·395	3·195	3·375	6·84	YEAR'S TOTAL 43·305
Days with ·01 in. or more	23	16	22	16	15	15	12	16	18	14	17	28	212

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WHITLAND

TREWERN

PEMBROKESHIRE

1911-13

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REC

Kept at Trewe… in.

in the County of Pem… …nd 3 ft. … Level … ft.

… m.

by J. Protheroe … …e Whitland.

…nce 2½ Direction S.W.

IMPORTANT NOTE.—Rain should be measured … result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·05		·39			·13		·021	[illegible]	·48	1
2			·01		·31			·21		·35	·14	·44	2
3					·88			·04	·06	·05	·42	·38	3
4			·26		·02			·82			·74	·49	4
5	·74		·20					·18		·05	·09	·02	5
6			·14					·15			·15	1·39	6
7	·18										·67	·05	7
8	·31		·09								·37	1·44	8
9	·11		·02								·29	·76	9
10	·33	·13	1·20								·02	·43	10
11	·38		·04		·40				·09	·04	·27	·22	11
12	·01	·01	·61		·02			·01	·88	·12	·73	·08	12
13	·03		[illegible]		·02				·01		·48	·27	13
14		·13	·17		·02					·08	·41	·71	14
15		·19	·16							·01	·41	·06	15
16	·02	·02	·01			·87					·28	·41	16
17		·05	·2			·67				~~·24~~ ·02	·47	·88	17
18		·40	·05	·47		·10			·01	·20	1·11	·45	18
19	·01	·04	–	·52		·13			·71	·14	·14	·82	19
20		·20	–	·64		·02			·29	·63	·01	·38	20
21	·02	·36	·03	·09		·27	·12	·03	·33	1·18	–	·08	21
22	·21	·31		·25		·21			·36	·11	[illegible]	·60	22
23	·02	·03		–		·09		·23	·21	·43	·01	·56	23
24	·04	·42		·04	·01	·31		·18	·01	·10	–	·42	24
25	·05	–		·16		·05	·19	·02	25	·48	–	·07	25
26	·04	·38		·51			·02	·30	·01	·26	–	·25	26
27	·01	·73		·02			·06	1·07	·17	·03	·11	·24	27
28		·17		·18			·01		~~·20~~	·05	·01	·03	28
29						·33	·34		·20	·68	·01	·08	29
30							·06		·04	·30	·45	·02	30
31			·10				·19			·12		·03	31
Total	2·52	3·57	3·20 3·20	2·88	2·07	3·05	·99	3·37	3·63	5·45	8·24	12·64	TOTAL for year 51·57 51·51
No. of Rain Days	18	16	17	10	9	11	~~1~~8	13	16	23	25	31	197

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REC

Kept at Trewern.

in the County of Pembroke. 4

by J. Protheroe Beynon

RAIN GAUGE
Pattern 3
Diameter of top 5 in.
Height of top above Ground 3 ft.
" " " Sea Level ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Whitland.
Distance 2½ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·05		·39			·13		·02	·[illegible]	·48	1
2			·01		·31			·21		·35	·14	·44	2
3					·88			·04	·06	·05	·42	·38	3
4			·26		·02			·82			·74	·49	4
5	·74		·20					·18		·05	·09	·02	5
6	–		·14					·15			·15	1·39	6
7	·18										·67	·05	7
8	·31		·09								·37	1·44	8
9	·11		·02								·29	·70	9
10	·33	·13	1·20								·02	·43	10
11	·3[illegible]		·04		·40				·09	·04	·27	·22	11
12	·01	·01	·61		·02			·01	·88	·12	·73	·08	12
13	·03		·0[illegible]		·02				·01		·48	·27	13
14		·13	·17		·02					·08	·41	·71	14
15	–	·19	·16							·01	·41	·16	15
16	·02	·02	·01			·87					·28	·41	16
17		·05	·2			·67				~~·21~~ ·02	·47	·88	17
18	–	·40	·05	·47		·10			·01	·20	1·11	·45	18
19	·01	·04	–	·52		·13			·71	·14	·14	·82	19
20	–	·20	–	·64		·02			·29	·63	·01	·38	20
21	·02	·36	·03	·09		·27	·12	·03	·33	1·18	–	·08	21
22	·21	·31		·25		·21			·36	·11	[illegible]	·60	22
23	·02	·03		–		·09		·23	·21	·43	·01	·56	23
24	·04	·42		·04	·01	·31		·18	·01	·60	–	·42	24
25	·05	–		·16		·05	·19	·02	25	·48	–	·07	25
26	·04	·38		·51			·02	·30	·01	·26	–	·25	26
27	·01	·73		·02			·06	1·07	·17	·03	·11	·24	27
28		·17		·18			·01		~~·20~~	·05	·01	·03	28
29						·33	·34		·20	·68	·01	·08	29
30							·06		·04	·30	·45	·02	30
31			·10				·19			·12		·03	31
Total	2·52	3·57	3·20 3·20	2·88	2·07	3·05	·99	3·37	3·63	5·45	8·24	12·64	TOTAL for year ~~50·57~~ 51·51
No. of Rain Days	18	16	17	10	9	11	8	13	16	23	25	31	197

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Trewern.

in the County of Pembroke. 4

by G. Rotheroe Beynon

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground 3 ft. 1 in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Whitland
Distance 2½ Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	.	·20	-	·03	·37	·02	·05	·02	·32	·01	·42	1
2	~~[illegible]~~	-	·51	·01	-	·52	-	-	·07	·01	·03	·02	2
3	·09	.	·49	.	.	·21	-	·95	·11	.	·10	·24	3
4	·38	-	·92	-	.	-	-	·12	.	.	·66	-	4
5	·86	·10	·18	.	·05	-	-	·52	.	.	·07	·18	5
6	·35	·19	-	-	·31	-	·58	·12	.	·06	·05	·05	6
7	·06	·80	·55	.	·12	·53	·29	·03	-	-	·02	·33	7
8	1·25	·21	·58	-	·01	·06	~~·23~~	·31	·01	-	·02	·07	8
9	·07	·18	·08	·10	-	·08	·23	·60	.	-	·02	·60	9
10	·47	·07	·04		-	-	·25	·03	·03	-	·08	·05	10
11	·07	·03	·01		·01	-	·22	.		-	·37	·94	11
12	·11	.	·45	·07	·06	-	·38	·03		-	·63	·02	12
13	·81	-	·22		-	-	·06	·12		·56	·09	·58	13
14	·16	·23	·37		-	-	.	·15		·02	·01	·17	14
15	·61	·26	·04		-	·47	.	·06		-	·03	·26	15
16	·48	·21	·98		·02	·06	.	·66		·35	-	·06	16
17	·02	·03	·15		.	·37	-	·47		·01	·09	·53	17
18	·10	·25	·15		.	·07	-	·32		·21	·07	·07	18
19	·01	·09	·01		.	·06	-	·71		·22	·01	·10	19
20	·07	·03	·65		.	-	-	·03		·24	·01	·19	20
21	-	·45	·56		·08	·03	-	·21		·36	-	·20	21
22	·37	·45	·25		·24	·35	·31	·78	.	·31	·06	·21	22
23	·04	·07	·32			·06	·06	·28		·13	·41	·10	23
24	·02	·09	·13		.	·64	·25	·01		·04	·01	·32	24
25	-	·02	·07		.	·29	·03	·34		·15	·58	·70	25
26	-	·03	·17		.	·04	·02	·03		1·27	·57	·33	26
27	-	·15	·10		.	1·35	·61	-		·71	·05	·61	27
28	-	·11	·01		.	·39	1·12	·62	·23	·71	·84	·02	28
29	-	·31	-		·03	~~[illegible]~~	·19	·17	·38	·35	·05	·04	29
30	-		·13	·05	·12	·03	·17	·01		·53	.	·02	30.
31	-		·45				·38	·09		·10		·30	31
Total	6·41	4·30	8·77	·23	1·08	5·98	5·17	7·82	·79	6·71	4·88	7·67	TOTAL for year 59·81
No. of Rain Days.	22	23	29	4	12	20	18	28	7	21	27	30	241

W. 8,000, X. '11.

Ex. Df

REGISTER OF RAINFALL IN 1913

FORM A2.

BRITISH RAINFALL. 2 JAN 1914

Kept at Trewern

in the County of Pembs 4

by G. Protheroe-Beynon

RAIN GAUGE: Pattern ……
Diameter of top …… in.
Height of top above Ground …… ft. …… in.
„ „ „ Sea Level …… ft.

Time of Observation ……

Nearest Railway Station: Name ……
Distance …… Direction ……

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.25	.61	.21	.04	.			.		.40	.09	1
2	.20	.28	.32	.13	.31	.20			.	.03	.31	.14	2
3	.17	–	.14	.	.23	.			.	.13	–	.34	3
4	.38	.15	.15	.	.43	.18			.90	.31	.15	.10	4
5	.10	.10	.01	.	.19	.44	.04		.20	–	.39	.28	5
6	.46	.20	.24	.	1.32	.45	.01			.55	.10	.40	6
7	.31	.81	.02	.	.40	.55	.05			.40	.43	.03	7
8	.09	.47	.02	.	.29	–	.03			.04	–	.09	8
9	.09	.44	.15	.	.05	.44	.03			.02	1.35	.07	9
10	1.32	.01	.11	.07	[illegible]	–		.45	.01	.79	.10	–	10
11	.45	.01	–	.16	.19	.01		.04	.02	.19	.49	.14	11
12	.	–	.03	.	.14	.03	.07	.09	1.12	.01	.52	–	12
13	.15	–	.57	.02	.40		.04	.17	1.23	.	.20	–	13
14	.42	.01	.32	.17	–	.	.08		.60	.35	.23	.12	14
15	.20		.71	1.32	–		–		.03		.06	.05	15
16	.39		.61	.04	–		.04				.10	–	16
17	.22		.18	.11	–		.07				.15 ~~.40~~	–	17
18	.08		.73	.24	–	.01	.08		.01		.05 ~~.75~~	–	18
19	.87		.09	–	.02	.15	.03	.01	.41	.54	–	–	19
20	.44		.18	.42	.08	.01	–		[illegible]	.17	1.10	–	20
21	.04		.16	.15	.18	[illegible]	–	.09	.09	.15	.05	–	21
22	.92		1.11	–	.03	.38	.03	.69	.96		–	.03	22
23	.05		.03	–	.01	.01			.55		.30	.05	23
24	.20	.29	.	.24	.02			.01	.		.31	–	24
25	–	.01	–	.42	.				.25	.06	.05	.10	25
26	–		–	1.15	.	.01			.32	.05	–	.40	26
27	.29		.28	.23	.					.42	–	–	27
28	.19		.13	.10	.19					.35	.01	.17	28
29	.02		.24	1.19	.15					.81	.07	–	29
30	.55		–	.15	.10					.19	.12	–	30
31	.08		.15							.21			31
Total	8.71	3.03	7.29	6.52	4.77 4.77	2.87	.60	1.55	6.70	5.77	7.03	2.60	TOTAL for year ✓
No. of Rain Days.	28	13	26	19	21	14	13	8	15	21	24	17	57.44 inches

W. 8,000, X. '11.

219